

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
 Data File : BM040338.D
 Acq On : 21 Jun 2023 17:16
 Operator : MA/JU
 Sample : 03251-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jun 22 04:37:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 15:54:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	243883	20.000	ng	0.00
21) Naphthalene-d8	10.769	136	955137	20.000	ng	0.00
39) Acenaphthene-d10	14.598	164	478592	20.000	ng	0.00
64) Phenanthrene-d10	17.339	188	809766	20.000	ng	# 0.00
76) Chrysene-d12	21.521	240	540437	20.000	ng	0.00
86) Perylene-d12	23.939	264	650897	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	644581	40.979	ng	0.00
7) Phenol-d6	7.122	99	474225	22.113	ng	0.00
23) Nitrobenzene-d5	9.128	82	1806606	99.043	ng	0.00
42) 2,4,6-Tribromophenol	16.086	330	413879	61.991	ng	0.00
45) 2-Fluorobiphenyl	13.227	172	3404835	97.652	ng	0.00
79) Terphenyl-d14	19.962	244	3079460	110.719	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
Data File : BM040338.D
Acq On : 21 Jun 2023 17:16
Operator : MA/JU
Sample : 03251-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jun 22 04:37:20 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 15:54:19 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.957 min Scan# 798
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16




Instrument :
BNA_M
ClientSampleId :


Tgt Ion:152 Resp: 243883
Ion Ratio Lower Upper
152 100
150 159.0 122.5 183.7
115 63.4 47.9 71.9



#5
2-Fluorophenol
Concen: 40.979 ng
RT: 5.516 min Scan# 379
Delta R.T. -0.000 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16

Tgt Ion:112 Resp: 644581
Ion Ratio Lower Upper
112 100
64 58.7 45.2 67.8
63 31.6 24.2 36.4









#7
Phenol-d6
Concen: 22.113 ng
RT: 7.122 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16




Instrument :
BNA_M
ClientSampleId :


Tgt Ion: 99 Resp: 474225
Ion Ratio Lower Upper
99 100
42 20.0 14.5 21.7
71 34.0 26.9 40.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.769 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16


Tgt Ion: 136 Resp: 955137
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 8.7 6.2 9.4
68 6.4 4.9 7.3








#23
Nitrobenzene-d5
Concen: 99.043 ng
RT: 9.128 min Scan# 997
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16


Instrument :
BNA_M
ClientSampleId :





Tgt Ion: 82 Resp: 1806606
Ion Ratio Lower Upper
82 100
128 42.2 35.3 52.9
54 52.6 39.5 59.3




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.598 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16




Tgt Ion: 164 Resp: 478592
Ion Ratio Lower Upper
164 100
162 101.3 79.9 119.9
160 46.4 36.2 54.2








#42
2,4,6-Tribromophenol
Concen: 61.991 ng
RT: 16.086 min Scan# 2180
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16

Instrument :
BNA_M
ClientSampleId :







Tgt Ion:330 Resp: 413879
Ion Ratio Lower Upper
330 100
332 96.4 77.5 116.3
141 45.1 30.0 45.0#



#45
2-Fluorobiphenyl
Concen: 97.652 ng
RT: 13.227 min Scan# 1690
Delta R.T. -0.000 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16

Tgt Ion:172 Resp: 3404835
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 24.0 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.339 min Scan# 2393
Delta R.T. -0.006 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16




Instrument :
BNA_M
ClientSampleId :


Tgt Ion:188 Resp: 809766
Ion Ratio Lower Upper
188 100
94 11.7 7.8 11.6#
80 12.8 8.6 12.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.521 min Scan# 3100
Delta R.T. -0.000 min
Lab File: BM040338.D
Acq: 21 Jun 2023 17:16


Tgt Ion:240 Resp: 540437
Ion Ratio Lower Upper
240 100
120 14.0 10.1 15.1
236 26.9 21.0 31.4








#79
 Terphenyl-d14
 Concen: 110.719 ng
 RT: 19.962 min Scan# 2835
 Delta R.T. -0.000 min
 Lab File: BM040338.D
 Acq: 21 Jun 2023 17:16

Instrument :
 BNA_M
 ClientSampleId :



Tgt Ion:244 Resp: 3079460
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 11.4 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.939 min Scan# 3511
 Delta R.T. -0.006 min
 Lab File: BM040338.D
 Acq: 21 Jun 2023 17:16

Tgt Ion:264 Resp: 650897
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.0 28.6
 265 22.5 17.5 26.3

