

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
 Data File : BM040334.D
 Acq On : 21 Jun 2023 14:29
 Operator : MA/JU
 Sample : PB153189BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB153189BL

Quant Time: Jun 22 04:34:59 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 15:54:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.963	152	268122	20.000	ng	0.00
21) Naphthalene-d8	10.775	136	1088600	20.000	ng	0.00
39) Acenaphthene-d10	14.598	164	568372	20.000	ng	0.00
64) Phenanthrene-d10	17.345	188	976325	20.000	ng	0.00
76) Chrysene-d12	21.521	240	666395	20.000	ng	0.00
86) Perylene-d12	23.938	264	657014	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1776970	102.756	ng	0.00
7) Phenol-d6	7.128	99	2208267	93.663	ng	0.00
23) Nitrobenzene-d5	9.133	82	1965842	94.560	ng	0.00
42) 2,4,6-Tribromophenol	16.086	330	439492	55.430	ng	0.00
45) 2-Fluorobiphenyl	13.227	172	3675311	88.759	ng	0.00
79) Terphenyl-d14	19.962	244	3815282	111.246	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
Data File : BM040334.D
Acq On : 21 Jun 2023 14:29
Operator : MA/JU
Sample : PB153189BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB153189BL

Quant Time: Jun 22 04:34:59 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 15:54:19 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.963 min Scan# 798
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29




Instrument :
BNA_M
ClientSampleId :
PB153189BL


Tgt Ion:152 Resp: 268122
Ion Ratio Lower Upper
152 100
150 156.6 122.5 183.7
115 62.5 47.9 71.9



#5
2-Fluorophenol
Concen: 102.756 ng
RT: 5.516 min Scan# 379
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29

Tgt Ion:112 Resp: 1776970
Ion Ratio Lower Upper
112 100
64 58.0 45.2 67.8
63 31.2 24.2 36.4









#7
Phenol-d6
Concen: 93.663 ng
RT: 7.128 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29




Instrument :
BNA_M
ClientSampleId :
PB153189BL


Tgt Ion: 99 Resp: 2208267
Ion Ratio Lower Upper
99 100
42 19.3 14.5 21.7
71 33.7 26.9 40.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29

Tgt Ion: 136 Resp: 1088600
Ion Ratio Lower Upper
136 100
137 10.6 9.0 13.4
54 8.5 6.2 9.4
68 6.5 4.9 7.3









#23
Nitrobenzene-d5
Concen: 94.560 ng
RT: 9.133 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29




Instrument :
BNA_M
ClientSampleId :
PB153189BL


Tgt Ion: 82 Resp: 1965842
Ion Ratio Lower Upper
82 100
128 42.7 35.3 52.9
54 50.4 39.5 59.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.598 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29

Tgt Ion: 164 Resp: 568372
Ion Ratio Lower Upper
164 100
162 100.3 79.9 119.9
160 45.9 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 55.430 ng
RT: 16.086 min Scan# 2180
Delta R.T. -0.006 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29




Instrument :
BNA_M
ClientSampleId :
PB153189BL


Tgt Ion:330 Resp: 439492
Ion Ratio Lower Upper
330 100
332 97.1 77.5 116.3
141 45.1 30.0 45.0#



#45
2-Fluorobiphenyl
Concen: 88.759 ng
RT: 13.227 min Scan# 1690
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29

Tgt Ion:172 Resp: 3675311
Ion Ratio Lower Upper
172 100
171 35.6 28.5 42.7
170 24.1 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.345 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29




Instrument :
BNA_M
ClientSampleId :
PB153189BL


Tgt Ion:188 Resp: 976325
Ion Ratio Lower Upper
188 100
94 10.8 7.8 11.6
80 12.1 8.6 12.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.521 min Scan# 3100
Delta R.T. -0.000 min
Lab File: BM040334.D
Acq: 21 Jun 2023 14:29

Tgt Ion:240 Resp: 666395
Ion Ratio Lower Upper
240 100
120 13.8 10.1 15.1
236 26.6 21.0 31.4









#79
 Terphenyl-d14
 Concen: 111.246 ng
 RT: 19.962 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM040334.D
 Acq: 21 Jun 2023 14:29

Instrument :
 BNA_M
 ClientSampleId :
 PB153189BL

Tgt Ion:244 Resp: 3815282
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 11.1 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.938 min Scan# 3511
 Delta R.T. -0.006 min
 Lab File: BM040334.D
 Acq: 21 Jun 2023 14:29

Tgt Ion:264 Resp: 657014
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.0 28.6
 265 22.8 17.5 26.3

