

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
 Data File : BM040340.D
 Acq On : 21 Jun 2023 18:29
 Operator : MA/JU
 Sample : 03047-12RE
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TWP-07RE

Quant Time: Jun 22 04:38:02 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 15:54:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	269681	20.000	ng	0.00
21) Naphthalene-d8	10.775	136	1097901	20.000	ng	0.00
39) Acenaphthene-d10	14.598	164	568278	20.000	ng	0.00
64) Phenanthrene-d10	17.339	188	1031304	20.000	ng	0.00
76) Chrysene-d12	21.521	240	626755	20.000	ng	0.00
86) Perylene-d12	23.939	264	669341	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	910089	52.323	ng	0.00
7) Phenol-d6	7.122	99	724829	30.566	ng	0.00
23) Nitrobenzene-d5	9.134	82	2269004	108.218	ng	0.00
42) 2,4,6-Tribromophenol	16.086	330	583210	73.568	ng	0.00
45) 2-Fluorobiphenyl	13.227	172	4444273	107.347	ng	0.00
79) Terphenyl-d14	19.962	244	3831203	118.776	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062123\
Data File : BM040340.D
Acq On : 21 Jun 2023 18:29
Operator : MA/JU
Sample : 03047-12RE
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TWP-07RE

Quant Time: Jun 22 04:38:02 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM061323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 15:54:19 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.957 min Scan# 798
Delta R.T. -0.006 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29




Instrument :
BNA_M
ClientSampleId :
TWP-07RE


Tgt Ion:152 Resp: 269681
Ion Ratio Lower Upper
152 100
150 154.9 122.5 183.7
115 63.5 47.9 71.9



#5
2-Fluorophenol
Concen: 52.323 ng
RT: 5.516 min Scan# 379
Delta R.T. -0.000 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29

Tgt Ion:112 Resp: 910089
Ion Ratio Lower Upper
112 100
64 58.4 45.2 67.8
63 32.2 24.2 36.4









#7
Phenol-d6
Concen: 30.566 ng
RT: 7.122 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29




Instrument :
BNA_M
ClientSampleId :
TWP-07RE


Tgt Ion: 99 Resp: 724829
Ion Ratio Lower Upper
99 100
42 19.7 14.5 21.7
71 33.4 26.9 40.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29

Tgt Ion: 136 Resp: 1097901
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.4
54 8.8 6.2 9.4
68 5.8 4.9 7.3









#23
Nitrobenzene-d5
Concen: 108.218 ng
RT: 9.134 min Scan# 994
Delta R.T. -0.000 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29




Instrument :
BNA_M
ClientSampleId :
TWP-07RE


Tgt Ion: 82 Resp: 2269004
Ion Ratio Lower Upper
82 100
128 42.4 35.3 52.9
54 50.9 39.5 59.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.598 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29

Tgt Ion:164 Resp: 568278
Ion Ratio Lower Upper
164 100
162 99.2 79.9 119.9
160 44.7 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 73.568 ng
RT: 16.086 min Scan# 2180
Delta R.T. -0.006 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29




Instrument :
BNA_M
ClientSampleId :
TWP-07RE


Tgt Ion:330 Resp: 583210
Ion Ratio Lower Upper
330 100
332 96.4 77.5 116.3
141 45.0 30.0 45.0#



#45
2-Fluorobiphenyl
Concen: 107.347 ng
RT: 13.227 min Scan# 1690
Delta R.T. -0.000 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29

Tgt Ion:172 Resp: 4444273
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 24.2 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.339 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29




Instrument :
BNA_M
ClientSampleId :
TWP-07RE


Tgt Ion:188 Resp: 1031304
Ion Ratio Lower Upper
188 100
94 11.3 7.8 11.6
80 12.5 8.6 12.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.521 min Scan# 3100
Delta R.T. -0.000 min
Lab File: BM040340.D
Acq: 21 Jun 2023 18:29

Tgt Ion:240 Resp: 626755
Ion Ratio Lower Upper
240 100
120 13.1 10.1 15.1
236 26.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 118.776 ng
 RT: 19.962 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM040340.D
 Acq: 21 Jun 2023 18:29

Instrument :
 BNA_M
 ClientSampleId :
 TWP-07RE

Tgt Ion:244 Resp: 3831203
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 11.2 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.939 min Scan# 3511
 Delta R.T. -0.006 min
 Lab File: BM040340.D
 Acq: 21 Jun 2023 18:29

Tgt Ion:264 Resp: 669341
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.0 28.6
 265 22.7 17.5 26.3

