

Data Path : Z:\HPCHEM1\BNA M\DATA\BM062316\
 Data File : BM005954.D
 Acq On : 24 Jun 2016 05:59
 Operator : UM/SJ
 Sample : H3639-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9Z43

Quant Time: Jun 24 06:42:42 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM062216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 24 00:58:22 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	250716	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	1120097	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	687181	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1552385	20.00	ng/ul	0.00
75) Chrysene-d12	21.24	240	1746021	20.00	ng/ul	0.00
83) Perylene-d12	23.47	264	1797815	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.19	96	3830	0.61	ng/uL	0.00
5) Phenol-d5	6.83	99	128909	5.97	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	93628	7.09	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	105374	6.20	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	106763	6.31	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	48977	5.94	ng/ul	0.00
22) 2-Nitrophenol-d4	9.53	143	49718	5.76	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	95451	5.78	ng/ul	0.00
29) 4-Chloroaniline-d4	10.58	131	141787	7.84	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	334544	6.13	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	394776	5.79	ng/ul	0.00
51) 4-Nitrophenol-d4	14.50	143	31204	2.92	ng/ul	-0.01
57) Fluorene-d10	15.30	176	292085	6.19	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	23200	3.00	ng/ul	0.00
70) Anthracene-d10	17.15	188	428259	6.06	ng/ul	0.00
76) Pyrene-d10	19.45	212	483961	5.97	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.32	264	484304	5.98	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.77	163	76612	1.39	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM062316\
Data File : BM005954.D
Acq On : 24 Jun 2016 05:59
Operator : UM/SJ
Sample : H3639-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9Z43

Quant Time: Jun 24 06:42:42 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM062216.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 24 00:58:22 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 1.39 ng/ul

RT: 13.77 min Scan# 1901

Delta R.T. -0.00 min

Lab File: BM005954.D

Acq: 24 Jun 2016 05:59

Instrument :

BNA_M

ClientSampleId :

D9Z43


Tot Ion:163 Resp: 76612

Ion Ratio Lower Upper

163 100

194 4.5 3.1 4.7

164 9.4 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

