

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062416\
 Data File : BM005968.D
 Acq On : 24 Jun 2016 16:37
 Operator : UM/SJ
 Sample : H3612-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9Z20

Quant Time: Jun 24 23:55:57 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM062216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 24 23:55:23 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	291471	20.00	ng/ul	0.00
18) Naphthalene-d8	10.44	136	1349624	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	831225	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1950482	20.00	ng/ul	0.00
75) Chrysene-d12	21.25	240	2382674	20.00	ng/ul	0.00
83) Perylene-d12	23.47	264	2455157	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.18	96	12111	1.65	ng/uL	0.00
5) Phenol-d5	6.83	99	437391	17.43	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	283124	18.43	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	339526	17.18	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	352294	17.92	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	157490	15.86	ng/ul	0.00
22) 2-Nitrophenol-d4	9.53	143	167672	16.13	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	324587	16.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.58	131	408213	18.74	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	1029551	15.59	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	1309370	15.87	ng/ul	0.00
51) 4-Nitrophenol-d4	14.50	143	163215	12.64	ng/ul	0.00
57) Fluorene-d10	15.30	176	927155	16.25	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	120832	12.44	ng/ul	0.00
70) Anthracene-d10	17.15	188	1427633	16.07	ng/ul	0.00
76) Pyrene-d10	19.45	212	1675009	15.15	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.32	264	1737771	15.71	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.77	163	326064	4.89	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062416\
Data File : BM005968.D
Acq On : 24 Jun 2016 16:37
Operator : UM/SJ
Sample : H3612-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9Z20

Quant Time: Jun 24 23:55:57 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM062216.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 24 23:55:23 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.89 ng/ul

RT: 13.77 min Scan# 1901

Delta R.T. -0.00 min

Lab File: BM005968.D

Acq: 24 Jun 2016 16:37

Instrument :

BNA_M

ClientSampleId :

D9Z20



Tgt Ion:163 Resp: 326064

Ion Ratio Lower Upper

163 100

194 3.9 3.1 4.7

164 9.5 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

