

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062424\
 Data File : BM046315.D
 Acq On : 26 Jun 2024 06:04
 Operator : MA/JU
 Sample : P2909-08
 Misc :
 ALS Vial : 76 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4B85

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/26/2024
 Supervised By :mohammad ahmed 06/27/2024

Quant Time: Jun 26 06:35:06 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM061824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 26 03:24:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.396	152	2370	0.400	ng/ul	-0.05
4) Naphthalene-d8	10.167	136	7105	0.400	ng/ul	-0.05
9) Acenaphthene-d10	14.044	164	4067	0.400	ng/ul	-0.02
13) Phenanthrene-d10	16.791	188	8558m	0.400	ng/ul	-0.05
17) Chrysene-d12	21.000	240	6790m	0.400	ng/ul	-0.02
23) Perylene-d12	23.083	264	6867m	0.400	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.016	96	7638	2.349	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.794	152	1948	0.204	ng/ul	-0.05
18) Fluoranthene-d10	18.826	212	4606	0.226	ng/ul	-0.03
Target Compounds						
					Qvalue	
5) Naphthalene	10.211	128	1782	0.090	ng/ul#	87
7) 2-Methylnaphthalene	11.866	142	976	0.088	ng/ul	100
8) 1-Methylnaphthalene	12.080	142	983	0.080	ng/ul	98
10) Acenaphthylene	13.762	152	1746	0.091	ng/ul#	84
11) Acenaphthene	14.104	153	4137	0.297	ng/ul	98
12) Fluorene	15.099	166	5087	0.340	ng/ul	99
15) Phenanthrene	16.829	178	68013m	2.829	ng/ul	
16) Anthracene	16.922	178	18395m	1.027	ng/ul	
19) Fluoranthene	18.858	202	76721	2.610	ng/ul	95
20) Pyrene	19.221	202	62366	1.962	ng/ul	95
21) Benzo(a)anthracene	20.985	228	31100	1.186	ng/ul	99
22) Chrysene	21.035	228	26712	0.798	ng/ul	98
24) Benzo(b)fluoranthene	22.472	252	33699m	1.362	ng/ul	
25) Benzo(k)fluoranthene	22.507	252	14291m	0.486	ng/ul	
26) Benzo(a)pyrene	22.993	252	24078	1.050	ng/ul#	81
27) Indeno(1,2,3-cd)pyrene	25.132	276	18564	0.495	ng/ul#	94
28) Dibenzo(a,h)anthracene	25.132	278	3703m	0.133	ng/ul	
29) Benzo(g,h,i)perylene	25.749	276	16483	0.512	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062424\
Data File : BM046315.D
Acq On : 26 Jun 2024 06:04
Operator : MA/JU
Sample : P2909-08
Misc :
ALS Vial : 76 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4B85

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/26/2024
Supervised By :mohammad ahmed 06/27/2024

Quant Time: Jun 26 06:35:06 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM061824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 26 03:24:28 2024
Response via : Initial Calibration

