

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062520\
 Data File : BM026566.D
 Acq On : 25 Jun 2020 20:15
 Operator : JU/CG
 Sample : L3062-14
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ET147

Manual Integrations
 APPROVED

mohammad
 6/26/2020 12:20:20 PM

Quant Time: Jun 26 00:41:10 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 25 10:53:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.37	152	102402	20.00	ng/ul	0.00
18) Naphthalene-d8	10.13	136	481091	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.03	164	331144	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.79	188	759391	20.00	ng/ul	0.00
78) Chrysene-d12	21.00	240	840397	20.00	ng/ul	0.00
86) Perylene-d12	23.08	264	845200	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	2.98	96	1601m	0.55	ng/uL	0.02
5) Phenol-d5	6.59	99	21362	2.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.73	67	14917	2.50	ng/ul	0.00
9) 2-Chlorophenol-d4	6.92	132	19589	2.55	ng/ul	0.00
13) 4-Methylphenol-d8	8.10	113	22352	3.01	ng/ul	0.00
19) Nitrobenzene-d5	8.53	128	6916	1.62	ng/ul	0.01
22) 2-Nitrophenol-d4	9.24	143	9018	1.92	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.79	165	17022	1.97	ng/ul	0.02
29) 4-Chloroaniline-d4	10.29	131	31632	3.50	ng/ul	0.01
44) Dimethylphthalate-d6	13.46	166	100399	3.61	ng/ul	0.00
47) Acenaphthylene-d8	13.72	160	38559	1.15	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.04	176	34907	1.46	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	16.89	188	66896	1.73	ng/ul	0.00
79) Pyrene-d10	19.19	212	78628	1.71	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.95	264	64715	1.38	ng/ul	0.00

Target Compounds				Ovalue	
45) Dimethylphthalate	13.50	163	52709	1.823	ng/ul 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062520\
Data File : BM026566.D
Acq On : 25 Jun 2020 20:15
Operator : JU/CG
Sample : L3062-14
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
ET147

Manual Integrations
APPROVED

mohammad
6/26/2020 12:20:20 PM

Quant Time: Jun 26 00:41:10 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 25 10:53:13 2020
Response via : Initial Calibration





#45
 Dimethylphthalate
 Concen: 1.823 ng/ul
 RT: 13.50 min Scan# 1805
 Delta R.T. 0.00 min
 Lab File: BM026566.D
 Acq: 25 Jun 2020 20:15

Instrument :
 BNA_M
 ClientSampleId :
 ET147

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.6	3.4	5.2
164	10.1	7.8	11.6

Manual Integrations
 APPROVED

mohammad
 6/26/2020 12:20:20 PM

