

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062819\
 Data File : BM021227.D
 Acq On : 28 Jun 2019 12:38
 Operator : HP/JU
 Sample : K3381-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFCM5

Quant Time: Jun 28 15:32:00 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 27 05:07:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	180045	20.00	ng/ul	0.00
18) Naphthalene-d8	10.55	136	828877	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.40	164	561959	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.15	188	1298516	20.00	ng/ul	0.00
77) Chrysene-d12	21.34	240	961854	20.00	ng/ul	0.00
85) Perylene-d12	23.61	264	1015753	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	25175	6.64	ng/uL	0.00
5) Phenol-d5	6.93	99	86582	5.52	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.10	67	226598	24.27	ng/ul	0.00
9) 2-Chlorophenol-d4	7.29	132	257171	20.19	ng/ul	0.00
13) 4-Methylphenol-d8	8.46	113	183195	14.00	ng/ul	0.00
19) Nitrobenzene-d5	8.92	128	172345	25.61	ng/ul	0.00
22) 2-Nitrophenol-d4	9.64	143	194935	26.09	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.17	165	384582	25.32	ng/ul	0.00
29) 4-Chloroaniline-d4	10.70	131	50824	3.21	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	1687498	33.23	ng/ul	0.00
46) Acenaphthylene-d8	14.09	160	1821261	29.30	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	34220	4.14	ng/ul	0.00
57) Fluorene-d10	15.40	176	1421403	32.18	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	227068	28.45	ng/ul	0.00
70) Anthracene-d10	17.25	188	2443465	36.21	ng/ul	0.00
78) Pyrene-d10	19.54	212	2527687	43.79	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.46	264	2324644	38.79	ng/ul	0.00


Target Compounds					Ovalue
44) Dimethylphthalate	13.86	163	86503	1.871	ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062819\
Data File : BM021227.D
Acq On : 28 Jun 2019 12:38
Operator : HP/JU
Sample : K3381-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFCM5

Quant Time: Jun 28 15:32:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 27 05:07:12 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 1.871 ng/ul

RT: 13.86 min Scan# 1849

Delta R.T. -0.01 min

Lab File: BM021227.D

Acq: 28 Jun 2019 12:38

Instrument :

BNA_M

ClientSampleId :

BFCM5


Tot Ion:163 Resp: 86503

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.2

164 11.0 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

