

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM062916\  
 Data File : BM006131.D  
 Acq On : 29 Jun 2016 18:39  
 Operator : UM/SJ  
 Sample : H3777-23  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 D9YD1

Quant Time: Jun 30 03:30:12 2016  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM062816.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Jun 29 00:57:09 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.65  | 152  | 195168   | 20.00 | ng/ul | 0.00     |
| 7) Naphthalene-d8         | 10.43 | 136  | 897578   | 20.00 | ng/ul | 0.00     |
| 15) Acenaphthene-d10      | 14.30 | 164  | 571164   | 20.00 | ng/ul | 0.00     |
| 23) Phenanthrene-d10      | 17.05 | 188  | 1358554  | 20.00 | ng/ul | 0.00     |
| 29) Chrysene-d12          | 21.24 | 240  | 1371988  | 20.00 | ng/ul | 0.00     |
| 34) Perylene-d12          | 23.46 | 264  | 1134317  | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 2) 1,4-Dioxane-d8              | 3.16  | 96   | 6977     | 1.66  | ng/uL | 0.00     |
| 3) Phenol-d5                   | 6.82  | 99   | 341419   | 21.41 | ng/ul | 0.00     |
| 4) Bis-(2-Chloroethyl)ether-d  | 6.99  | 67   | 220410   | 23.45 | ng/ul | 0.00     |
| 5) 2-Chlorophenol-d4           | 7.18  | 132  | 261234   | 21.35 | ng/ul | 0.00     |
| 6) 4-Methylphenol-d8           | 8.35  | 113  | 268356   | 20.91 | ng/ul | -0.01    |
| 8) Nitrobenzene-d5             | 8.80  | 128  | 138919   | 22.98 | ng/ul | 0.00     |
| 9) 2-Nitrophenol-d4            | 9.52  | 143  | 156947   | 22.68 | ng/ul | 0.00     |
| 10) 2,4-Dichlorophenol-d3      | 10.05 | 165  | 272324   | 21.57 | ng/ul | 0.00     |
| 12) 4-Chloroaniline-d4         | 10.57 | 131  | 392952   | 39.38 | ng/ul | 0.00     |
| 16) Dimethylphthalate-d6       | 13.71 | 166  | 1052407  | 25.70 | ng/ul | 0.00     |
| 17) Acenaphthylene-d8          | 13.99 | 160  | 1223282  | 24.62 | ng/ul | 0.00     |
| 20) 4-Nitrophenol-d4           | 14.50 | 143  | 177971   | 22.91 | ng/ul | 0.00     |
| 21) Fluorene-d10               | 15.30 | 176  | 895510   | 25.63 | ng/ul | 0.00     |
| 24) 4,6-Dinitro-2-methylphenol | 15.42 | 200  | 137820   | 28.64 | ng/ul | 0.00     |
| 26) Anthracene-d10             | 17.14 | 188  | 1395407  | 25.60 | ng/ul | 0.00     |
| 30) Pyrene-d10                 | 19.44 | 212  | 1599867  | 28.96 | ng/ul | 0.00     |
| 37) Benzo(a)pyrene-d12         | 23.32 | 264  | 1202064  | 26.63 | ng/ul | 0.00     |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM062916\  
Data File : BM006131.D  
Acq On : 29 Jun 2016 18:39  
Operator : UM/SJ  
Sample : H3777-23  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
D9YD1

Quant Time: Jun 30 03:30:12 2016  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM062816.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Jun 29 00:57:09 2016  
Response via : Initial Calibration

