

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM070216\
 Data File : BM006199.D
 Acq On : 02 Jul 2016 15:06
 Operator : UM/SJ
 Sample : H3797-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDHQ0

Quant Time: Jul 03 00:15:37 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM070216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Jul 03 00:14:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	272637	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1295701	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	808957	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.05	188	1841732	20.00	ng/ul	0.00
75) Chrysene-d12	21.25	240	1901375	20.00	ng/ul	0.00
83) Perylene-d12	23.47	264	1648310	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.16	96	9433	1.48	ng/uL	0.00
5) Phenol-d5	6.83	99	469501	18.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	312549	20.75	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	368510	18.86	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	398295	19.28	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	202739	19.63	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	226905	19.39	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	381252	17.98	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	554571	25.17	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	1369994	20.29	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	1649667	19.74	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	193438	15.12	ng/ul	-0.01
57) Fluorene-d10	15.30	176	1158794	19.91	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	159722	14.80	ng/ul	0.00
70) Anthracene-d10	17.15	188	1767007	20.11	ng/ul	0.00
76) Pyrene-d10	19.45	212	1978530	21.82	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.33	264	1612055	21.05	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.76	163	695710	10.25	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM070216\
Data File : BM006199.D
Acq On : 02 Jul 2016 15:06
Operator : UM/SJ
Sample : H3797-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDHQ0

Quant Time: Jul 03 00:15:37 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM070216.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Jul 03 00:14:45 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 10.25 ng/ul

RT: 13.76 min Scan# 1899

Delta R.T. -0.01 min

Lab File: BM006199.D

Acq: 02 Jul 2016 15:06

Instrument :

BNA_M

ClientSampleId :

BDHQ0

Tgt Ion:163 Resp: 695710

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 10.2 7.8 11.8

