

Data Path : Z:\HPCHEM1\BNA_M\Data\BM070516\
 Data File : BM006257.D
 Acq On : 05 Jul 2016 13:36
 Operator : UM/SJ
 Sample : H3797-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDHQ0

Quant Time: Jul 05 19:01:36 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM070216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 05 17:52:15 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	271076	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	1245261	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	701054	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.04	188	1448899	20.00	ng/ul	0.00
75) Chrysene-d12	21.24	240	1274066	20.00	ng/ul	0.00
83) Perylene-d12	23.46	264	1217482	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	9892	1.56	ng/uL	0.00
5) Phenol-d5	6.82	99	484556	19.09	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	324270	21.65	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	376746	19.39	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	398726	19.41	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	198088	19.96	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	221068	19.65	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	373379	18.32	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	543577	25.67	ng/ul	0.00
43) Dimethylphthalate-d6	13.70	166	1208735	20.66	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	1522462	21.02	ng/ul	0.00
51) 4-Nitrophenol-d4	14.51	143	145322	13.11	ng/ul	0.00
57) Fluorene-d10	15.29	176	1024368	20.31	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	111824	13.17	ng/ul	0.00
70) Anthracene-d10	17.14	188	1452939	21.02	ng/ul	0.00
76) Pyrene-d10	19.44	212	1468961	24.18	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.32	264	1243024	21.97	ng/ul	0.00


Target Compounds						Qvalue
44) Dimethylphthalate	13.75	163	620795	10.56	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\Data\BM070516\
Data File : BM006257.D
Acq On : 05 Jul 2016 13:36
Operator : UM/SJ
Sample : H3797-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDHQ0

Quant Time: Jul 05 19:01:36 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM070216.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 05 17:52:15 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 10.56 ng/ul

RT: 13.75 min Scan# 1898

Delta R.T. -0.01 min

Lab File: BM006257.D

Acq: 05 Jul 2016 13:36

Instrument :

BNA_M

ClientSampleId :

BDHQ0


Tgt Ion:163 Resp: 620795

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.9 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

