

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM070824\
 Data File : BM046450.D
 Acq On : 08 Jul 2024 23:45
 Operator : MA/JU
 Sample : P2982-11DL 5X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4CF7DL

Quant Time: Jul 09 01:00:04 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM070524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 05 16:01:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.531	152	7646	0.400	ng/ul	0.00
4) Naphthalene-d8	10.292	136	21868	0.400	ng/ul	#-0.01
9) Acenaphthene-d10	14.172	164	13622	0.400	ng/ul	-0.01
13) Phenanthrene-d10	16.925	188	25390	0.400	ng/ul	#-0.01
17) Chrysene-d12	21.126	240	13740	0.400	ng/ul	-0.02
23) Perylene-d12	23.277	264	13839	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.130	96	3970	0.503	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.892	152	1674	0.052	ng/ul	-0.01
18) Fluoranthene-d10	18.959	212	2687	0.056	ng/ul	-0.01
Target Compounds						Qvalue
10) Acenaphthylene	13.890	152	3141	0.045	ng/ul#	92
11) Acenaphthene	14.233	153	1427	0.032	ng/ul	94
12) Fluorene	15.232	166	1560	0.029	ng/ul#	91
15) Phenanthrene	16.967	178	26744	0.352	ng/ul	99
16) Anthracene	17.056	178	6300	0.085	ng/ul	95
19) Fluoranthene	18.992	202	38622	0.556	ng/ul#	96
20) Pyrene	19.354	202	40525	0.567	ng/ul#	93
21) Benzo(a)anthracene	21.111	228	15895	0.259	ng/ul	94
22) Chrysene	21.164	228	15485	0.254	ng/ul	96
24) Benzo(b)fluoranthene	22.642	252	23056	0.392	ng/ul	87
25) Benzo(k)fluoranthene	22.642	252	23056	0.388	ng/ul#	86
26) Benzo(a)pyrene	23.186	252	12749	0.274	ng/ul#	86
27) Indeno(1,2,3-cd)pyrene	25.410	276	8467	0.135	ng/ul#	90
28) Dibenzo(a,h)anthracene	25.431	278	2049	0.042	ng/ul#	29
29) Benzo(g,h,i)perylene	26.061	276	8528	0.170	ng/ul#	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM070824\
Data File : BM046450.D
Acq On : 08 Jul 2024 23:45
Operator : MA/JU
Sample : P2982-11DL 5X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4CF7DL

Quant Time: Jul 09 01:00:04 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM070524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 05 16:01:25 2024
Response via : Initial Calibration









#10
Acenaphthylene
Concen: 0.045 ng/ul
RT: 13.890 min Scan# 21
Delta R.T. -0.009 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45




Instrument :
BNA_M
ClientSampleId :
A4CF7DL


Tgt Ion:152 Resp: 3141
Ion Ratio Lower Upper
152 100
151 23.5 15.9 23.9
153 17.0 11.0 16.6#



#11
Acenaphthene
Concen: 0.032 ng/ul
RT: 14.233 min Scan# 2465
Delta R.T. -0.014 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Tgt Ion:153 Resp: 1427
Ion Ratio Lower Upper
153 100
152 53.6 40.4 60.6
154 83.2 72.1 108.1









#12
Fluorene
Concen: 0.029 ng/ul
RT: 15.232 min Scan# 20
Delta R.T. -0.009 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45




Instrument :
BNA_M
ClientSampleId :
A4CF7DL


Tgt Ion:166 Resp: 1560
Ion Ratio Lower Upper
166 100
165 105.3 78.0 117.0
167 20.1 11.4 17.0#



#15
Phenanthrene
Concen: 0.352 ng/ul
RT: 16.967 min Scan# 3076
Delta R.T. -0.008 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Tgt Ion:178 Resp: 26744
Ion Ratio Lower Upper
178 100
179 15.7 12.7 19.1
176 19.5 16.0 24.0









#16
 Anthracene
 Concen: 0.085 ng/ul
 RT: 17.056 min Scan# 3098
 Delta R.T. -0.012 min
 Lab File: BM046450.D
 Acq: 08 Jul 2024 23:45




Instrument :
 BNA_M
 ClientSampleId :
 A4CF7DL


Tgt Ion:178 Resp: 6300
 Ion Ratio Lower Upper
 178 100
 179 18.1 12.6 18.8
 176 20.4 14.9 22.3



#19
 Fluoranthene
 Concen: 0.556 ng/ul
 RT: 18.992 min Scan# 3545
 Delta R.T. -0.014 min
 Lab File: BM046450.D
 Acq: 08 Jul 2024 23:45

Tgt Ion:202 Resp: 38622
 Ion Ratio Lower Upper
 202 100
 101 6.6 6.3 9.5
 100 4.9 5.0 7.6#





#20

Pyrene

Concen: 0.567 ng/ul

RT: 19.354 min Scan# 30

Delta R.T. -0.009 min

Lab File: BM046450.D

Acq: 08 Jul 2024 23:45

Instrument :

BNA_M

ClientSampleId :

A4CF7DL





Tgt Ion:202 Resp: 40525

Ion Ratio Lower Upper

202 100

101 7.8 8.2 12.4#

100 6.3 6.9 10.3#



#21

Benzo(a)anthracene

Concen: 0.259 ng/ul

RT: 21.111 min Scan# 4078

Delta R.T. -0.014 min

Lab File: BM046450.D

Acq: 08 Jul 2024 23:45




Tgt Ion:228 Resp: 15895


Ion Ratio Lower Upper

228 100

229 21.1 15.8 23.6


226 31.3 22.0 33.0








#22
Chrysene
Concen: 0.254 ng/ul
RT: 21.164 min Scan# 4096
Delta R.T. -0.014 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Instrument :
BNA_M
ClientSampleId :
A4CF7DL







Tgt Ion:	228	Resp:	15485
Ion Ratio	Lower	Upper	
228	100		
226	31.4	24.1	36.1
229	22.6	15.8	23.6



#24
Benzo(b)fluoranthene
Concen: 0.392 ng/ul
RT: 22.642 min Scan# 4602
Delta R.T. -0.020 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45


Tgt Ion:	252	Resp:	23056
Ion Ratio	Lower	Upper	
252	100		
253	29.9	0.0	47.0
125	14.3	0.0	18.4







#25
Benzo(k)fluoranthene
Concen: 0.388 ng/ul
RT: 22.642 min Scan# 41
Delta R.T. -0.064 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Instrument :
BNA_M
ClientSampleId :
A4CF7DL







Tgt Ion:252 Resp: 23056
Ion Ratio Lower Upper
252 100
253 29.9 18.4 27.6#
125 14.3 7.5 11.3#



#26
Benzo(a)pyrene
Concen: 0.274 ng/ul
RT: 23.186 min Scan# 4788
Delta R.T. -0.023 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Tgt Ion:252 Resp: 12749
Ion Ratio Lower Upper
252 100
253 30.9 18.9 28.3#
125 14.3 8.1 12.1#





#27

Indeno(1,2,3-cd)pyrene

Concen: 0.135 ng/ul

RT: 25.410 min Scan# 5

Delta R.T. -0.037 min

Lab File: BM046450.D

Acq: 08 Jul 2024 23:45

Instrument :

BNA_M

ClientSampleId :

A4CF7DL





Tgt Ion:276 Resp: 8467

Ion Ratio Lower Upper

276 100

138 15.1 15.7 23.5#

227 0.3 0.1 0.1#



#28

Dibenzo(a,h)anthracene

Concen: 0.042 ng/ul

RT: 25.431 min Scan# 5537

Delta R.T. -0.043 min

Lab File: BM046450.D

Acq: 08 Jul 2024 23:45




Tgt Ion:278 Resp: 2049


Ion Ratio Lower Upper

278 100

139 39.1 12.6 18.8#


279 67.1 20.7 31.1#





#29
Benzo(g,h,i)perylene
Concen: 0.170 ng/ul
RT: 26.061 min Scan# 51
Delta R.T. -0.030 min
Lab File: BM046450.D
Acq: 08 Jul 2024 23:45

Instrument :
BNA_M
ClientSampleId :
A4CF7DL



Tgt Ion:276 Resp: 8528
Ion Ratio Lower Upper
276 100
138 19.0 15.4 23.0
277 30.0 19.7 29.5#

