

Data Path : Z:\HPCHEM1\BNA M\DATA\BM070916\
 Data File : BM006356.D
 Acq On : 08 Jul 2016 18:42
 Operator : UM/SJ
 Sample : H3861-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jul 09 01:14:20 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM070216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 09 01:11:24 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	186825	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	859596	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.29	164	504660	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.04	188	1118911	20.00	ng/ul	0.00
75) Chrysene-d12	21.24	240	881209	20.00	ng/ul	0.00
83) Perylene-d12	23.44	264	823235	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.16	96	5448	1.25	ng/uL	0.00
5) Phenol-d5	6.82	99	271344	15.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.97	67	171444	16.61	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	210130	15.69	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	206314	14.57	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	107028	15.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.51	143	119364	15.37	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	214182	15.22	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	307527	21.04	ng/ul	0.00
43) Dimethylphthalate-d6	13.70	166	739373	17.56	ng/ul	0.00
46) Acenaphthylene-d8	13.98	160	923840	17.72	ng/ul	0.00
51) 4-Nitrophenol-d4	14.51	143	75484	9.46	ng/ul	0.00
57) Fluorene-d10	15.29	176	662187	18.24	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	54312	8.28	ng/ul	0.00
70) Anthracene-d10	17.14	188	1000915	18.75	ng/ul	0.00
76) Pyrene-d10	19.44	212	1046446	24.90	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.30	264	753691	19.70	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.74	163	438549	10.36	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM070916\
Data File : BM006356.D
Acq On : 08 Jul 2016 18:42
Operator : UM/SJ
Sample : H3861-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jul 09 01:14:20 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM070216.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 09 01:11:24 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 10.36 ng/ul

RT: 13.74 min Scan# 1897

Delta R.T. -0.01 min

Lab File: BM006356.D

Acq: 08 Jul 2016 18:42

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 438549

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0

164 10.2 7.8 11.8



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

