

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071416\
 Data File : BM006431.D
 Acq On : 15 Jul 2016 07:29
 Operator : UM/SJ
 Sample : H3990-22
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJ75

Quant Time: Jul 15 08:07:05 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 15 04:34:07 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	141590	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	595084	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.27	164	351252	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	837224	20.00	ng/ul	0.00
75) Chrysene-d12	21.22	240	1051347	20.00	ng/ul	0.00
83) Perylene-d12	23.42	264	1134933	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	9427	2.80	ng/uL	0.00
5) Phenol-d5	6.80	99	420378	36.23	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	260481	37.01	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	334775	35.61	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	335232	36.36	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	163954	36.35	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	185941	36.46	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	325420	33.83	ng/ul	0.00
29) 4-Chloroaniline-d4	10.54	131	430317	42.79	ng/ul	0.00
43) Dimethylphthalate-d6	13.68	166	1015976	35.34	ng/ul	0.00
46) Acenaphthylene-d8	13.96	160	1251850	35.22	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	185817	37.21	ng/ul	0.00
57) Fluorene-d10	15.27	176	872882	34.16	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	166168	34.31	ng/ul	0.00
70) Anthracene-d10	17.12	188	1396233	35.28	ng/ul	0.00
76) Pyrene-d10	19.42	212	1640080	34.41	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.28	264	1961551	37.79	ng/ul	0.00


Target Compounds						Qvalue
15) N-Nitroso-di-n-propylamine	8.33	70	9165	1.20	ng/ul#	1
44) Dimethylphthalate	13.73	163	288812	9.90	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071416\
Data File : BM006431.D
Acq On : 15 Jul 2016 07:29
Operator : UM/SJ
Sample : H3990-22
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJ75

Quant Time: Jul 15 08:07:05 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071416.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 15 04:34:07 2016
Response via : Initial Calibration





#15

N-Nitroso-di-n-propylamine

Concen: 1.20 ng/ul

RT: 8.33 min Scan# 976

Delta R.T. -0.09 min

Lab File: BM006431.D

Acq: 15 Jul 2016 07:29

Instrument :

BNA_M

ClientSampleId :

BDJ75

Tgt Ion: 70 Resp: 9165


Ion Ratio Lower Upper

70 100

42 438.5 50.6 75.8#

101 0.0 7.9 11.9#

130 0.0 15.8 23.6#






Abundance Ion 70.00 (69.70 to 70.70): BM0

Ion 42.00 (41.70 to 42.70): BM0

Ion 101.00 (100.70 to 101.70): E

Ion 130.00 (129.70 to 130.70): E



#44

Dimethylphthalate

Concen: 9.90 ng/ul

RT: 13.73 min Scan# 1894

Delta R.T. -0.01 min

Lab File: BM006431.D

Acq: 15 Jul 2016 07:29


Tgt Ion: 163 Resp: 288812

Ion Ratio Lower Upper

163 100

194 3.6 3.4 5.0

164 10.7 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

