

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071416\
 Data File : BM006427.D
 Acq On : 15 Jul 2016 05:03
 Operator : UM/SJ
 Sample : H3990-16
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJ69

Quant Time: Jul 15 07:08:48 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 15 04:34:07 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	141078	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	591544	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.27	164	345907	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	830395	20.00	ng/ul	0.00
75) Chrysene-d12	21.22	240	1049340	20.00	ng/ul	0.00
83) Perylene-d12	23.41	264	1121897	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.14	96	8483	2.53	ng/uL	0.00
5) Phenol-d5	6.80	99	365195	31.59	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	226225	32.26	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	292662	31.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	289496	31.51	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	141185	31.49	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	161883	31.93	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	276942	28.96	ng/ul	0.00
29) 4-Chloroaniline-d4	10.54	131	349917	35.00	ng/ul	0.00
43) Dimethylphthalate-d6	13.69	166	894640	31.60	ng/ul	0.00
46) Acenaphthylene-d8	13.96	160	1084936	31.00	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	156151	31.75	ng/ul	0.00
57) Fluorene-d10	15.27	176	771355	30.65	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	136881	28.50	ng/ul	0.00
70) Anthracene-d10	17.12	188	1222819	31.15	ng/ul	0.00
76) Pyrene-d10	19.42	212	1444096	30.35	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.28	264	1698527	33.11	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.73	163	281442	9.80	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071416\
Data File : BM006427.D
Acq On : 15 Jul 2016 05:03
Operator : UM/SJ
Sample : H3990-16
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJ69

Quant Time: Jul 15 07:08:48 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 15 04:34:07 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 9.80 ng/ul

RT: 13.73 min Scan# 1895

Delta R.T. 0.00 min

Lab File: BM006427.D

Acq: 15 Jul 2016 05:03

Instrument :

BNA_M

ClientSampleId :

BDJ69


Tot Ion:163 Resp: 281442

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 9.4 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

