

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071515\
 Data File : BM001935.D
 Acq On : 15 Jul 2015 06:35
 Operator : TP/UM
 Sample : G2940-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0216

Quant Time: Jul 15 07:19:48 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071315.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 15 07:11:15 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	86293	20.00	ng/ul	0.00
18) Naphthalene-d8	10.44	136	337348	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	205314	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	441970	20.00	ng/ul	0.00
77) Chrysene-d12	21.25	240	428458	20.00	ng/ul	0.00
85) Perylene-d12	23.47	264	400455	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.13	96	2015	1.14	ng/uL	0.00
5) Phenol-d5	6.82	99	39373	5.59	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	89374	23.28	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	112678	20.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	72745	12.57	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	63156	25.07	ng/ul	0.00
22) 2-Nitrophenol-d4	9.53	143	70943	25.41	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	128916	22.84	ng/ul	0.00
29) 4-Chloroaniline-d4	10.59	131	2733	0.47	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	398499	24.06	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	506699	25.44	ng/ul	0.00
51) 4-Nitrophenol-d4	14.51	143	11846	4.22	ng/ul	0.00
57) Fluorene-d10	15.30	176	360020	25.44	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	60581	21.17	ng/ul	0.00
70) Anthracene-d10	17.16	188	534931	25.78	ng/ul	0.00
78) Pyrene-d10	19.46	212	555604	28.39	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.33	264	496712	24.53	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.17	88	9337	5.02	ng/uL	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071515\
Data File : BM001935.D
Acq On : 15 Jul 2015 06:35
Operator : TP/UM
Sample : G2940-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0216

Quant Time: Jul 15 07:19:48 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071315.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 15 07:11:15 2015
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 5.02 ng/uL

RT: 3.17 min Scan# 82

Delta R.T. 0.00 min

Lab File: BM001935.D

Acq: 15 Jul 2015 06:35

Instrument :

BNA_M

ClientSampleId :

C0216


Tgt Ion: 88 Resp: 9337

Ion Ratio Lower Upper

88 100

43 30.6 22.1 33.1

58 68.6 54.9 82.3



Abundance Ion 88.00 (87.70 to 88.70): BM001935.D (-1) (-)

