

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071516\  
 Data File : BM006458.D  
 Acq On : 16 Jul 2016 00:48  
 Operator : UM/SJ  
 Sample : H3992-10  
 Misc :  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BDJ89

Quant Time: Jul 16 02:25:33 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Fri Jul 15 23:20:22 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.62  | 152  | 134129   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.40 | 136  | 576959   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.27 | 164  | 340252   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.02 | 188  | 836795   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.22 | 240  | 1072734  | 20.00 | ng/ul | -0.01    |
| 83) Perylene-d12          | 23.41 | 264  | 1170023  | 20.00 | ng/ul | -0.01    |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.14  | 96   | 5770     | 1.81  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.80  | 99   | 241641   | 21.98 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 6.96  | 67   | 149210   | 22.38 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.15  | 132  | 190177   | 21.35 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.33  | 113  | 194260   | 22.24 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.77  | 128  | 93103    | 21.29 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.49  | 143  | 102944   | 20.82 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.02 | 165  | 187849   | 20.14 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.54 | 131  | 269092   | 27.60 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.68 | 166  | 652097   | 23.42 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 13.96 | 160  | 786499   | 22.84 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.49 | 143  | 107230   | 22.17 | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.27 | 176  | 579129   | 23.39 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.40 | 200  | 90526    | 18.70 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.12 | 188  | 956861   | 24.19 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.42 | 212  | 1208258  | 24.84 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.27 | 264  | 1426082  | 26.65 | ng/ul | -0.01    |

| Target Compounds      | R.T.  | QIon | Response | Conc  | Units | Ovalue |
|-----------------------|-------|------|----------|-------|-------|--------|
| 44) Dimethylphthalate | 13.73 | 163  | 299076   | 10.59 | ng/ul | 100    |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071516\  
Data File : BM006458.D  
Acq On : 16 Jul 2016 00:48  
Operator : UM/SJ  
Sample : H3992-10  
Misc :  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BDJ89

Quant Time: Jul 16 02:25:33 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Fri Jul 15 23:20:22 2016  
Response via : Initial Calibration

