

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071616\  
 Data File : BM006479.D  
 Acq On : 16 Jul 2016 15:09  
 Operator : UM/SJ  
 Sample : H3959-13  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :

Quant Time: Jul 18 06:17:51 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Fri Jul 15 23:20:22 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.62  | 152  | 156738   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.40 | 136  | 693111   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.27 | 164  | 380731   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.02 | 188  | 910081   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.22 | 240  | 1055715  | 20.00 | ng/ul | -0.01    |
| 83) Perylene-d12          | 23.41 | 264  | 1105081  | 20.00 | ng/ul | -0.01    |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.14  | 96   | 1829     | 0.49  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.80  | 99   | 81429    | 6.34  | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 6.96  | 67   | 224574   | 28.82 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.15  | 132  | 229325   | 22.04 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.33  | 113  | 149607   | 14.66 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.77  | 128  | 142773   | 27.18 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.49  | 143  | 157078   | 26.45 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.02 | 165  | 258919   | 23.11 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.55 | 131  | 3660     | 0.31  | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.68 | 166  | 920467   | 29.54 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 13.96 | 160  | 1108635  | 28.78 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.49 | 143  | 27128    | 5.01  | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.27 | 176  | 807733   | 29.16 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.40 | 200  | 123953   | 23.54 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.12 | 188  | 1300024  | 30.22 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.42 | 212  | 1496235  | 31.26 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.27 | 264  | 1588660  | 31.44 | ng/ul | -0.01    |

| Target Compounds | Ovalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM071616\  
Data File : BM006479.D  
Acq On : 16 Jul 2016 15:09  
Operator : UM/SJ  
Sample : H3959-13  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :

Quant Time: Jul 18 06:17:51 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM071416.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Fri Jul 15 23:20:22 2016  
Response via : Initial Calibration

