

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071916\
 Data File : BM006542.D
 Acq On : 20 Jul 2016 03:38
 Operator : UM/SJ
 Sample : H4029-18
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJB5

Quant Time: Jul 20 04:26:29 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 20 04:22:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	179570	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	765619	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	429854	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	974789	20.00	ng/ul	0.00
75) Chrysene-d12	21.21	240	1167685	20.00	ng/ul	0.00
83) Perylene-d12	23.41	264	1229126	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.13	96	11603	2.72	ng/uL	0.00
5) Phenol-d5	6.79	99	402902	27.38	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	254782	28.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	315687	26.48	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	326139	27.89	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	152590	26.30	ng/ul	0.00
22) 2-Nitrophenol-d4	9.48	143	167487	25.53	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	294328	23.78	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	432011	33.39	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	933076	26.52	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	1176638	27.05	ng/ul	0.00
51) 4-Nitrophenol-d4	14.48	143	153822	25.17	ng/ul	0.00
57) Fluorene-d10	15.26	176	822545	26.30	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	122910	21.80	ng/ul	0.00
70) Anthracene-d10	17.11	188	1269105	27.54	ng/ul	0.00
76) Pyrene-d10	19.42	212	1461226	27.60	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.27	264	1585573	28.21	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.72	163	363545	10.19	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM071916\
Data File : BM006542.D
Acq On : 20 Jul 2016 03:38
Operator : UM/SJ
Sample : H4029-18
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJB5

Quant Time: Jul 20 04:26:29 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM071416.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 20 04:22:37 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 10.19 ng/ul

RT: 13.72 min Scan# 1893

Delta R.T. -0.01 min

Lab File: BM006542.D


Acq: 20 Jul 2016 03:38

Instrument :

BNA_M

ClientSampleId :

BDJB5



Tgt Ion:	163	Resp:	363545
Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.7	7.8	11.8

