

Data Path : S:\HPCHEM1\BNA\_M\DATA\BM072015\  
 Data File : BM001973.D  
 Acq On : 20 Jul 2015 14:28  
 Operator : TP/UM  
 Sample : G3002-07  
 Misc :  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 C02P6

Quant Time: Jul 21 01:07:24 2015  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM071315.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue Jul 21 00:43:52 2015  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.65  | 152  | 80857    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.44 | 136  | 343693   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.31 | 164  | 224285   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.06 | 188  | 521123   | 20.00 | ng/ul | 0.00     |
| 77) Chrysene-d12          | 21.26 | 240  | 557682   | 20.00 | ng/ul | 0.00     |
| 85) Perylene-d12          | 23.49 | 264  | 462328   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.13  | 96   | 1838     | 1.11  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.82  | 99   | 41293    | 6.25  | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 6.99  | 67   | 99085    | 27.54 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.18  | 132  | 118036   | 22.52 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.36  | 113  | 79194    | 14.61 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.82  | 128  | 73789    | 28.74 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.53  | 143  | 85052    | 29.90 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.06 | 165  | 151955   | 26.43 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.59 | 131  | 14349    | 2.42  | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.72 | 166  | 507678   | 28.06 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.00 | 160  | 636403   | 29.25 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.52 | 143  | 15811    | 5.16  | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.30 | 176  | 469616   | 30.38 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.43 | 200  | 84060    | 24.91 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.16 | 188  | 755849   | 30.90 | ng/ul | 0.00     |
| 78) Pyrene-d10                 | 19.46 | 212  | 850528   | 33.39 | ng/ul | 0.00     |
| 89) Benzo(a)pyrene-d12         | 23.34 | 264  | 673925   | 28.82 | ng/ul | 0.00     |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : S:\HPCHEM1\BNA\_M\DATA\BM072015\  
Data File : BM001973.D  
Acq On : 20 Jul 2015 14:28  
Operator : TP/UM  
Sample : G3002-07  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
C02P6

Quant Time: Jul 21 01:07:24 2015  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM071315.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue Jul 21 00:43:52 2015  
Response via : Initial Calibration

