

Data File : BM010952.D
Acq On : 22 Jul 2017 00:59
Operator : SJ/JU
Sample : I4312-19
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
156

Quant Time: Jul 22 02:30:53 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM071217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 12 14:21:16 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	269221	20.00	ng	-0.03
21) Naphthalene-d8	10.18	136	1025380	20.00	ng	-0.03
38) Acenaphthene-d10	14.07	164	679082	20.00	ng	-0.02
63) Phenanthrene-d10	16.83	188	1726899	20.00	ng	-0.02
75) Chrysene-d12	21.05	240	1673883	20.00	ng	-0.02
86) Perylene-d12	23.17	264	1389342	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.06	112	1897377	116.74	ng	-0.02
7) Phenol-d6	6.62	99	2399508	107.09	ng	-0.02
23) Nitrobenzene-d5	8.57	82	2187487	82.00	ng	-0.02
41) 2,4,6-Tribromophenol	15.58	330	1473074	141.95	ng	-0.02
44) 2-Fluorobiphenyl	12.69	172	4404414	80.69	ng	-0.02
78) Terphenyl-d14	19.49	244	7568435	87.45	ng	-0.02

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM010952.D

Acq On : 22 Jul 2017 00:59

Operator : SJ/JU

Sample : I4312-19

Misc :

ALS Vial : 16 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

156


Quant Time: Jul 22 02:30:53 2017


Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM071217.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Wed Jul 12 14:21:16 2017

Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.42 min Scan# 771

Delta R.T. -0.03 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59

Instrument :

BNA_M

ClientSampleId :

156


Tgt Ion:152 Resp: 269221

Ion Ratio Lower Upper

152 100

150 150.7 119.5 179.3




115 66.1 43.0 64.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 116.74 ng

RT: 5.06 min Scan# 370

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59


Tgt Ion:112 Resp: 1897377

Ion Ratio Lower Upper

112 100

64 67.7 38.6 57.8#



63 42.3 19.3 28.9#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 107.09 ng

RT: 6.62 min Scan# 635

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59

Instrument :

BNA_M

ClientSampleId :

156





Tgt Ion: 99 Resp: 2399508

Ion Ratio Lower Upper

99 100

42 21.7 11.0 16.4#

71 55.5 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.18 min Scan# 1240

Delta R.T. -0.03 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59

Tgt Ion: 136 Resp: 1025380




Ion Ratio Lower Upper


136 100

137 10.9 8.7 13.1

54 8.5 4.6 6.8#

68 5.8 3.7 5.5#





#23

Nitrobenzene-d5

Concen: 82.00 ng

RT: 8.57 min Scan# 966

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59

Instrument :

BNA_M

ClientSampleId :

156


Tgt Ion: 82 Resp: 2187487

Ion Ratio Lower Upper

82 100

128 28.5 32.8 49.2#




54 47.0 40.6 60.8



Abundance Ion 82.00 (81.70 to 82.70): BM010952.D (-953) (-)

Ion 128.00 (127.70 to 128.70): BM010952.D (-953) (-)

Ion 54.00 (53.70 to 54.70): BM010952.D (-953) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.07 min Scan# 1902

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59


Tgt Ion: 164 Resp: 679082

Ion Ratio Lower Upper

164 100

162 108.3 82.4 123.6



160 47.6 35.8 53.6




Abundance Ion 164.00 (163.70 to 164.70): BM010952.D (-1889) (-)

Ion 162.00 (161.70 to 162.70): BM010952.D (-1889) (-)

Ion 160.00 (159.70 to 160.70): BM010952.D (-1889) (-)









#41
 2,4,6-Tribromophenol
 Concen: 141.95 ng
 RT: 15.58 min Scan# 2158
 Delta R.T. -0.02 min
 Lab File: BM010952.D
 Acq: 22 Jul 2017 00:59

Instrument :
 BNA_M
 ClientSampleId :
 156

Tgt Ion:330 Resp: 1473074
 Ion Ratio Lower Upper
 330 100
 332 95.9 0.0 0.0#
 141 41.8 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.69 ng
 RT: 12.69 min Scan# 1666
 Delta R.T. -0.02 min
 Lab File: BM010952.D
 Acq: 22 Jul 2017 00:59

Tgt Ion:172 Resp: 4404414
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.5 42.7
 170 22.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.83 min Scan# 2371
Delta R.T. -0.02 min
Lab File: BM010952.D
Acq: 22 Jul 2017 00:59




Instrument :
BNA_M
ClientSampleId :
156


Tgt Ion:188 Resp: 1726899
Ion Ratio Lower Upper
188 100
94 6.5 8.7 13.1#
80 8.1 9.3 13.9#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.05 min Scan# 3088
Delta R.T. -0.02 min
Lab File: BM010952.D
Acq: 22 Jul 2017 00:59

Tgt Ion:240 Resp: 1673883
Ion Ratio Lower Upper
240 100
120 5.0 8.2 12.2#
236 25.8 20.0 30.0





#78

Terphenyl-d14

Concen: 87.45 ng

RT: 19.49 min Scan# 2823

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59

Instrument :

BNA_M

ClientSampleId :

156


Tgt Ion:244 Resp: 7568435

Ion Ratio Lower Upper

244 100

212 8.0 4.9 7.3#




122 7.5 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.17 min Scan# 3449

Delta R.T. -0.02 min

Lab File: BM010952.D

Acq: 22 Jul 2017 00:59


Tgt Ion:264 Resp: 1389342

Ion Ratio Lower Upper

264 100

260 24.0 18.6 27.8

265 23.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

