

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM072122\
 Data File : BM035892.D
 Acq On : 21 Jul 2022 17:02
 Operator : CG/JU
 Sample : N3786-07
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 0718-WC-TP-WC3A

Quant Time: Jul 22 01:08:20 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM071822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 18 17:08:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.898	152	273427	20.000	ng	0.00
21) Naphthalene-d8	10.704	136	1072256	20.000	ng	0.00
39) Acenaphthene-d10	14.527	164	558291	20.000	ng	0.00
64) Phenanthrene-d10	17.268	188	1024788	20.000	ng	0.00
76) Chrysene-d12	21.444	240	893779	20.000	ng	0.00
86) Perylene-d12	23.815	264	972497	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	1698465	96.301	ng	0.00
7) Phenol-d6	7.063	99	2116503	95.431	ng	0.00
23) Nitrobenzene-d5	9.063	82	1243286	62.014	ng	0.00
42) 2,4,6-Tribromophenol	16.015	330	556578	89.127	ng	0.00
45) 2-Fluorobiphenyl	13.163	172	2535628	64.198	ng	0.00
79) Terphenyl-d14	19.892	244	3116314	67.839	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM072122\
Data File : BM035892.D
Acq On : 21 Jul 2022 17:02
Operator : CG/JU
Sample : N3786-07
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A

Quant Time: Jul 22 01:08:20 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM071822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 18 17:08:15 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.898 min Scan# 818
Delta R.T. 0.000 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02




Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A


Tgt Ion:152 Resp: 273427
Ion Ratio Lower Upper
152 100
150 153.6 124.9 187.3
115 59.7 47.9 71.9



#5
2-Fluorophenol
Concen: 96.301 ng
RT: 5.457 min Scan# 403
Delta R.T. 0.000 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02

Tgt Ion:112 Resp: 1698465
Ion Ratio Lower Upper
112 100
64 55.7 47.8 71.6
63 29.3 26.6 40.0









#7
Phenol-d6
Concen: 95.431 ng
RT: 7.063 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02




Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A


Tgt Ion: 99 Resp: 2116503
Ion Ratio Lower Upper
99 100
42 18.0 18.8 28.2#
71 31.9 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02

Tgt Ion:136 Resp: 1072256
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 7.4 7.0 10.4
68 6.1 4.3 6.5









#23
Nitrobenzene-d5
Concen: 62.014 ng
RT: 9.063 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02




Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A


Tgt Ion: 82 Resp: 1243286
Ion Ratio Lower Upper
82 100
128 45.1 33.7 50.5
54 49.6 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.527 min Scan# 1945
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02

Tgt Ion: 164 Resp: 558291
Ion Ratio Lower Upper
164 100
162 98.9 83.0 124.6
160 45.5 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 89.127 ng
RT: 16.015 min Scan# 2199
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02




Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A


Tgt Ion:330 Resp: 556578
Ion Ratio Lower Upper
330 100
332 96.5 77.0 115.4
141 39.9 35.3 52.9



#45
2-Fluorobiphenyl
Concen: 64.198 ng
RT: 13.163 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02

Tgt Ion:172 Resp: 2535628
Ion Ratio Lower Upper
172 100
171 34.8 28.5 42.7
170 24.0 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.268 min Scan# 2411
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02




Instrument :
BNA_M
ClientSampleId :
0718-WC-TP-WC3A


Tgt Ion:188 Resp: 1024788
Ion Ratio Lower Upper
188 100
94 10.3 7.0 10.4
80 10.8 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.444 min Scan# 3121
Delta R.T. -0.006 min
Lab File: BM035892.D
Acq: 21 Jul 2022 17:02

Tgt Ion:240 Resp: 893779
Ion Ratio Lower Upper
240 100
120 11.2 9.4 14.0
236 25.8 20.6 30.8









#79
 Terphenyl-d14
 Concen: 67.839 ng
 RT: 19.892 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM035892.D
 Acq: 21 Jul 2022 17:02

Instrument :
 BNA_M
 ClientSampleId :
 0718-WC-TP-WC3A

Tgt Ion:244 Resp: 3116314
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.2 9.4
 122 12.0 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 3524
 Delta R.T. -0.012 min
 Lab File: BM035892.D
 Acq: 21 Jul 2022 17:02

Tgt Ion:264 Resp: 972497
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.9 28.3
 265 21.8 17.5 26.3

