

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072216\
 Data File : BM006634.D
 Acq On : 22 Jul 2016 21:08
 Operator : UM/SJ
 Sample : H4077-05
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9YQ9

Manual Integrations

sohil
 7/25/2016 6:39:05 PM

Quant Time: Jul 23 01:05:26 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 23 00:16:38 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	214023	20.00	ng/ul	0.00
7) Naphthalene-d8	10.40	136	935600	20.00	ng/ul	0.00
15) Acenaphthene-d10	14.27	164	520213	20.00	ng/ul	0.00
23) Phenanthrene-d10	17.03	188	1106338	20.00	ng/ul	0.01
29) Chrysene-d12	21.23	240	1108749	20.00	ng/ul	0.00
34) Perylene-d12	23.43	264	1164145	20.00	ng/ul	0.01

System Monitoring Compounds

2) 1,4-Dioxane-d8	3.14	96	7944	1.50	ng/uL	0.00
3) Phenol-d5	6.80	99	346033	19.00	ng/ul	0.00
4) Bis-(2-Chloroethyl)ether-d	6.96	67	223580	19.82	ng/ul	0.00
5) 2-Chlorophenol-d4	7.16	132	277497	19.07	ng/ul	0.00
6) 4-Methylphenol-d8	8.33	113	252626	17.89	ng/ul	0.00
8) Nitrobenzene-d5	8.77	128	139172	19.65	ng/ul	0.00
9) 2-Nitrophenol-d4	9.49	143	145175	19.28	ng/ul	0.00
10) 2,4-Dichlorophenol-d3	10.03	165	265433	18.65	ng/ul	0.01
12) 4-Chloroaniline-d4	10.55	131	184115	11.75	ng/ul	0.01
16) Dimethylphthalate-d6	13.69	166	783620	19.21	ng/ul	0.00
17) Acenaphthylene-d8	13.96	160	1025079	19.69	ng/ul	0.00
20) 4-Nitrophenol-d4	14.51	143	106363	15.01	ng/ul	0.02
21) Fluorene-d10	15.27	176	712682	19.54	ng/ul	0.00
24) 4,6-Dinitro-2-methylphenol	15.42	200	25144	4.38	ng/ul	0.01
26) Anthracene-d10	17.12	188	1050261	19.99	ng/ul	0.00
30) Pyrene-d10	19.43	212	1136548	22.50	ng/ul	0.00
37) Benzo(a)pyrene-d12	23.30	264	1093474	20.42	ng/ul	0.02

Target Compounds

						Qvalue
25) Phenanthrene	17.07	178	219337	3.53	ng/ul	99
28) Fluoranthene	19.09	202	621160	8.50	ng/ul	98
31) Pyrene	19.46	202	526529	7.84	ng/ul	97
32) Benzo(a)anthracene	21.21	228	314598	4.68	ng/ul	97
33) Chrysene	21.26	228	305499	4.93	ng/ul	94
35) Benzo(b)fluoranthene	22.77	252	429824	6.16	ng/ul	96
36) Benzo(k)fluoranthene	22.81	252	131469m	1.95	ng/ul	
38) Benzo(a)pyrene	23.34	252	284617	4.19	ng/ul	97
39) Indeno(1,2,3-cd)pyrene	25.64	276	212781	2.71	ng/ul#	92
41) Benzo(g,h,i)perylene	26.33	276	205083	3.04	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072216\
Data File : BM006634.D
Acq On : 22 Jul 2016 21:08
Operator : UM/SJ
Sample : H4077-05
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
D9YQ9

Manual Integrations

APPROVED
sohil
7/25/2016 6:39:05 PM

Quant Time: Jul 23 01:05:26 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072016.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 23 00:16:38 2016
Response via : Initial Calibration





#25

Phenanthrene

Concen: 3.53 ng/ul

RT: 17.07 min Scan# 2462

Delta R.T. 0.01 min

Lab File: BM006634.D

Acq: 22 Jul 2016 21:08

Instrument :

BNA_M

ClientSampleId :

D9YQ9

Tgt Ion:178 Resp: 219337

Ion Ratio Lower Upper

178 100


179 15.7 11.8 17.8

176 18.9 14.8 22.2

Manual Integrations

sohil

7/25/2016 6:39:05 PM






Abundance

Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#28

Fluoranthene

Concen: 8.50 ng/ul

RT: 19.09 min Scan# 2806

Delta R.T. 0.01 min

Lab File: BM006634.D

Acq: 22 Jul 2016 21:08


Tgt Ion:202 Resp: 621160

Ion Ratio Lower Upper

202 100

101 11.7 8.9 13.3

100 7.8 7.0 10.4






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B









#31
 Pyrene
 Concen: 7.84 ng/ul
 RT: 19.46 min Scan# 2868
 Delta R.T. 0.01 min
 Lab File: BM006634.D
 Acq: 22 Jul 2016 21:08

Instrument :
 BNA_M
 ClientSampleId :
 D9YQ9

Tgt Ion	Ratio	Resp	Lower	Upper
202	100	526529		
101	13.0		9.8	14.8
100	10.1		9.3	13.9




Manual Integrations


sohil
 7/25/2016 6:39:05 PM



#32
 Benzo(a)anthracene
 Concen: 4.68 ng/ul
 RT: 21.21 min Scan# 3166
 Delta R.T. 0.01 min
 Lab File: BM006634.D
 Acq: 22 Jul 2016 21:08

Tgt Ion	Ratio	Resp	Lower	Upper
228	100	314598		
229	21.4		16.6	25.0
226	28.4		21.0	31.4









#33
Chrysene
Concen: 4.93 ng/ul
RT: 21.26 min Scan# 3175
Delta R.T. 0.01 min
Lab File: BM006634.D
Acq: 22 Jul 2016 21:08

Instrument :
BNA_M
ClientSampleId :
D9YQ9

Tgt Ion	Ratio	Lower	Upper
228	100		
226	31.8	23.4	35.2
229	23.5	16.2	24.2




Manual Integrations


sohil
7/25/2016 6:39:05 PM



#35
Benzo(b)fluoranthene
Concen: 6.16 ng/ul
RT: 22.77 min Scan# 3432
Delta R.T. 0.01 min
Lab File: BM006634.D
Acq: 22 Jul 2016 21:08

Tgt Ion	Ratio	Lower	Upper
252	100		
253	24.4	18.1	27.1
125	10.8	7.6	11.4





#36

Benzo(k)fluoranthene

Concen: 1.95 ng/ul m

RT: 22.81 min Scan# 3438

Delta R.T. 0.00 min

Lab File: BM006634.D


Acq: 22 Jul 2016 21:08

Instrument :

BNA_M

ClientSampled :

D9YQ9






Tgt Ion	Ratio	Lower	Upper
252	100		
253	25.9	17.8	26.8
125	13.6	7.7	11.5

Manual Integrations

sohil

7/25/2016 6:39:05 PM



#38

Benzo(a)pyrene


Concen: 4.19 ng/ul

RT: 23.34 min Scan# 3528



Delta R.T. 0.01 min


Lab File: BM006634.D

Acq: 22 Jul 2016 21:08



Tgt Ion	Ratio	Lower	Upper
252	100		
253	23.4	17.4	26.0
125	11.5	8.2	12.2





#39

Indeno(1,2,3-cd)pyrene

Concen: 2.71 ng/ul

RT: 25.64 min Scan# 3920

Delta R.T. 0.02 min

Lab File: BM006634.D


Acq: 22 Jul 2016 21:08

Instrument :

BNA_M

ClientSampled :

D9YQ9



Tgt Ion:276 Resp: 212781

Ion Ratio Lower Upper

276 100




138 22.6 15.8 23.6

277 28.6 19.0 28.6#

Manual Integrations

sohil

7/25/2016 6:39:05 PM



#41

Benzo(g,h,i)perylene

Concen: 3.04 ng/ul

RT: 26.33 min Scan# 4036

Delta R.T. 0.03 min

Lab File: BM006634.D

Acq: 22 Jul 2016 21:08

Tgt Ion:276 Resp: 205083

Ion Ratio Lower Upper

276 100

138 20.0 13.9 20.9

277 26.0 19.8 29.6

