

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072220\
 Data File : BM026835.D
 Acq On : 22 Jul 2020 16:49
 Operator : JU/CG
 Sample : L3372-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 FK-BPM-04-011-ABCD

Quant Time: Jul 22 17:20:37 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 22 14:16:10 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.30	152	59967	20.00	ng	0.00
21) Naphthalene-d8	10.05	136	237923	20.00	ng	0.00
39) Acenaphthene-d10	13.96	164	159001	20.00	ng	0.00
64) Phenanthrene-d10	16.72	188	346243	20.00	ng	0.00
76) Chrysene-d12	20.95	240	333193	20.00	ng	0.00
86) Perylene-d12	23.01	264	326673	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.94	112	445164	124.42	ng	0.00
7) Phenol-d6	6.51	99	603730	105.91	ng	0.00
23) Nitrobenzene-d5	8.45	82	413863	74.21	ng	0.00
42) 2,4,6-Tribromophenol	15.47	330	231510	99.95	ng	0.00
45) 2-Fluorobiphenyl	12.57	172	842208	70.43	ng	0.00
79) Terphenyl-d14	19.39	244	1260683	74.46	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.44	163	134640	9.900	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072220\
Data File : BM026835.D
Acq On : 22 Jul 2020 16:49
Operator : JU/CG
Sample : L3372-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
FK-BPM-04-011-ABCD

Quant Time: Jul 22 17:20:37 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 22 14:16:10 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.30 min Scan# 775
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49

Instrument :
BNA_M
ClientSampleId :
FK-BPM-04-011-ABCD

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.4	128.1	192.1
115	65.3	52.2	78.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 124.424 ng
RT: 4.94 min Scan# 375
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49

Tgt Ion	Ratio	Lower	Upper
112	100		
64	77.3	58.4	87.6
63	43.3	31.5	47.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 105.912 ng

RT: 6.51 min Scan# 642

Delta R.T. -0.00 min

Lab File: BM026835.D

Acq: 22 Jul 2020 16:49

Instrument :

BNA_M

ClientSampleId :

FK-BPM-04-011-ABCD


Tot Ion: 99 Resp: 603730

Ion Ratio Lower Upper

99 100

42 31.6 21.7 32.5




71 46.7 33.2 49.8



Abundance Ion 99.00 (98.70 to 99.70): BM026675.D (-614) (-)

Ion 42.00 (41.70 to 42.70): BM026675.D (-614) (-)

Ion 71.00 (70.70 to 71.70): BM026675.D (-614) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.05 min Scan# 1244

Delta R.T. 0.01 min

Lab File: BM026835.D

Acq: 22 Jul 2020 16:49

Tgt Ion: 136 Resp: 237923


Ion Ratio Lower Upper

136 100

137 10.9 8.6 12.8

54 12.5 9.8 14.6

68 6.3 5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): BM026675.D (-1216) (-)

Ion 137.00 (136.70 to 137.70): BM026675.D (-1216) (-)

Ion 54.00 (53.70 to 54.70): BM026675.D (-1216) (-)

Ion 68.00 (67.70 to 68.70): BM026675.D (-1216) (-)









#23
Nitrobenzene-d5
Concen: 74.212 ng
RT: 8.45 min Scan# 971
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49




Instrument :
BNA_M
ClientSampleId :
FK-BPM-04-011-ABCD


Tot Ion	82	Resp	413863
Ion Ratio	100	Lower	Upper
128	34.3	29.1	43.7
54	68.3	50.2	75.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 13.96 min Scan# 1908
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49

Tgt Ion	164	Resp	159001
Ion Ratio	100	Lower	Upper
162	101.4	83.7	125.5
160	45.5	36.2	54.2









#42
 2,4,6-Tribromophenol
 Concen: 99.954 ng
 RT: 15.47 min Scan# 2165
 Delta R.T. -0.00 min
 Lab File: BM026835.D
 Acq: 22 Jul 2020 16:49

Instrument :
 BNA_M
 ClientSampleId :
 FK-BPM-04-011-ABCD

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.5	116.3
141	45.9	32.4	48.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 70.429 ng
 RT: 12.57 min Scan# 1671
 Delta R.T. -0.00 min
 Lab File: BM026835.D
 Acq: 22 Jul 2020 16:49

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	27.8	41.6
170	23.0	18.5	27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 9.900 ng

RT: 13.44 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BM026835.D

Acq: 22 Jul 2020 16:49

Instrument :

BNA_M

ClientSampleId :

FK-BPM-04-011-ABCD


Tot Ion:163 Resp: 134640

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.2




164 10.2 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.72 min Scan# 2378

Delta R.T. -0.00 min

Lab File: BM026835.D

Acq: 22 Jul 2020 16:49


Tgt Ion:188 Resp: 346243

Ion Ratio Lower Upper

188 100

94 8.0 7.4 11.0



80 9.9 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 20.95 min Scan# 3096
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49




Instrument :
BNA_M
ClientSampleId :
FK-BPM-04-011-ABCD


Tot Ion:240 Resp: 333193
Ion Ratio Lower Upper
240 100
120 8.8 7.3 10.9
236 25.9 19.4 29.2



#79
Terphenyl-d14
Concen: 74.463 ng
RT: 19.39 min Scan# 2831
Delta R.T. -0.00 min
Lab File: BM026835.D
Acq: 22 Jul 2020 16:49

Tgt Ion:244 Resp: 1260683
Ion Ratio Lower Upper
244 100
212 8.5 5.9 8.9
122 9.7 8.2 12.4





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.01 min Scan# 3447
 Delta R.T. -0.00 min
 Lab File: BM026835.D
 Acq: 22 Jul 2020 16:49

Instrument :
 BNA_M
 ClientSampleId :
 FK-BPM-04-011-ABCD

Tot Ion: 264 Resp: 326673
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.2 27.2
 265 20.9 17.6 26.4

