

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072616\
 Data File : BM006663.D
 Acq On : 26 Jul 2016 23:23
 Operator : UM/SJ
 Sample : H4062-08
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJC8

Quant Time: Jul 27 03:55:52 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072616.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 26 15:24:14 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	174832	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	756031	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	433152	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	1017304	20.00	ng/ul	0.00
75) Chrysene-d12	21.22	240	1206616	20.00	ng/ul	0.00
83) Perylene-d12	23.42	264	1260184	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	5017	1.12	ng/uL	0.00
5) Phenol-d5	6.79	99	185944	12.10	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	122648	12.99	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	147674	12.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	150073	12.45	ng/ul	0.00
19) Nitrobenzene-d5	8.76	128	71090	12.18	ng/ul	0.00
22) 2-Nitrophenol-d4	9.48	143	73911	11.72	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	138043	11.94	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	202471	17.24	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	466245	13.49	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	563284	12.96	ng/ul	0.00
51) 4-Nitrophenol-d4	14.50	143	45229	7.61	ng/ul	0.00
57) Fluorene-d10	15.26	176	410459	13.69	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	25925	4.68	ng/ul	0.00
70) Anthracene-d10	17.12	188	650531	13.70	ng/ul	0.00
76) Pyrene-d10	19.42	212	748765	13.38	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.28	264	788590	13.83	ng/ul	0.00


Target Compounds						Qvalue
44) Dimethylphthalate	13.72	163	174123	5.04	ng/ul	99
81) Bis(2-ethylhexyl)phthalate	21.13	149	244307	5.00	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072616\
Data File : BM006663.D
Acq On : 26 Jul 2016 23:23
Operator : UM/SJ
Sample : H4062-08
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJC8

Quant Time: Jul 27 03:55:52 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072616.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 26 15:24:14 2016
Response via : Initial Calibration









#44
 Dimethylphthalate
 Concen: 5.04 ng/ul
 RT: 13.72 min Scan# 1893
 Delta R.T. -0.01 min
 Lab File: BM006663.D
 Acq: 26 Jul 2016 23:23

Instrument :
 BNA_M
 ClientSampleId :
 BDJC8

Tgt Ion:163 Resp: 174123
 Ion Ratio Lower Upper
 163 100
 194 4.4 3.4 5.0
 164 10.3 7.8 11.8



#81
 Bis(2-ethylhexyl)phthalate
 Concen: 5.00 ng/ul
 RT: 21.13 min Scan# 3153
 Delta R.T. 0.00 min
 Lab File: BM006663.D
 Acq: 26 Jul 2016 23:23

Tgt Ion:149 Resp: 244307
 Ion Ratio Lower Upper
 149 100
 167 27.1 22.2 33.2
 279 4.0 3.1 4.7

