

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072617\
 Data File : BM010998.D
 Acq On : 27 Jul 2017 07:35
 Operator : SJ/JU
 Sample : I4402-06
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ROLL-OFFS-COMP

Quant Time: Jul 27 10:23:33 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 26 17:29:06 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	181025	20.00	ng	0.00
21) Naphthalene-d8	10.15	136	685872	20.00	ng	0.00
38) Acenaphthene-d10	14.05	164	421712	20.00	ng	0.00
63) Phenanthrene-d10	16.80	188	1138474	20.00	ng	0.00
75) Chrysene-d12	21.02	240	1047131	20.00	ng	0.00
86) Perylene-d12	23.13	264	268010	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.03	112	1567714	146.40	ng	0.00
7) Phenol-d6	6.59	99	1968356	129.37	ng	0.00
23) Nitrobenzene-d5	8.54	82	1844492	100.93	ng	0.00
41) 2,4,6-Tribromophenol	15.55	330	1079237	159.67	ng	0.00
44) 2-Fluorobiphenyl	12.66	172	3485889	103.67	ng	0.00
78) Terphenyl-d14	19.47	244	5637017	106.64	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072617\
Data File : BM010998.D
Acq On : 27 Jul 2017 07:35
Operator : SJ/JU
Sample : I4402-06
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ROLL-OFFS-COMP

Quant Time: Jul 27 10:23:33 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 26 17:29:06 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.39 min Scan# 783
Delta R.T. 0.00 min
Lab File: BM010998.D
Acq: 27 Jul 2017 07:35

Instrument :
BNA_M
ClientSampleId :
ROLL-OFFS-COMP




Tot Ion:152 Resp: 181025
Ion Ratio Lower Upper
152 100
150 151.5 119.5 179.3
115 69.4 43.0 64.4#




#5

2-Fluorophenol
Concen: 146.396 ng
RT: 5.03 min Scan# 382
Delta R.T. 0.01 min
Lab File: BM010998.D
Acq: 27 Jul 2017 07:35

Tgt Ion:112 Resp: 1567714
Ion Ratio Lower Upper
112 100
64 69.7 38.6 57.8#
63 47.7 19.3 28.9#





#7

Phenol-d6

Concen: 129.368 ng

RT: 6.59 min Scan# 647

Delta R.T. 0.00 min

Lab File: BM010998.D

Acq: 27 Jul 2017 07:35

Instrument :

BNA_M

ClientSampleId :

ROLL-OFFS-COMP





Tot Ion: 99 Resp: 1968356

Ion Ratio Lower Upper

99 100

42 25.2 11.0 16.4#

71 60.8 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.15 min Scan# 1252

Delta R.T. 0.00 min

Lab File: BM010998.D

Acq: 27 Jul 2017 07:35

Tgt Ion:136 Resp: 685872




Ion Ratio Lower Upper

136 100

137 11.7 8.7 13.1

54 8.8 4.6 6.8#

68 6.0 3.7 5.5#









#23
 Nitrobenzene-d5
 Concen: 100.932 ng
 RT: 8.54 min Scan# 978
 Delta R.T. 0.00 min
 Lab File: BM010998.D
 Acq: 27 Jul 2017 07:35




Instrument :
 BNA_M
 ClientSampleId :
 ROLL-OFFS-COMP

Tot Ion: 82 Resp: 1844492
 Ion Ratio Lower Upper
 82 100
 128 26.2 32.8 49.2#
 54 48.6 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.05 min Scan# 1914
 Delta R.T. -0.01 min
 Lab File: BM010998.D
 Acq: 27 Jul 2017 07:35

Tgt Ion:164 Resp: 421712
 Ion Ratio Lower Upper
 164 100
 162 101.9 82.4 123.6
 160 47.6 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 159.670 ng
 RT: 15.55 min Scan# 2170
 Delta R.T. -0.01 min
 Lab File: BM010998.D
 Acq: 27 Jul 2017 07:35

Instrument :
 BNA_M
 ClientSampleId :
 ROLL-OFFS-COMP

Tot Ion:330 Resp: 1079237
 Ion Ratio Lower Upper
 330 100
 332 96.5 0.0 0.0#
 141 44.5 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.667 ng
 RT: 12.66 min Scan# 1678
 Delta R.T. -0.01 min
 Lab File: BM010998.D
 Acq: 27 Jul 2017 07:35

Tgt Ion:172 Resp: 3485889
 Ion Ratio Lower Upper
 172 100
 171 34.0 28.5 42.7
 170 23.3 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.80 min Scan# 2383
Delta R.T. -0.01 min
Lab File: BM010998.D
Acq: 27 Jul 2017 07:35

Instrument :
BNA_M
ClientSampleId :
ROLL-OFFS-COMP

Tot Ion:188 Resp: 1138474
Ion Ratio Lower Upper
188 100
94 5.9 8.7 13.1#
80 8.1 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.02 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BM010998.D
Acq: 27 Jul 2017 07:35

Tgt Ion:240 Resp: 1047131
Ion Ratio Lower Upper
240 100
120 4.6 8.2 12.2#
236 26.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 106.636 ng

RT: 19.47 min Scan# 2836

Delta R.T. 0.00 min

Lab File: BM010998.D

Acq: 27 Jul 2017 07:35

Instrument :

BNA_M

ClientSampleId :

ROLL-OFFS-COMP


Tot Ion:244 Resp: 5637017

Ion Ratio Lower Upper

244 100

212 8.7 4.9 7.3#




122 6.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.13 min Scan# 3459

Delta R.T. -0.01 min

Lab File: BM010998.D

Acq: 27 Jul 2017 07:35


Tgt Ion:264 Resp: 268010

Ion Ratio Lower Upper

264 100

260 36.0 18.6 27.8#

265 23.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

