

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072715\
 Data File : BM002087.D
 Acq On : 28 Jul 2015 09:10
 Operator : UM/HP
 Sample : MDL-06-S-ML
 Misc : MDL-SOIL-SVOC-MED LEVEL-4PPM
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-06-S-ML

Quant Time: Jul 28 14:44:57 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072715.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 27 16:22:43 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	49980	20.00	ng/ul	0.00
18) Naphthalene-d8	10.38	136	183556	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.26	164	105311	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.00	188	242327	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	291042	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	298057	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.07	96	5022	5.20	ng/uL	0.00
5) Phenol-d5	6.77	99	90975	25.46	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	51524	26.08	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	80286	26.51	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	73423	25.85	ng/ul	0.00
19) Nitrobenzene-d5	8.76	128	35448	27.17	ng/ul	0.00
22) 2-Nitrophenol-d4	9.47	143	40953	28.25	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.01	165	74667	26.74	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	98865	32.22	ng/ul	0.00
44) Dimethylphthalate-d6	13.67	166	232291	30.11	ng/ul	0.00
47) Acenaphthylene-d8	13.95	160	274051	28.41	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	32679	25.38	ng/ul	0.00
58) Fluorene-d10	15.25	176	202812	29.88	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	27708	18.69	ng/ul	0.00
71) Anthracene-d10	17.10	188	324498	30.00	ng/ul	0.00
79) Pyrene-d10	19.41	212	367743	30.01	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	444795	30.78	ng/ul	0.00


Target Compounds						Qvalue
35) 1-Methylnaphthalene	12.28	142	14139	2.32	ng/ul#	94
46) 2,6-Dinitrotoluene	13.67	165	1570	1.00	ng/ul#	39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072715\
Data File : BM002087.D
Acq On : 28 Jul 2015 09:10
Operator : UM/HP
Sample : MDL-06-S-ML
Misc : MDL-SOIL-SVOC-MED LEVEL-4PPM
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MDL-06-S-ML

Quant Time: Jul 28 14:44:57 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072715.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 27 16:22:43 2015
Response via : Initial Calibration









#35
 1-Methylnaphthalene
 Concen: 2.32 ng/ul
 RT: 12.28 min Scan# 1631
 Delta R.T. 0.00 min
 Lab File: BM002087.D
 Acq: 28 Jul 2015 09:10

Instrument :
 BNA_M
 ClientSampleId :
 MDL-06-S-ML

Tgt Ion:142 Resp: 14139
 Ion Ratio Lower Upper
 142 100
 141 96.2 72.4 108.6
 116 6.3 3.2 4.8#



#46
 2,6-Dinitrotoluene
 Concen: 1.00 ng/ul
 RT: 13.67 min Scan# 1868
 Delta R.T. -0.18 min
 Lab File: BM002087.D
 Acq: 28 Jul 2015 09:10

Tgt Ion:165 Resp: 1570
 Ion Ratio Lower Upper
 165 100
 89 0.0 42.7 64.1#
 121 28.6 14.8 22.2#

