

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072715\
 Data File : BM002064.D
 Acq On : 27 Jul 2015 16:45
 Operator : UM/HP
 Sample : MDL-01-S
 Misc : MDL-SOIL-SVOC-4PPM
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-01-S

Quant Time: Jul 28 05:10:17 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072715.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 27 16:22:43 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	88058	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	336350	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.26	164	192856	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.01	188	430663	20.00	ng/ul	0.00
78) Chrysene-d12	21.21	240	501260	20.00	ng/ul	0.00
86) Perylene-d12	23.41	264	504807	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.07	96	8979	5.28	ng/uL	0.00
5) Phenol-d5	6.77	99	165614	26.31	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	94802	27.23	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	144511	27.08	ng/ul	0.00
13) 4-Methylphenol-d8	8.31	113	132281	26.43	ng/ul	0.00
19) Nitrobenzene-d5	8.76	128	66258	27.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.47	143	74561	28.06	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.01	165	135831	26.55	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	177609	31.59	ng/ul	0.00
44) Dimethylphthalate-d6	13.67	166	398688	28.22	ng/ul	0.00
47) Acenaphthylene-d8	13.95	160	486366	27.54	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	60445	25.64	ng/ul	0.00
58) Fluorene-d10	15.26	176	344729	27.73	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	58155	22.08	ng/ul	0.00
71) Anthracene-d10	17.11	188	535419	27.85	ng/ul	0.00
79) Pyrene-d10	19.41	212	604350	28.64	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.27	264	701272	28.66	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
35) 1-Methylnaphthalene	12.28	142	24180	2.16	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM072715\
Data File : BM002064.D
Acq On : 27 Jul 2015 16:45
Operator : UM/HP
Sample : MDL-01-S
Misc : MDL-SOIL-SVOC-4PPM
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MDL-01-S

Quant Time: Jul 28 05:10:17 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM072715.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 27 16:22:43 2015
Response via : Initial Calibration





#35
 1-Methylnaphthalene
 Concen: 2.16 ng/ul
 RT: 12.28 min Scan# 1631
 Delta R.T. -0.00 min
 Lab File: BM002064.D
 Acq: 27 Jul 2015 16:45

Instrument :
 BNA_M
 ClientSampleId :
 MDL-01-S

Tgt Ion:142 Resp: 24180
 Ion Ratio Lower Upper
 142 100
 141 87.5 72.4 108.6
 116 4.4 3.2 4.8

