

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072717\
 Data File : BM011024.D
 Acq On : 27 Jul 2017 23:11
 Operator : SJ/JU
 Sample : I4420-07
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jul 28 01:08:32 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 26 17:29:06 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	170106	20.00	ng	0.00
21) Naphthalene-d8	10.15	136	618751	20.00	ng	0.00
38) Acenaphthene-d10	14.05	164	414100	20.00	ng	0.00
63) Phenanthrene-d10	16.80	188	1053082	20.00	ng	0.00
75) Chrysene-d12	21.02	240	988675	20.00	ng	0.00
86) Perylene-d12	23.13	264	828770	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.03	112	1298815	129.07	ng	0.00
7) Phenol-d6	6.59	99	1641385	114.80	ng	0.00
23) Nitrobenzene-d5	8.53	82	1630510	98.90	ng	0.00
41) 2,4,6-Tribromophenol	15.55	330	997436	150.28	ng	0.00
44) 2-Fluorobiphenyl	12.66	172	3132588	94.87	ng	0.00
78) Terphenyl-d14	19.47	244	5183115	103.85	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072717\
Data File : BM011024.D
Acq On : 27 Jul 2017 23:11
Operator : SJ/JU
Sample : I4420-07
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jul 28 01:08:32 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 26 17:29:06 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.39 min Scan# 782
Delta R.T. -0.01 min
Lab File: BM011024.D
Acq: 27 Jul 2017 23:11

Instrument :
BNA_M
ClientSampleId :

Tot Ion:152 Resp: 170106
Ion Ratio Lower Upper
152 100
150 145.8 119.5 179.3
115 69.6 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.07 ng
RT: 5.03 min Scan# 381
Delta R.T. 0.00 min
Lab File: BM011024.D
Acq: 27 Jul 2017 23:11

Tgt Ion:112 Resp: 1298815
Ion Ratio Lower Upper
112 100
64 70.0 38.6 57.8#
63 46.7 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 114.80 ng

RT: 6.59 min Scan# 646

Delta R.T. -0.01 min

Lab File: BM011024.D

Acq: 27 Jul 2017 23:11


Instrument :

BNA_M

ClientSampled :

Tot Ion: 99 Resp: 1641385

Ion	Ratio	Lower	Upper
99	100		
42	25.2	11.0	16.4#
71	60.6	23.4	35.2#






Abundance

Ion 99.00 (98.70 to 99.70): BM011024.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM011024.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM011024.D (-630) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.15 min Scan# 1251


Delta R.T. -0.01 min

Lab File: BM011024.D

Acq: 27 Jul 2017 23:11

Tgt Ion: 136 Resp: 618751

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.7	13.1
54	8.8	4.6	6.8#
68	7.2	3.7	5.5#





Abundance


Ion 136.00 (135.70 to 136.70): BM011024.D (-1235) (-)

Ion 137.00 (136.70 to 137.70): BM011024.D (-1235) (-)

Ion 54.00 (53.70 to 54.70): BM011024.D (-1235) (-)

Ion 68.00 (67.70 to 68.70): BM011024.D (-1235) (-)









#23
 Nitrobenzene-d5
 Concen: 98.90 ng
 RT: 8.53 min Scan# 977
 Delta R.T. -0.01 min
 Lab File: BM011024.D
 Acq: 27 Jul 2017 23:11




Instrument :
 BNA_M
 ClientSampled :


Tot Ion: 82 Resp: 1630510
 Ion Ratio Lower Upper
 82 100
 128 26.4 32.8 49.2#
 54 48.2 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.05 min Scan# 1914
 Delta R.T. -0.01 min
 Lab File: BM011024.D
 Acq: 27 Jul 2017 23:11

Tgt Ion:164 Resp: 414100
 Ion Ratio Lower Upper
 164 100
 162 106.3 82.4 123.6
 160 46.3 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 150.28 ng
 RT: 15.55 min Scan# 2170
 Delta R.T. -0.01 min
 Lab File: BM011024.D
 Acq: 27 Jul 2017 23:11

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.2	0.0	0.0#
141	45.2	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.87 ng
 RT: 12.66 min Scan# 1678
 Delta R.T. -0.01 min
 Lab File: BM011024.D
 Acq: 27 Jul 2017 23:11

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	28.5	42.7
170	23.9	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.80 min Scan# 2383
Delta R.T. -0.01 min
Lab File: BM011024.D
Acq: 27 Jul 2017 23:11




Instrument :
BNA_M
ClientSampleId :


Tot Ion:188 Resp: 1053082
Ion Ratio Lower Upper
188 100
94 6.1 8.7 13.1#
80 8.1 9.3 13.9#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.02 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BM011024.D
Acq: 27 Jul 2017 23:11

Tgt Ion:240 Resp: 988675
Ion Ratio Lower Upper
240 100
120 4.1 8.2 12.2#
236 25.9 20.0 30.0





#78

Terphenyl-d14

Concen: 103.85 ng

RT: 19.47 min Scan# 2836

Delta R.T. -0.00 min

Lab File: BM011024.D

Acq: 27 Jul 2017 23:11

Instrument :

BNA_M

ClientSampleId :


Tot Ion:244 Resp: 5183115

Ion Ratio Lower Upper




244 100

212 8.4 4.9 7.3#

122 6.3 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.13 min Scan# 3459

Delta R.T. -0.01 min

Lab File: BM011024.D

Acq: 27 Jul 2017 23:11


Tgt Ion:264 Resp: 828770

Ion Ratio Lower Upper

264 100

260 22.9 18.6 27.8

265 21.3 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

