

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
 Data File : BM011039.D
 Acq On : 28 Jul 2017 13:12
 Operator : SJ/JU
 Sample : I4442-04RE
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 VNJ-225

Quant Time: Jul 28 14:52:14 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 26 17:29:06 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	161346	20.00	ng	0.00
21) Naphthalene-d8	10.15	136	594430	20.00	ng	0.00
38) Acenaphthene-d10	14.04	164	392339	20.00	ng	0.00
63) Phenanthrene-d10	16.80	188	1085764	20.00	ng	-0.01
75) Chrysene-d12	21.02	240	1208461	20.00	ng	0.00
86) Perylene-d12	23.13	264	947236	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.03	112	1263964	132.43	ng	0.00
7) Phenol-d6	6.59	99	1668179	123.01	ng	0.00
23) Nitrobenzene-d5	8.53	82	1415821	89.39	ng	0.00
41) 2,4,6-Tribromophenol	15.55	330	872318	138.72	ng	0.00
44) 2-Fluorobiphenyl	12.66	172	2562078	81.90	ng	0.00
78) Terphenyl-d14	19.47	244	5007698	82.08	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.70	79	27914	2.146	ng	Qvalue # 36


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
Data File : BM011039.D
Acq On : 28 Jul 2017 13:12
Operator : SJ/JU
Sample : I4442-04RE
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
VNJ-225

Quant Time: Jul 28 14:52:14 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 26 17:29:06 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.39 min Scan# 782
Delta R.T. -0.01 min
Lab File: BM011039.D
Acq: 28 Jul 2017 13:12

Instrument :
BNA_M
ClientSampled :
VNJ-225

Tot Ion:152 Resp: 161346
Ion Ratio Lower Upper
152 100
150 147.2 119.5 179.3
115 73.6 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 132.427 ng
RT: 5.03 min Scan# 381
Delta R.T. 0.00 min
Lab File: BM011039.D
Acq: 28 Jul 2017 13:12

Tgt Ion:112 Resp: 1263964
Ion Ratio Lower Upper
112 100
64 72.5 38.6 57.8#
63 46.6 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 123.012 ng

RT: 6.59 min Scan# 646

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12

Instrument :

BNA_M

ClientSampled :

VNJ-225


Tot Ion: 99 Resp: 1668179

Ion Ratio Lower Upper

99 100

42 26.2 11.0 16.4#




71 64.1 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM011039.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM011039.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM011039.D (-630) (-)



#15

Benzyl Alcohol

Concen: 2.146 ng

RT: 7.70 min Scan# 835

Delta R.T. 0.06 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12


Tgt Ion: 79 Resp: 27914

Ion Ratio Lower Upper

79 100

108 30.9 65.0 97.4#



77 124.7 53.0 79.6#




Abundance Ion 79.00 (78.70 to 79.70): BM011039.D (-808) (-)

Ion 108.00 (107.70 to 108.70): BM011039.D (-808) (-)

Ion 77.00 (76.70 to 77.70): BM011039.D (-808) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.15 min Scan# 1251

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12

Instrument :

BNA_M

ClientSampleId :

VNJ-225

Tot Ion:136 Resp: 594430


Ion Ratio Lower Upper

136 100

137 12.1 8.7 13.1

54 10.5 4.6 6.8#

68 7.4 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: 89.393 ng

RT: 8.53 min Scan# 977

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12


Tgt Ion: 82 Resp: 1415821

Ion Ratio Lower Upper

82 100

128 26.4 32.8 49.2#



54 52.2 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.04 min Scan# 1914

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12

Instrument :

BNA_M

ClientSampleId :

VNJ-225


Tot Ion:164 Resp: 392339

Ion Ratio Lower Upper

164 100

162 100.4 82.4 123.6




160 44.3 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 138.719 ng

RT: 15.55 min Scan# 2170

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12


Tgt Ion:330 Resp: 872318

Ion Ratio Lower Upper

330 100

332 94.4 0.0 0.0#



141 44.8 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 81.898 ng
RT: 12.66 min Scan# 1678
Delta R.T. -0.01 min
Lab File: BM011039.D
Acq: 28 Jul 2017 13:12




Instrument :
BNA_M
ClientSampleId :
VNJ-225


Tot Ion:172 Resp: 2562078
Ion Ratio Lower Upper
172 100
171 34.6 28.5 42.7
170 23.1 18.8 28.2



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.80 min Scan# 2382
Delta R.T. -0.01 min
Lab File: BM011039.D
Acq: 28 Jul 2017 13:12

Tgt Ion:188 Resp: 1085764
Ion Ratio Lower Upper
188 100
94 6.4 8.7 13.1#
80 8.5 9.3 13.9#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.02 min Scan# 3100

Delta R.T. -0.01 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12

Instrument :

BNA_M

ClientSampled :

VNJ-225


Tot Ion:240 Resp: 1208461

Ion Ratio Lower Upper

240 100

120 4.2 8.2 12.2#




236 25.7 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 82.085 ng

RT: 19.47 min Scan# 2836

Delta R.T. -0.00 min

Lab File: BM011039.D

Acq: 28 Jul 2017 13:12


Tgt Ion:244 Resp: 5007698

Ion Ratio Lower Upper

244 100

212 8.6 4.9 7.3#



122 6.4 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.13 min Scan# 3459
Delta R.T. -0.01 min
Lab File: BM011039.D
Acq: 28 Jul 2017 13:12

Instrument :
BNA_M
ClientSampleId :
VNJ-225

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.6	27.8
265	22.0	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

