

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
 Data File : BM011061.D
 Acq On : 29 Jul 2017 02:44
 Operator : SJ/JU
 Sample : I4466-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 HD-02-072617

Quant Time: Jul 29 03:52:10 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 26 17:29:06 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	160967	20.00	ng	0.00
21) Naphthalene-d8	10.14	136	585173	20.00	ng	-0.01
38) Acenaphthene-d10	14.04	164	363134	20.00	ng	-0.01
63) Phenanthrene-d10	16.80	188	937975	20.00	ng	-0.01
75) Chrysene-d12	21.02	240	871826	20.00	ng	0.00
86) Perylene-d12	23.13	264	311661	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.03	112	1169918	122.86	ng	0.00
7) Phenol-d6	6.59	99	1429456	105.66	ng	0.00
23) Nitrobenzene-d5	8.53	82	1493705	95.80	ng	0.00
41) 2,4,6-Tribromophenol	15.54	330	798343	137.17	ng	-0.01
44) 2-Fluorobiphenyl	12.65	172	2681625	92.61	ng	-0.01
78) Terphenyl-d14	19.46	244	3878864	88.13	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.70	79	27818	2.14	ng	Qvalue # 36
31) Naphthalene	10.19	128	63001	2.14	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
Data File : BM011061.D
Acq On : 29 Jul 2017 02:44
Operator : SJ/JU
Sample : I4466-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
HD-02-072617

Quant Time: Jul 29 03:52:10 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 26 17:29:06 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.39 min Scan# 782
Delta R.T. -0.01 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44

Instrument :
BNA_M
ClientSampleId :
HD-02-072617

Tot Ion:152 Resp: 160967
Ion Ratio Lower Upper
152 100
150 163.6 119.5 179.3
115 70.8 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.86 ng
RT: 5.03 min Scan# 381
Delta R.T. 0.00 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44

Tgt Ion:112 Resp: 1169918
Ion Ratio Lower Upper
112 100
64 72.5 38.6 57.8#
63 46.7 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 105.66 ng

RT: 6.59 min Scan# 646

Delta R.T. -0.01 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44

Instrument :

BNA_M

ClientSampleId :

HD-02-072617





Tot Ion: 99 Resp: 1429456

Ion Ratio Lower Upper

99 100

42 25.8 11.0 16.4#

71 61.6 23.4 35.2#



#15

Benzyl Alcohol

Concen: 2.14 ng

RT: 7.70 min Scan# 835

Delta R.T. 0.06 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44




Tgt Ion: 79 Resp: 27818


Ion Ratio Lower Upper

79 100

108 38.5 65.0 97.4#

77 132.3 53.0 79.6#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.14 min Scan# 1250
Delta R.T. -0.01 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44




Instrument :
BNA_M
ClientSampleId :
HD-02-072617


Tot Ion:136	Resp: 585173
Ion Ratio	Lower Upper
136 100	
137 9.5	8.7 13.1
54 9.8	4.6 6.8#
68 8.3	3.7 5.5#



#23
Nitrobenzene-d5
Concen: 95.80 ng
RT: 8.53 min Scan# 977
Delta R.T. -0.01 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44

Tgt Ion: 82	Resp: 1493705
Ion Ratio	Lower Upper
82 100	
128 26.1	32.8 49.2#
54 49.3	40.6 60.8





#31

Naphthalene

Concen: 2.14 ng

RT: 10.19 min Scan# 1259

Delta R.T. -0.01 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44

Instrument :

BNA_M

ClientSampleId :

HD-02-072617


Tot Ion:128 Resp: 63001

Ion Ratio Lower Upper

128 100

129 12.8 8.9 13.3




127 14.0 10.4 15.6



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.04 min Scan# 1913

Delta R.T. -0.01 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44


Tgt Ion:164 Resp: 363134

Ion Ratio Lower Upper

164 100

162 100.9 82.4 123.6



160 46.0 35.8 53.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 137.17 ng
 RT: 15.54 min Scan# 2169
 Delta R.T. -0.01 min
 Lab File: BM011061.D
 Acq: 29 Jul 2017 02:44

Instrument :
 BNA_M
 ClientSampleId :
 HD-02-072617

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	0.0	0.0#
141	45.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.61 ng
 RT: 12.65 min Scan# 1677
 Delta R.T. -0.01 min
 Lab File: BM011061.D
 Acq: 29 Jul 2017 02:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.5	42.7
170	23.9	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.80 min Scan# 2382
Delta R.T. -0.01 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44




Instrument :
BNA_M
ClientSampleId :
HD-02-072617


Tot Ion:188 Resp: 937975
Ion Ratio Lower Upper
188 100
94 6.0 8.7 13.1#
80 9.2 9.3 13.9#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.02 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BM011061.D
Acq: 29 Jul 2017 02:44

Tgt Ion:240 Resp: 871826
Ion Ratio Lower Upper
240 100
120 4.1 8.2 12.2#
236 26.9 20.0 30.0





#78

Terphenyl-d14

Concen: 88.13 ng

RT: 19.46 min Scan# 2835

Delta R.T. -0.01 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44

Instrument :

BNA_M

ClientSampleId :

HD-02-072617


Tot Ion:244 Resp: 3878864

Ion Ratio Lower Upper

244 100

212 9.2 4.9 7.3#




122 6.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.13 min Scan# 3459

Delta R.T. -0.01 min

Lab File: BM011061.D

Acq: 29 Jul 2017 02:44


Tgt Ion:264 Resp: 311661

Ion Ratio Lower Upper

264 100

260 37.6 18.6 27.8#

265 21.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

