

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
 Data File : BM011046.D
 Acq On : 28 Jul 2017 17:43
 Operator : SJ/JU
 Sample : I4432-07
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RINSEBLANK-GW

Quant Time: Jul 29 00:05:53 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 26 17:29:06 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	189469	20.00	ng	0.00
21) Naphthalene-d8	10.15	136	720978	20.00	ng	0.00
38) Acenaphthene-d10	14.04	164	482400	20.00	ng	-0.01
63) Phenanthrene-d10	16.80	188	1236761	20.00	ng	-0.01
75) Chrysene-d12	21.02	240	1180900	20.00	ng	0.00
86) Perylene-d12	23.13	264	941240	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.02	112	708264	63.19	ng	0.00
7) Phenol-d6	6.58	99	587123	36.87	ng	-0.01
23) Nitrobenzene-d5	8.53	82	1793756	93.38	ng	0.00
41) 2,4,6-Tribromophenol	15.55	330	1057266	136.74	ng	0.00
44) 2-Fluorobiphenyl	12.66	172	3333042	86.65	ng	0.00
78) Terphenyl-d14	19.47	244	5246582	88.01	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM072817\
Data File : BM011046.D
Acq On : 28 Jul 2017 17:43
Operator : SJ/JU
Sample : I4432-07
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RINSEBLANK-GW

Quant Time: Jul 29 00:05:53 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 26 17:29:06 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.39 min Scan# 782
Delta R.T. -0.01 min
Lab File: BM011046.D
Acq: 28 Jul 2017 17:43

Instrument :
BNA_M
ClientSampleId :
RINSEBLANK-GW




Tot Ion:152 Resp: 189469
Ion Ratio Lower Upper
152 100
150 145.6 119.5 179.3
115 71.3 43.0 64.4#




#5

2-Fluorophenol
Concen: 63.191 ng
RT: 5.02 min Scan# 380
Delta R.T. -0.00 min
Lab File: BM011046.D
Acq: 28 Jul 2017 17:43

Tgt Ion:112 Resp: 708264
Ion Ratio Lower Upper
112 100
64 71.1 38.6 57.8#
63 46.3 19.3 28.9#





#7

Phenol-d6

Concen: 36.868 ng

RT: 6.58 min Scan# 645

Delta R.T. -0.01 min

Lab File: BM011046.D

Acq: 28 Jul 2017 17:43

Instrument :

BNA_M

ClientSampleId :

RINSEBLANK-GW





Tot Ion: 99 Resp: 587123

Ion Ratio Lower Upper

99 100

42 26.4 11.0 16.4#

71 59.8 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.15 min Scan# 1251

Delta R.T. -0.01 min

Lab File: BM011046.D

Acq: 28 Jul 2017 17:43

Tgt Ion: 136 Resp: 720978




Ion Ratio Lower Upper


136 100

137 10.5 8.7 13.1

54 9.6 4.6 6.8#

68 6.8 3.7 5.5#





#23

Nitrobenzene-d5

Concen: 93.377 ng

RT: 8.53 min Scan# 977

Delta R.T. -0.01 min

Lab File: BM011046.D

Acq: 28 Jul 2017 17:43

Instrument :

BNA_M


ClientSampleId :

RINSEBLANK-GW

Tot Ion: 82 Resp: 1793756

Ion Ratio Lower Upper




82	100		
128	25.9	32.8	49.2#
54	47.1	40.6	60.8



Abundance Ion 82.00 (81.70 to 82.70): BM011046.D (-961) (-)

Ion 128.00 (127.70 to 128.70): BM011046.D (-961) (-)

Ion 54.00 (53.70 to 54.70): BM011046.D (-961) (-)



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.04 min Scan# 1913

Delta R.T. -0.01 min


Lab File: BM011046.D

Acq: 28 Jul 2017 17:43

Tgt Ion: 164 Resp: 482400

Ion Ratio Lower Upper



164	100		
162	102.7	82.4	123.6
160	46.0	35.8	53.6




Abundance Ion 164.00 (163.70 to 164.70): BM011046.D (-1898) (-)

Ion 162.00 (161.70 to 162.70): BM011046.D (-1898) (-)

Ion 160.00 (159.70 to 160.70): BM011046.D (-1898) (-)









#41
 2,4,6-Tribromophenol
 Concen: 136.741 ng
 RT: 15.55 min Scan# 2170
 Delta R.T. -0.01 min
 Lab File: BM011046.D
 Acq: 28 Jul 2017 17:43

Instrument :
 BNA_M
 ClientSampleId :
 RINSEBLANK-GW

Tot Ion:330 Resp: 1057266
 Ion Ratio Lower Upper
 330 100
 332 96.3 0.0 0.0#
 141 44.9 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 86.652 ng
 RT: 12.66 min Scan# 1678
 Delta R.T. -0.01 min
 Lab File: BM011046.D
 Acq: 28 Jul 2017 17:43

Tgt Ion:172 Resp: 3333042
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.5 42.7
 170 23.4 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.80 min Scan# 2382
Delta R.T. -0.01 min
Lab File: BM011046.D
Acq: 28 Jul 2017 17:43




Instrument :
BNA_M
ClientSampleId :
RINSEBLANK-GW


Tot Ion:188 Resp: 1236761
Ion Ratio Lower Upper
188 100
94 6.5 8.7 13.1#
80 9.0 9.3 13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.02 min Scan# 3100
Delta R.T. -0.01 min
Lab File: BM011046.D
Acq: 28 Jul 2017 17:43

Tgt Ion:240 Resp: 1180900
Ion Ratio Lower Upper
240 100
120 4.6 8.2 12.2#
236 25.7 20.0 30.0









#78
 Terphenyl-d14
 Concen: 88.007 ng
 RT: 19.47 min Scan# 2836
 Delta R.T. -0.00 min
 Lab File: BM011046.D
 Acq: 28 Jul 2017 17:43

Instrument :
 BNA_M
 ClientSampleId :
 RINSEBLANK-GW

Tot Ion:244 Resp: 5246582
 Ion Ratio Lower Upper
 244 100
 212 8.7 4.9 7.3#
 122 6.1 6.2 9.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.13 min Scan# 3459
 Delta R.T. -0.01 min
 Lab File: BM011046.D
 Acq: 28 Jul 2017 17:43

Tgt Ion:264 Resp: 941240
 Ion Ratio Lower Upper
 264 100
 260 25.0 18.6 27.8
 265 21.0 17.3 25.9

