

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM072922\  
 Data File : BM036015.D  
 Acq On : 30 Jul 2022 05:25  
 Operator : CG/JU  
 Sample : PB146356BL  
 Misc :  
 ALS Vial : 29 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SBLK356

Quant Time: Jul 30 06:18:10 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM072522.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Jul 30 00:20:59 2022  
 Response via : Initial Calibration

| Compound                  | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|---------------------------|--------|------|----------|--------|-------|----------|
| -----                     |        |      |          |        |       |          |
| Internal Standards        |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4 | 7.875  | 152  | 347453   | 20.000 | ng/u1 | 0.00     |
| 20) Naphthalene-d8        | 10.681 | 136  | 1455931  | 20.000 | ng/u1 | 0.00     |
| 38) Acenaphthene-d10      | 14.510 | 164  | 813659   | 20.000 | ng/u1 | 0.00     |
| 64) Phenanthrene-d10      | 17.251 | 188  | 1541846  | 20.000 | ng/u1 | 0.00     |
| 79) Chrysene-d12          | 21.421 | 240  | 1398051  | 20.000 | ng/u1 | -0.01    |
| 88) Perylene-d12          | 23.786 | 264  | 1427379  | 20.000 | ng/u1 | -0.02    |

|                               |        |     |         |        |       |       |
|-------------------------------|--------|-----|---------|--------|-------|-------|
| System Monitoring Compounds   |        |     |         |        |       |       |
| 3) 1,4-Dioxane-d8             | 3.269  | 96  | 58621   | 6.349  | ng/uL | 0.00  |
| 4) Pyridine-d5                | 3.687  | 84  | 788705  | 31.179 | ng/u1 | -0.01 |
| 7) Phenol-d5                  | 7.040  | 99  | 936458  | 32.140 | ng/u1 | 0.00  |
| 9) Bis-(2-Chloroethyl)eth...  | 7.210  | 67  | 616909  | 31.760 | ng/u1 | 0.00  |
| 11) 2-Chlorophenol-d4         | 7.404  | 132 | 825551  | 34.134 | ng/u1 | 0.00  |
| 15) 4-Methylphenol-d8         | 8.587  | 113 | 740763  | 31.382 | ng/u1 | 0.00  |
| 21) Nitrobenzene-d5           | 9.039  | 128 | 394581  | 34.201 | ng/u1 | 0.00  |
| 24) 2-Nitrophenol-d4          | 9.763  | 143 | 394097  | 35.062 | ng/u1 | 0.00  |
| 28) 2,4-Dichlorophenol-d3     | 10.298 | 165 | 679635  | 33.431 | ng/u1 | 0.00  |
| 31) 4-Chloroaniline-d4        | 10.822 | 131 | 1069213 | 31.068 | ng/u1 | 0.00  |
| 46) Dimethylphthalate-d6      | 13.927 | 166 | 1969573 | 35.536 | ng/u1 | 0.00  |
| 49) Acenaphthylene-d8         | 14.204 | 160 | 2512682 | 35.532 | ng/u1 | 0.00  |
| 54) 4-Nitrophenol-d4          | 14.710 | 143 | 303789  | 26.692 | ng/u1 | 0.00  |
| 60) Fluorene-d10              | 15.498 | 176 | 1719312 | 34.329 | ng/u1 | 0.00  |
| 65) 4,6-Dinitro-2-methylph... | 15.621 | 200 | 205796  | 24.831 | ng/u1 | 0.00  |
| 73) Anthracene-d10            | 17.351 | 188 | 2513493 | 36.058 | ng/u1 | 0.00  |
| 81) Pyrene-d10                | 19.639 | 212 | 2752627 | 35.526 | ng/u1 | 0.00  |
| 92) Benzo(a)pyrene-d12        | 23.639 | 264 | 2618725 | 36.137 | ng/u1 | -0.01 |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM072922\  
Data File : BM036015.D  
Acq On : 30 Jul 2022 05:25  
Operator : CG/JU  
Sample : PB146356BL  
Misc :  
ALS Vial : 29 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SBLK356

Quant Time: Jul 30 06:18:10 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM072522.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Jul 30 00:20:59 2022  
Response via : Initial Calibration

