

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080322\
 Data File : BM036091.D
 Acq On : 03 Aug 2022 23:09
 Operator : CG/JU
 Sample : N3930-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RVE-96

Quant Time: Aug 04 01:32:35 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 17:50:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	185231	20.000	ng	0.00
21) Naphthalene-d8	10.669	136	886477	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	584740	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	1305105	20.000	ng	0.00
76) Chrysene-d12	21.421	240	1561289	20.000	ng	0.00
86) Perylene-d12	23.786	264	1658492	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1429959	125.159	ng	0.00
7) Phenol-d6	7.034	99	1964425	135.127	ng	0.00
23) Nitrobenzene-d5	9.028	82	1162496	73.406	ng	-0.01
42) 2,4,6-Tribromophenol	15.992	330	936653	136.543	ng	0.00
45) 2-Fluorobiphenyl	13.133	172	2839853	71.707	ng	0.00
79) Terphenyl-d14	19.868	244	5455582	68.923	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080322\
Data File : BM036091.D
Acq On : 03 Aug 2022 23:09
Operator : CG/JU
Sample : N3930-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RVE-96

Quant Time: Aug 04 01:32:35 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 17:50:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 813
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09




Instrument :
BNA_M
ClientSampleId :
RVE-96


Tgt Ion:152 Resp: 185231
Ion Ratio Lower Upper
152 100
150 156.4 124.9 187.3
115 57.9 47.9 71.9



#5
2-Fluorophenol
Concen: 125.159 ng
RT: 5.428 min Scan# 398
Delta R.T. -0.000 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09

Tgt Ion:112 Resp: 1429959
Ion Ratio Lower Upper
112 100
64 54.2 47.8 71.6
63 28.3 26.6 40.0









#7
Phenol-d6
Concen: 135.127 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09




Instrument :
BNA_M
ClientSampleId :
RVE-96

Tgt Ion: 99 Resp: 1964425
Ion Ratio Lower Upper
99 100
42 17.1 18.8 28.2#
71 31.8 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.669 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09

Tgt Ion: 136 Resp: 886477
Ion Ratio Lower Upper
136 100
137 11.3 8.9 13.3
54 7.2 7.0 10.4
68 5.7 4.3 6.5









#23
Nitrobenzene-d5
Concen: 73.406 ng
RT: 9.028 min Scan# 1012
Delta R.T. -0.012 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09




Instrument :
BNA_M
ClientSampleId :
RVE-96

Tgt Ion: 82 Resp: 1162496
Ion Ratio Lower Upper
82 100
128 45.8 33.7 50.5
54 48.4 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1941
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09

Tgt Ion:164 Resp: 584740
Ion Ratio Lower Upper
164 100
162 99.9 83.0 124.6
160 44.5 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 136.543 ng
RT: 15.992 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09




Instrument :
BNA_M
ClientSampleId :
RVE-96


Tgt Ion:330 Resp: 936653
Ion Ratio Lower Upper
330 100
332 96.7 77.0 115.4
141 36.8 35.3 52.9



#45
2-Fluorobiphenyl
Concen: 71.707 ng
RT: 13.133 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09

Tgt Ion:172 Resp: 2839853
Ion Ratio Lower Upper
172 100
171 34.7 28.5 42.7
170 23.8 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09




Instrument :
BNA_M
ClientSampleId :
RVE-96


Tgt Ion:188 Resp: 1305105
Ion Ratio Lower Upper
188 100
94 9.3 7.0 10.4
80 9.8 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.421 min Scan# 3117
Delta R.T. -0.006 min
Lab File: BM036091.D
Acq: 03 Aug 2022 23:09

Tgt Ion:240 Resp: 1561289
Ion Ratio Lower Upper
240 100
120 11.4 9.4 14.0
236 26.2 20.6 30.8









#79
 Terphenyl-d14
 Concen: 68.923 ng
 RT: 19.868 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM036091.D
 Acq: 03 Aug 2022 23:09

Instrument :
 BNA_M
 ClientSampleId :
 RVE-96

Tgt Ion:244 Resp: 5455582
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.2 9.4
 122 11.2 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.786 min Scan# 3519
 Delta R.T. -0.006 min
 Lab File: BM036091.D
 Acq: 03 Aug 2022 23:09

Tgt Ion:264 Resp: 1658492
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.9 28.3
 265 22.3 17.5 26.3

