

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080322\
 Data File : BM036088.D
 Acq On : 03 Aug 2022 21:20
 Operator : CG/JU
 Sample : N3930-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RVE-101

Quant Time: Aug 04 01:32:10 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 17:50:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	178500	20.000	ng	0.00
21) Naphthalene-d8	10.669	136	870245	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	573966	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	1278626	20.000	ng	0.00
76) Chrysene-d12	21.421	240	1478254	20.000	ng	0.00
86) Perylene-d12	23.786	264	1654491	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	881476	80.062	ng	0.00
7) Phenol-d6	7.034	99	1217189	86.884	ng	0.00
23) Nitrobenzene-d5	9.028	82	769331	49.486	ng	-0.01
42) 2,4,6-Tribromophenol	15.986	330	620181	92.105	ng	-0.01
45) 2-Fluorobiphenyl	13.128	172	1954413	50.275	ng	-0.01
79) Terphenyl-d14	19.868	244	3767960	50.276	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080322\
Data File : BM036088.D
Acq On : 03 Aug 2022 21:20
Operator : CG/JU
Sample : N3930-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RVE-101

Quant Time: Aug 04 01:32:10 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 17:50:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 813
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20




Instrument :
BNA_M
ClientSampleId :
RVE-101


Tgt Ion:152 Resp: 178500
Ion Ratio Lower Upper
152 100
150 157.1 124.9 187.3
115 59.6 47.9 71.9



#5
2-Fluorophenol
Concen: 80.062 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20

Tgt Ion:112 Resp: 881476
Ion Ratio Lower Upper
112 100
64 53.9 47.8 71.6
63 28.5 26.6 40.0








#7
Phenol-d6
Concen: 86.884 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20




Instrument :
BNA_M
ClientSampleId :
RVE-101

Tgt Ion: 99 Resp: 1217189
Ion Ratio Lower Upper
99 100
42 16.9 18.8 28.2#
71 31.9 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.669 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20

Tgt Ion: 136 Resp: 870245
Ion Ratio Lower Upper
136 100
137 10.8 8.9 13.3
54 7.6 7.0 10.4
68 5.7 4.3 6.5









#23
Nitrobenzene-d5
Concen: 49.486 ng
RT: 9.028 min Scan# 1012
Delta R.T. -0.012 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20




Instrument :
BNA_M
ClientSampleId :
RVE-101

Tgt Ion: 82 Resp: 769331
Ion Ratio Lower Upper
82 100
128 45.6 33.7 50.5
54 48.1 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1941
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20

Tgt Ion:164 Resp: 573966
Ion Ratio Lower Upper
164 100
162 101.0 83.0 124.6
160 45.0 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 92.105 ng
RT: 15.986 min Scan# 2195
Delta R.T. -0.012 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20




Instrument :
BNA_M
ClientSampleId :
RVE-101


Tgt Ion:330 Resp: 620181
Ion Ratio Lower Upper
330 100
332 96.5 77.0 115.4
141 36.6 35.3 52.9



#45
2-Fluorobiphenyl
Concen: 50.275 ng
RT: 13.128 min Scan# 1707
Delta R.T. -0.012 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20

Tgt Ion:172 Resp: 1954413
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 23.8 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20




Instrument :
BNA_M
ClientSampleId :
RVE-101


Tgt Ion:188 Resp: 1278626
Ion Ratio Lower Upper
188 100
94 9.3 7.0 10.4
80 9.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.421 min Scan# 3117
Delta R.T. -0.006 min
Lab File: BM036088.D
Acq: 03 Aug 2022 21:20

Tgt Ion:240 Resp: 1478254
Ion Ratio Lower Upper
240 100
120 11.4 9.4 14.0
236 25.8 20.6 30.8









#79
 Terphenyl-d14
 Concen: 50.276 ng
 RT: 19.868 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM036088.D
 Acq: 03 Aug 2022 21:20

Instrument :
 BNA_M
 ClientSampleId :
 RVE-101

Tgt Ion:244 Resp: 3767960
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.2 9.4
 122 11.2 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.786 min Scan# 3519
 Delta R.T. -0.006 min
 Lab File: BM036088.D
 Acq: 03 Aug 2022 21:20

Tgt Ion:264 Resp: 1654491
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.9 28.3
 265 22.2 17.5 26.3

