

Data Path : Z:\HPCHEM1\BNA M\DATA\BM080416\
 Data File : BM006862.D
 Acq On : 04 Aug 2016 14:15
 Operator : UM/SJ
 Sample : H4095-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJF7

Manual Integrations
 APPROVED

umangi
 8/5/2016 6:59:51 PM

Quant Time: Aug 05 04:15:58 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 05 02:18:21 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	204232	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	835078	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	543778	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.98	188	1312128	20.00	ng/ul	0.00
75) Chrysene-d12	21.19	240	1524707	20.00	ng/ul	0.00
83) Perylene-d12	23.38	264	1316895	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.12	96	5665	1.53	ng/uL	0.01
5) Phenol-d5	6.80	99	266298	17.72	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	182198	18.14	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	226324	19.05	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	229523	18.77	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	107781	18.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	129434	19.04	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.01	165	247752	17.63	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	296139	20.40	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	987434	22.05	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	1106568	20.23	ng/ul	0.00
51) 4-Nitrophenol-d4	14.56	143	67717m	6.90	ng/ul	0.02
57) Fluorene-d10	15.22	176	855843	20.58	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	77994	9.11	ng/ul	0.00
70) Anthracene-d10	17.08	188	1362643	21.62	ng/ul	0.00
76) Pyrene-d10	19.39	212	1666468	21.37	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.24	264	1431602	22.32	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.70	163	522760	11.74	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM080416\
Data File : BM006862.D
Acq On : 04 Aug 2016 14:15
Operator : UM/SJ
Sample : H4095-04
Misc :
ALS Vial : 6 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
BDJF7

Manual Integrations
APPROVED

umangi
8/5/2016 6:59:51 PM

Quant Time: Aug 05 04:15:58 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM080316.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 05 02:18:21 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 11.74 ng/ul

RT: 13.70 min Scan# 1889

Delta R.T. -0.00 min

Lab File: BM006862.D

Acq: 04 Aug 2016 14:15

Instrument :

BNA_M

ClientSampleId :

BDJF7

Tot Ion	Ratio	Resp Lower	Upper
163	100		
194	4.5	3.1	4.7
164	9.0	8.6	12.8

Manual Integrations
APPROVED

umangi
8/5/2016 6:59:51 PM

