

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006907.D
 Acq On : 05 Aug 2016 19:28
 Operator : UM/SJ
 Sample : H4224-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJL5

Quant Time: Aug 06 00:35:48 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	124917	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	513010	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	318476	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.07	188	682693	20.00	ng/ul	0.10
75) Chrysene-d12	21.18	240	876673	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	836988	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.10	96	4543	2.00	ng/uL	0.00
5) Phenol-d5	6.79	99	159314	17.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.91	67	115069	18.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	129418	17.81	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	125487	16.78	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	61368	17.50	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	70395	16.86	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	117383	13.60	ng/ul	0.01
29) 4-Chloroaniline-d4	10.52	131	172091	19.29	ng/ul	0.01
43) Dimethylphthalate-d6	13.64	166	515817	19.66	ng/ul	0.00
46) Acenaphthylene-d8	13.91	160	581069	18.14	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	16152	2.81	ng/ul	0.01
57) Fluorene-d10	15.22	176	438097	17.99	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.50	200	536	0.12	ng/ul	0.12
70) Anthracene-d10	17.07	188	677553	20.67	ng/ul	0.00
76) Pyrene-d10	19.38	212	833140	18.58	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	783065	19.21	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.69	163	234945	9.01	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
Data File : BM006907.D
Acq On : 05 Aug 2016 19:28
Operator : UM/SJ
Sample : H4224-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJL5

Quant Time: Aug 06 00:35:48 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 06 00:33:11 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 9.01 ng/ul

RT: 13.69 min Scan# 1887

Delta R.T. -0.00 min

Lab File: BM006907.D


Acq: 05 Aug 2016 19:28

Instrument :

BNA_M

ClientSampleId :

BDJL5



Tgt Ion:	163	Resp:	234945
Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.1	4.7
164	10.3	8.6	12.8

