




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
Data File : BM006918.D
Acq On : 06 Aug 2016 02:06
Operator : UM/SJ
Sample : H4278-06
Misc :
ALS Vial : 26 Sample Multiplier: 1

Quant Time: Aug 06 03:43:25 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 06 00:33:11 2016
Response via : Initial Calibration

Instrument :
BNA_M
Client Sampled :
BDJR9

Manual Integrations
APPROVED

sohil
8/8/2016 7:02:21 PM



TIC: BM006918.D

(51) 4-Nitrophenol-d4 (S)

14.527min (-0.006) 9.90ng/ul

response 62571

Ion	Exp%	Act%
143.00	100	100
113.00	87.10	103.88
41.00	58.30	74.95#
42.00	33.50	42.90#

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM

Quant Time: Aug 06 03:43:25 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration



TIC: BM006918.D

(51) 4-Nitrophenol-d4 (S)

14.527min (-0.006) 13.87ng/ul m)

response 87669

Ion	Exp%	Act%
143.00	100	100
113.00	87.10	103.88
41.00	58.30	74.95#
42.00	33.50	42.90#

0.8116116

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Quant Time: Aug 06 03:43:25 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM



TIC: BM006918.D

(29) 4-Chloroaniline-d4 (S)

10.504min (-0.000) 27.31ng/ul

response 276571

Ion	Exp%	Act%
131.00	100	100
133.00	34.90	32.53
69.00	25.40	24.62
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path: Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File: BM006918.D
 Acq On: 06 Aug 2016 02:06
 Operator: UM/SJ
 Sample: H4278-06
 Misc:
 ALS Vial: 26 Sample Multiplier: 1

Instrument:
 BNA_M
 ClientSampleId:
 BDJR9

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM

Quant Time: Aug 06 03:43:25 2016
 Quant Method: Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title: SVOA CALIBRATION
 QLast Update: Sat Aug 06 00:33:11 2016
 Response via: Initial Calibration



(29) 4-Chloroaniline-d4 (S)

10.504min (-0.000) 29.33ng/ul m > 0.00, 08/16/16

response 297010

Ion	Exp%	Act%
131.00	100	100
133.00	34.90	32.53
69.00	25.40	24.62
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM

Quant Time: Aug 06 03:43:25 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration



TIC: BM006918.D

(26) 2,4-Dichlorophenol-d3 (S)

9.998min (+0.006) 23.75ng/ul m

response 232836

U.M.
 08/16/16

Ion	Exp%	Act%
165.00	100	100
167.00	58.50	65.81
101.00	32.90	38.40
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Aug 06 03:43:25 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM



TIC: BM006918.D

(26) 2,4-Dichlorophenol-d3 (S)

9.998min (+0.006) 22.02ng/ul

response 215858

Ion	Exp%	Act%
165.00	100	100
167.00	58.50	65.81
101.00	32.90	38.40
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Quant Time: Aug 06 04:09:02 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	140084	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	582456	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	349954	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	829903	20.00	ng/ul	0.00
75) Chrysene-d12	21.18	240	953570	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	946245	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	6567	2.58	ng/uL	0.00
5) Phenol-d5	6.78	99	291451	28.27	ng/ul	0.00
7) Bis-(2-Chloroethyl) ether-d	6.91	67	207690	30.15	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	235321	28.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	225352	26.87	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	115197	28.93	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	128563	27.11	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	232836m	23.75	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	297010m	29.33	ng/ul	0.00
43) Dimethylphthalate-d6	13.63	166	864280	29.98	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	1003457	28.50	ng/ul	0.00
51) 4-Nitrophenol-d4	14.53	143	87669m	13.87	ng/ul	0.00
57) Fluorene-d10	15.22	176	738354	27.59	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.38	200	84150	15.54	ng/ul	0.00
70) Anthracene-d10	17.07	188	1123991	28.20	ng/ul	0.00
76) Pyrene-d10	19.38	212	1355480	27.79	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	1310543	28.44	ng/ul	0.00

0.00
 08/16/16

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.69	163	433678	15.14	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006918.D
 Acq On : 06 Aug 2016 02:06
 Operator : UM/SJ
 Sample : H4278-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJR9

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:21 PM

Quant Time: Aug 06 04:09:02 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

