

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
 Data File : BM006923.D
 Acq On : 06 Aug 2016 05:09
 Operator : UM/SJ
 Sample : H4278-14
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJS5

Manual Integrations
 APPROVED

sohil
 8/8/2016 7:02:34 PM

Quant Time: Aug 06 06:00:20 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 06 00:33:11 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	158879	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	653489	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.21	164	388971	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	919057	20.00	ng/ul	0.00
75) Chrysene-d12	21.18	240	1052046	20.00	ng/ul	0.00
83) Perylene-d12	23.37	264	1064411	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	5401	1.87	ng/uL	0.00
5) Phenol-d5	6.78	99	200042	17.11	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.91	67	146350	18.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	168118	18.19	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	170809	17.96	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	86602m	19.38	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	96239m	18.09	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	165353m	15.03	ng/ul	0.00
29) 4-Chloroaniline-d4	10.51	131	221541m	19.50	ng/ul	0.00
43) Dimethylphthalate-d6	13.63	166	625887	19.53	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	744999	19.04	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	56365m	8.02	ng/ul	0.01
57) Fluorene-d10	15.22	176	548751	18.45	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	54665m	9.11	ng/ul	0.01
70) Anthracene-d10	17.07	188	831295	18.83	ng/ul	0.00
76) Pyrene-d10	19.38	212	978837	18.19	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	968588	18.69	ng/ul	0.00

Target Compounds					Qvalue
44) Dimethylphthalate	13.69	163	237609	7.46 ng/ul#	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM080516\
Data File : BM006923.D
Acq On : 06 Aug 2016 05:09
Operator : UM/SJ
Sample : H4278-14
Misc :
ALS Vial : 30 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampled :
BDJS5

Manual Integrations
APPROVED

sohil
8/8/2016 7:02:34 PM

Quant Time: Aug 06 06:00:20 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM080316.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 06 00:33:11 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.46 ng/ul

RT: 13.69 min Scan# 1887

Delta R.T. 0.00 min

Lab File: BM006923.D

Acq: 06 Aug 2016 05:09

Instrument :

BNA_M

ClientSampleId :

BDJS5

Tgt Ion:	163	Resp:	237609
Ion Ratio		Lower	Upper
163	100		
194	5.1	3.1	4.7#
164	10.4	8.6	12.8

Manual Integrations
APPROVED

sohil
8/8/2016 7:02:34 PM

