

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080822\
 Data File : BM036146.D
 Acq On : 08 Aug 2022 14:56
 Operator : CG/JU
 Sample : N4063-03MSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD

Quant Time: Aug 08 23:33:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 03:36:25 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.851	152	371721	20.000	ng	0.00
21) Naphthalene-d8	10.657	136	1593799	20.000	ng	0.00
39) Acenaphthene-d10	14.498	164	968309	20.000	ng	0.00
64) Phenanthrene-d10	17.239	188	1907076	20.000	ng	0.00
76) Chrysene-d12	21.427	240	1466661	20.000	ng	0.00
86) Perylene-d12	23.792	264	1207550	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	2635623	114.953	ng	0.02
7) Phenol-d6	7.069	99	3377535	115.772	ng	0.04
23) Nitrobenzene-d5	9.028	82	2010907	70.626	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	1292711	113.800	ng	0.00
45) 2-Fluorobiphenyl	13.122	172	4608145	70.265	ng	0.00
79) Terphenyl-d14	19.868	244	6459765	86.874	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.275	88	337066	36.483	ng	91
3) Pyridine	3.687	79	955121	38.552	ng	89
4) n-Nitrosodimethylamine	3.605	42	439194	43.140	ng	# 64
6) Aniline	7.187	93	1544681	47.813	ng	95
8) 2-Chlorophenol	7.428	128	1196805	48.957	ng	95
9) Benzaldehyde	6.993	77	752639	48.730	ng	95
10) Phenol	7.098	94	1457843	49.628	ng	90
11) bis(2-Chloroethyl)ether	7.281	93	1087415	44.937	ng	96
12) 1,3-Dichlorobenzene	7.734	146	1229630	45.392	ng	97
13) 1,4-Dichlorobenzene	7.887	146	1263282	45.728	ng	98
14) 1,2-Dichlorobenzene	8.204	146	1209572	45.378	ng	99
15) Benzyl Alcohol	8.116	79	988917	50.513	ng	93
16) 2,2'-oxybis(1-Chloropr...	8.393	45	1467031	45.592	ng	96
17) 2-Methylphenol	8.340	107	977885	50.289	ng	95
18) Hexachloroethane	8.928	117	471431	47.405	ng	97
19) n-Nitroso-di-n-propyla...	8.675	70	817407	46.127	ng	87
20) 3+4-Methylphenols	8.669	107	1292346	48.918	ng	# 87
22) Acetophenone	8.687	105	1698063	45.008	ng	# 94
24) Nitrobenzene	9.069	77	1228319	45.890	ng	95
25) Isophorone	9.598	82	2333487	50.379	ng	98
26) 2-Nitrophenol	9.775	139	643037	50.934	ng	92
27) 2,4-Dimethylphenol	9.863	122	1092163	55.845	ng	98
28) bis(2-Chloroethoxy)met...	10.081	93	1457276	44.160	ng	99
29) 2,4-Dichlorophenol	10.328	162	1088777	49.505	ng	100
30) 1,2,4-Trichlorobenzene	10.522	180	1076577	43.195	ng	98
31) Naphthalene	10.710	128	3549450	44.794	ng	99
32) Benzoic acid	10.063	122	822940	53.084	ng	93
33) 4-Chloroaniline	10.834	127	1228184	38.459	ng	96
34) Hexachlorobutadiene	10.986	225	648403	44.273	ng	97
35) Caprolactam	11.651	113	348179	51.397	ng	93
36) 4-Chloro-3-methylphenol	11.992	107	1144382	49.504	ng	99
37) 2-Methylnaphthalene	12.322	142	2437944	46.234	ng	98
38) 1-Methylnaphthalene	12.539	142	2339686	45.309	ng	98
40) 1,2,4,5-Tetrachloroben...	12.686	216	1190823	45.361	ng	98
41) Hexachlorocyclopentadiene	12.663	237	1489693	107.143	ng	99
43) 2,4,6-Trichlorophenol	12.945	196	843557	47.223	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080822\
 Data File : BM036146.D
 Acq On : 08 Aug 2022 14:56
 Operator : CG/JU
 Sample : N4063-03MSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD


Quant Time: Aug 08 23:33:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 03:36:25 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.028	196	912056	48.367	ng	97
46) 1,1'-Biphenyl	13.333	154	3171537	44.943	ng	100
47) 2-Chloronaphthalene	13.375	162	2427362	44.943	ng	99
48) 2-Nitroaniline	13.598	65	728325	49.483	ng	89
49) Acenaphthylene	14.222	152	3865482	46.300	ng	100
50) Dimethylphthalate	13.969	163	2958840	44.934	ng	99
51) 2,6-Dinitrotoluene	14.092	165	652918	49.419	ng	90
52) Acenaphthene	14.563	154	2289776	41.927	ng	99
53) 3-Nitroaniline	14.427	138	604803	39.236	ng	93
54) 2,4-Dinitrophenol	14.627	184	707354	101.174	ng	91
55) Dibenzofuran	14.898	168	3600099	44.020	ng	98
56) 4-Nitrophenol	14.780	139	1224581	99.274	ng	87
57) 2,4-Dinitrotoluene	14.874	165	894279	51.641	ng	98
58) Fluorene	15.545	166	2910334	45.113	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.133	232	740331	46.347	ng	97
60) Diethylphthalate	15.327	149	3068204	45.341	ng	99
61) 4-Chlorophenyl-phenyle...	15.539	204	1412052	43.896	ng	98
62) 4-Nitroaniline	15.592	138	706923	44.579	ng	92
63) Azobenzene	15.833	77	2852944	44.348	ng	94
65) 4,6-Dinitro-2-methylph...	15.633	198	449724	46.120	ng	94
66) n-Nitrosodiphenylamine	15.763	169	2488191	46.218	ng	99
67) 4-Bromophenyl-phenylether	16.433	248	867480	45.476	ng	96
68) Hexachlorobenzene	16.539	284	1015582	46.401	ng	94
69) Atrazine	16.721	200	880295	58.437	ng	98
70) Pentachlorophenol	16.898	266	1195050	93.228	ng	99
71) Phenanthrene	17.286	178	4416005	45.451	ng	99
72) Anthracene	17.374	178	4446942	47.276	ng	98
73) Carbazole	17.657	167	4150143	43.545	ng	99
74) Di-n-butylphthalate	18.215	149	5357327	47.088	ng	99
75) Fluoranthene	19.304	202	4891972	44.981	ng	99
77) Benzidine	19.498	184	3379557	153.647	ng	99
78) Pyrene	19.662	202	4940214	54.319	ng	98
80) Butylbenzylphthalate	20.568	149	2255996	57.473	ng	95
81) Benzo(a)anthracene	21.415	228	4215148	46.660	ng	99
82) 3,3'-Dichlorobenzidine	21.351	252	1371860	62.541	ng	99
83) Chrysene	21.468	228	3884500	45.235	ng	100
84) Bis(2-ethylhexyl)phtha...	21.339	149	3155036	53.277	ng	99
85) Di-n-octyl phthalate	22.256	149	4659041	48.207	ng	# 95
87) Indeno(1,2,3-cd)pyrene	26.250	276	3772048	44.450	ng	99
88) Benzo(b)fluoranthene	23.074	252	3588322	50.719	ng	99
89) Benzo(k)fluoranthene	23.121	252	3352217	46.912	ng	99
90) Benzo(a)pyrene	23.686	252	2985824	50.300	ng	99
91) Dibenzo(a,h)anthracene	26.268	278	3297561	46.423	ng	98
92) Benzo(g,h,i)perylene	27.009	276	3281029	47.713	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Aug 08 23:33:17 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 03:36:25 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.851 min Scan# 81
 Delta R.T. -0.006 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56




Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD


Tgt Ion:152 Resp: 371721
 Ion Ratio Lower Upper
 152 100
 150 157.6 124.9 187.3
 115 59.5 47.9 71.9



#2
 1,4-Dioxane
 Concen: 36.483 ng
 RT: 3.275 min Scan# 32
 Delta R.T. -0.012 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56

Tgt Ion: 88 Resp: 337066
 Ion Ratio Lower Upper
 88 100
 58 71.8 62.3 93.5
 43 28.8 28.7 43.1









#3
Pyridine
Concen: 38.552 ng
RT: 3.687 min Scan# 10
Delta R.T. -0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 79 Resp: 955121
Ion Ratio Lower Upper
79 100
52 68.2 61.9 92.9
51 33.7 33.5 50.3



#4
n-Nitrosodimethylamine
Concen: 43.140 ng
RT: 3.605 min Scan# 88
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 42 Resp: 439194
Ion Ratio Lower Upper
42 100
74 140.2 81.6 122.4
44 6.9 5.2 7.8









#5
2-Fluorophenol
Concen: 114.953 ng
RT: 5.440 min Scan# 400
Delta R.T. 0.018 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:112 Resp: 2635623
Ion Ratio Lower Upper
112 100
64 56.0 47.8 71.6
63 29.0 26.6 40.0



#6
Aniline
Concen: 47.813 ng
RT: 7.187 min Scan# 697
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 93 Resp: 1544681
Ion Ratio Lower Upper
93 100
66 37.1 32.6 49.0
65 19.5 16.8 25.2









#7
Phenol-d6
Concen: 115.772 ng
RT: 7.069 min Scan# 61
Delta R.T. 0.035 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 99 Resp: 3377535
Ion Ratio Lower Upper
99 100
42 17.0 18.8 28.2#
71 32.5 30.2 45.2



#8
2-Chlorophenol
Concen: 48.957 ng
RT: 7.428 min Scan# 738
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 128 Resp: 1196805
Ion Ratio Lower Upper
128 100
130 32.3 10.9 50.9
64 44.3 28.2 68.2









#9
Benzaldehyde
Concen: 48.730 ng
RT: 6.993 min Scan# 60
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 77 Resp: 752639
Ion Ratio Lower Upper
77 100
105 98.6 76.3 116.3
106 96.6 69.0 109.0



#10
Phenol
Concen: 49.628 ng
RT: 7.098 min Scan# 682
Delta R.T. 0.041 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 94 Resp: 1457843
Ion Ratio Lower Upper
94 100
65 27.2 11.4 51.4
66 34.5 21.4 61.4









#11
bis(2-Chloroethyl)ether
Concen: 44.937 ng
RT: 7.281 min Scan# 716
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 93 Resp: 1087415
Ion Ratio Lower Upper
93 100
63 76.0 60.6 100.6
95 32.4 13.2 53.2



#12
1,3-Dichlorobenzene
Concen: 45.392 ng
RT: 7.734 min Scan# 790
Delta R.T. -0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 146 Resp: 1229630
Ion Ratio Lower Upper
146 100
148 65.0 50.7 76.1
75 30.4 26.1 39.1









#13
1,4-Dichlorobenzene
Concen: 45.728 ng
RT: 7.887 min Scan# 816
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:146 Resp: 1263282
Ion Ratio Lower Upper
146 100
148 65.3 51.5 77.3
111 38.7 32.5 48.7



#14
1,2-Dichlorobenzene
Concen: 45.378 ng
RT: 8.204 min Scan# 870
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:146 Resp: 1209572
Ion Ratio Lower Upper
146 100
148 64.2 50.7 76.1
111 41.0 33.9 50.9









#15
Benzyl Alcohol
Concen: 50.513 ng
RT: 8.116 min Scan# 81
Delta R.T. 0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 79 Resp: 988917
Ion Ratio Lower Upper
79 100
108 83.0 59.0 88.4
77 63.5 52.2 78.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.592 ng
RT: 8.393 min Scan# 902
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 45 Resp: 1467031
Ion Ratio Lower Upper
45 100
77 14.9 0.0 33.1
79 12.0 0.0 30.5









#17
2-Methylphenol
Concen: 50.289 ng
RT: 8.340 min Scan# 890
Delta R.T. 0.030 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:	107	Resp:	977885
Ion	Ratio	Lower	Upper
107	100		
108	109.7	88.7	133.1
77	44.2	40.6	60.8
79	41.6	38.4	57.6



#18
Hexachloroethane
Concen: 47.405 ng
RT: 8.928 min Scan# 993
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:	117	Resp:	471431
Ion	Ratio	Lower	Upper
117	100		
119	95.2	75.8	113.6
201	95.3	81.0	121.4





#19

n-Nitroso-di-n-propylamine

Concen: 46.127 ng

RT: 8.675 min Scan# 91

Delta R.T. 0.000 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD

Tgt Ion: 70 Resp: 817407





Ion Ratio Lower Upper

70 100

42 55.5 55.4 83.2

101 10.0 7.8 11.6

130 23.2 17.0 25.6



#20

3+4-Methylphenols

Concen: 48.918 ng

RT: 8.669 min Scan# 949

Delta R.T. 0.030 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Tgt Ion:107 Resp: 1292346




Ion Ratio Lower Upper


107 100

108 91.7 69.3 109.3

77 60.8 15.8 55.8#

79 28.6 12.3 52.3









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:136 Resp: 1593799
Ion Ratio Lower Upper
136 100
137 11.0 8.9 13.3
54 7.4 7.0 10.4
68 5.8 4.3 6.5



#22
Acetophenone
Concen: 45.008 ng
RT: 8.687 min Scan# 952
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:105 Resp: 1698063
Ion Ratio Lower Upper
105 100
71 2.6 5.0 7.4#
51 27.1 25.6 38.4
120 23.2 17.8 26.8









#23
Nitrobenzene-d5
Concen: 70.626 ng
RT: 9.028 min Scan# 1010
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 82 Resp: 2010907
Ion Ratio Lower Upper
82 100
128 47.4 33.7 50.5
54 47.8 43.2 64.8



#24
Nitrobenzene
Concen: 45.890 ng
RT: 9.069 min Scan# 1017
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 77 Resp: 1228319
Ion Ratio Lower Upper
77 100
123 49.2 36.2 54.4
65 13.5 11.4 17.0









#25
Isophorone
Concen: 50.379 ng
RT: 9.598 min Scan# 1107
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 82 Resp: 2333487
Ion Ratio Lower Upper
82 100
95 7.0 6.4 9.6
138 18.5 14.2 21.4



#26
2-Nitrophenol
Concen: 50.934 ng
RT: 9.775 min Scan# 1137
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:139 Resp: 643037
Ion Ratio Lower Upper
139 100
109 28.6 25.6 38.4
65 47.7 43.2 64.8









#27
2,4-Dimethylphenol
Concen: 55.845 ng
RT: 9.863 min Scan# 1150
Delta R.T. 0.018 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:122 Resp: 1092163
Ion Ratio Lower Upper
122 100
107 113.1 92.4 138.6
121 57.1 47.4 71.0



#28
bis(2-Chloroethoxy)methane
Concen: 44.160 ng
RT: 10.081 min Scan# 1189
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 93 Resp: 1457276
Ion Ratio Lower Upper
93 100
95 32.7 26.1 39.1
123 11.8 9.0 13.4





#29

2,4-Dichlorophenol

Concen: 49.505 ng

RT: 10.328 min Scan# 1

Delta R.T. 0.012 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:162 Resp: 1088777

Ion Ratio Lower Upper

162 100

164 64.2 44.2 84.2

98 35.4 15.0 55.0



#30

1,2,4-Trichlorobenzene

Concen: 43.195 ng

RT: 10.522 min Scan# 1264

Delta R.T. -0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:180 Resp: 1076577


Ion Ratio Lower Upper

180 100

182 95.9 77.9 116.9

145 30.3 25.0 37.6









#31
Naphthalene
Concen: 44.794 ng
RT: 10.710 min Scan# 1186
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:128 Resp: 3549450
Ion Ratio Lower Upper
128 100
129 11.2 8.7 13.1
127 13.0 10.6 16.0



#32
Benzoic acid
Concen: 53.084 ng
RT: 10.063 min Scan# 1186
Delta R.T. 0.071 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:122 Resp: 822940
Ion Ratio Lower Upper
122 100
105 120.7 105.7 145.7
77 89.9 80.0 120.0









#33
4-Chloroaniline
Concen: 38.459 ng
RT: 10.834 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Instrument :
BNA_M
ClientSampleId :
P-5CMSD

Tgt Ion:127 Resp: 1228184




Ion	Ratio	Lower	Upper
127	100		
129	31.6	25.7	38.5
65	29.1	26.6	40.0
92	17.5	15.1	22.7




#34
Hexachlorobutadiene
Concen: 44.273 ng
RT: 10.986 min Scan# 1343
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:225 Resp: 648403

Ion	Ratio	Lower	Upper
225	100		
223	61.1	50.8	76.2
227	64.3	52.7	79.1





#35

Caprolactam

Concen: 51.397 ng

RT: 11.651 min Scan# 14

Delta R.T. 0.012 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:113 Resp: 348179

Ion Ratio Lower Upper

113 100

55 165.0 150.1 190.1

56 118.4 111.7 151.7



#36

4-Chloro-3-methylphenol

Concen: 49.504 ng

RT: 11.992 min Scan# 1514

Delta R.T. 0.035 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:107 Resp: 1144382


Ion Ratio Lower Upper

107 100

144 27.3 21.4 32.0

142 82.7 66.7 100.1









#37
2-Methylnaphthalene
Concen: 46.234 ng
RT: 12.322 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:142 Resp: 2437944
Ion Ratio Lower Upper
142 100
141 89.5 72.4 108.6
115 35.2 29.6 44.4



#38
1-Methylnaphthalene
Concen: 45.309 ng
RT: 12.539 min Scan# 1607
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:142 Resp: 2339686
Ion Ratio Lower Upper
142 100
141 92.0 75.0 112.4
116 3.9 3.4 5.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.498 min Scan# 1940

Delta R.T. 0.000 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:164 Resp: 968309

Ion Ratio Lower Upper

164 100

162 100.7 83.0 124.6

160 44.8 37.0 55.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 45.361 ng

RT: 12.686 min Scan# 1632

Delta R.T. -0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Tgt Ion:216 Resp: 1190823




Ion Ratio Lower Upper


216 100

214 79.2 62.6 94.0

179 21.3 18.2 27.2

108 22.2 17.0 25.6









#41
Hexachlorocyclopentadiene
Concen: 107.143 ng
RT: 12.663 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:237 Resp: 1489693
Ion Ratio Lower Upper
237 100
235 63.4 43.8 83.8
272 13.3 0.0 32.5



#42
2,4,6-Tribromophenol
Concen: 113.800 ng
RT: 15.992 min Scan# 2194
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:330 Resp: 1292711
Ion Ratio Lower Upper
330 100
332 96.1 77.0 115.4
141 36.6 35.3 52.9





#43

2,4,6-Trichlorophenol

Concen: 47.223 ng

RT: 12.945 min Scan# 1

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:196 Resp: 843557

Ion Ratio Lower Upper

196 100

198 96.3 75.8 113.6

200 31.3 24.9 37.3



#44

2,4,5-Trichlorophenol

Concen: 48.367 ng

RT: 13.028 min Scan# 1690

Delta R.T. 0.018 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Tgt Ion:196 Resp: 912056




Ion Ratio Lower Upper


196 100

198 95.3 77.8 116.6

97 50.2 43.4 65.2

132 29.1 22.8 34.2





#45

2-Fluorobiphenyl

Concen: 70.265 ng

RT: 13.122 min Scan# 1

Delta R.T. -0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:172 Resp: 4608145

Ion Ratio Lower Upper

172 100

171 35.4 28.5 42.7

170 24.0 18.7 28.1



#46

1,1'-Biphenyl

Concen: 44.943 ng

RT: 13.333 min Scan# 1742

Delta R.T. -0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:154 Resp: 3171537


Ion Ratio Lower Upper

154 100

153 40.4 20.5 60.5

76 12.4 0.0 31.8









#47
2-Chloronaphthalene
Concen: 44.943 ng
RT: 13.375 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:162 Resp: 2427362
Ion Ratio Lower Upper
162 100
127 38.9 30.6 45.8
164 32.6 26.6 39.8



#48
2-Nitroaniline
Concen: 49.483 ng
RT: 13.598 min Scan# 1787
Delta R.T. 0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion: 65 Resp: 728325
Ion Ratio Lower Upper
65 100
92 72.4 53.7 80.5
138 119.1 83.9 125.9









#49
Acenaphthylene
Concen: 46.300 ng
RT: 14.222 min Scan# 1893
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:152 Resp: 3865482
Ion Ratio Lower Upper
152 100
151 20.4 16.2 24.2
153 13.2 10.5 15.7



#50
Dimethylphthalate
Concen: 44.934 ng
RT: 13.969 min Scan# 1850
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:163 Resp: 2958840
Ion Ratio Lower Upper
163 100
194 4.0 3.0 4.4
164 10.3 8.4 12.6









#51
2,6-Dinitrotoluene
Concen: 49.419 ng
RT: 14.092 min Scan# 1871
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:165 Resp: 652918
Ion Ratio Lower Upper
165 100
63 52.0 50.2 75.2
89 55.2 48.4 72.6



#52
Acenaphthene
Concen: 41.927 ng
RT: 14.563 min Scan# 1951
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:154 Resp: 2289776
Ion Ratio Lower Upper
154 100
153 112.7 91.0 136.6
152 54.8 43.4 65.2









#53
3-Nitroaniline
Concen: 39.236 ng
RT: 14.427 min Scan# 1927
Delta R.T. 0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:138 Resp: 604803
Ion Ratio Lower Upper
138 100
108 9.1 8.7 13.1
92 106.0 91.5 137.3



#54
2,4-Dinitrophenol
Concen: 101.174 ng
RT: 14.627 min Scan# 1962
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:184 Resp: 707354
Ion Ratio Lower Upper
184 100
63 65.0 59.5 89.3
154 63.2 55.6 83.4









#55
Dibenzofuran
Concen: 44.020 ng
RT: 14.898 min Scan# 2010
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:168 Resp: 3600099
Ion Ratio Lower Upper
168 100
139 38.4 32.2 48.2
169 13.3 10.6 16.0



#56
4-Nitrophenol
Concen: 99.274 ng
RT: 14.780 min Scan# 1988
Delta R.T. 0.059 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:139 Resp: 1224581
Ion Ratio Lower Upper
139 100
109 71.8 62.5 102.5
65 88.5 83.5 123.5









#57
2,4-Dinitrotoluene
Concen: 51.641 ng
RT: 14.874 min Scan# 20
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:165 Resp: 894279
Ion Ratio Lower Upper
165 100
63 43.0 35.6 53.4
89 72.8 57.3 85.9
182 2.5 2.1 3.1



#58
Fluorene
Concen: 45.113 ng
RT: 15.545 min Scan# 2118
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:166 Resp: 2910334
Ion Ratio Lower Upper
166 100
165 97.3 79.4 119.2
167 13.6 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 46.347 ng
RT: 15.133 min Scan# 2048
Delta R.T. 0.012 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:232 Resp: 740331
Ion Ratio Lower Upper
232 100
131 49.5 41.0 61.6
130 2.5 2.3 3.5
166 31.9 27.7 41.5



#60
Diethylphthalate
Concen: 45.341 ng
RT: 15.327 min Scan# 2081
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:149 Resp: 3068204
Ion Ratio Lower Upper
149 100
177 21.6 16.9 25.3
150 12.4 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 43.896 ng
RT: 15.539 min Scan# 2117
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:204 Resp: 1412052
Ion Ratio Lower Upper
204 100
206 32.7 26.3 39.5
141 61.3 51.2 76.8



#62
4-Nitroaniline
Concen: 44.579 ng
RT: 15.592 min Scan# 2126
Delta R.T. 0.018 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:138 Resp: 706923
Ion Ratio Lower Upper
138 100
92 47.6 30.8 70.8
108 76.6 65.7 105.7









#63
Azobenzene
Concen: 44.348 ng
RT: 15.833 min Scan# 2167
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion: 77 Resp: 2852944
Ion Ratio Lower Upper
77 100
182 25.1 4.9 44.9
105 21.6 0.0 39.6
51 27.5 14.3 54.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.239 min Scan# 2406
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:188 Resp: 1907076
Ion Ratio Lower Upper
188 100
94 9.5 7.0 10.4
80 10.1 7.6 11.4









#65
4,6-Dinitro-2-methylphenol
Concen: 46.120 ng
RT: 15.633 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:198 Resp: 449724
Ion Ratio Lower Upper
198 100
51 45.6 29.0 69.0
105 46.8 22.1 62.1



#66
n-Nitrosodiphenylamine
Concen: 46.218 ng
RT: 15.763 min Scan# 2155
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:169 Resp: 2488191
Ion Ratio Lower Upper
169 100
168 67.2 54.3 81.5
167 36.5 29.4 44.0









#67
4-Bromophenyl-phenylether
Concen: 45.476 ng
RT: 16.433 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:248 Resp: 867480
Ion Ratio Lower Upper
248 100
250 97.5 78.0 117.0
141 74.9 66.0 99.0



#68
Hexachlorobenzene
Concen: 46.401 ng
RT: 16.539 min Scan# 2287
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:284 Resp: 1015582
Ion Ratio Lower Upper
284 100
142 37.7 33.6 50.4
249 30.2 26.2 39.2









#69
 Atrazine
 Concen: 58.437 ng
 RT: 16.721 min Scan# 21
 Delta R.T. 0.012 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56




Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD


Tgt Ion:200 Resp: 880295
 Ion Ratio Lower Upper
 200 100
 173 26.6 6.6 46.6
 215 48.2 26.2 66.2



#70
 Pentachlorophenol
 Concen: 93.228 ng
 RT: 16.898 min Scan# 2348
 Delta R.T. 0.006 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56

Tgt Ion:266 Resp: 1195050
 Ion Ratio Lower Upper
 266 100
 268 64.1 51.9 77.9
 264 63.4 50.6 76.0









#71
Phenanthrene
Concen: 45.451 ng
RT: 17.286 min Scan# 2415
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:178 Resp: 4416005
Ion Ratio Lower Upper
178 100
176 20.1 15.4 23.0
179 15.5 12.4 18.6



#72
Anthracene
Concen: 47.276 ng
RT: 17.374 min Scan# 2429
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:178 Resp: 4446942
Ion Ratio Lower Upper
178 100
176 19.5 15.0 22.4
179 15.8 12.2 18.2









#73
 Carbazole
 Concen: 43.545 ng
 RT: 17.657 min Scan# 24
 Delta R.T. 0.012 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56




Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD


Tgt Ion:167 Resp: 4150143
 Ion Ratio Lower Upper
 167 100
 166 21.7 17.8 26.8
 139 13.6 10.9 16.3



#74
 Di-n-butylphthalate
 Concen: 47.088 ng
 RT: 18.215 min Scan# 2572
 Delta R.T. 0.000 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56

Tgt Ion:149 Resp: 5357327
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.3 10.9
 104 4.8 4.3 6.5









#75
Fluoranthene
Concen: 44.981 ng
RT: 19.304 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:202 Resp: 4891972
Ion Ratio Lower Upper
202 100
101 11.0 0.0 30.6
203 17.9 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.427 min Scan# 3118
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:240 Resp: 1466661
Ion Ratio Lower Upper
240 100
120 11.9 9.4 14.0
236 26.4 20.6 30.8





#77

Benzidine

Concen: 153.647 ng

RT: 19.498 min Scan# 21

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:184 Resp: 3379557

Ion Ratio Lower Upper

184 100

185 14.0 11.3 16.9

183 11.2 9.5 14.3



#78

Pyrene

Concen: 54.319 ng

RT: 19.662 min Scan# 2818

Delta R.T. 0.000 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:202 Resp: 4940214


Ion Ratio Lower Upper

202 100

200 21.8 16.7 25.1

203 17.9 13.9 20.9









#79
 Terphenyl-d14
 Concen: 86.874 ng
 RT: 19.868 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56




Instrument :
 BNA_M
 ClientSampleId :
 P-5CMSD


Tgt Ion:244 Resp: 6459765
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.2 9.4
 122 10.8 8.3 12.5



#80
 Butylbenzylphthalate
 Concen: 57.473 ng
 RT: 20.568 min Scan# 2972
 Delta R.T. 0.006 min
 Lab File: BM036146.D
 Acq: 08 Aug 2022 14:56

Tgt Ion:149 Resp: 2255996
 Ion Ratio Lower Upper
 149 100
 91 66.1 56.6 85.0
 206 20.0 15.4 23.0









#81
Benzo(a)anthracene
Concen: 46.660 ng
RT: 21.415 min Scan# 3116
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:228 Resp: 4215148
Ion Ratio Lower Upper
228 100
226 27.0 22.3 33.5
229 19.7 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 62.541 ng
RT: 21.351 min Scan# 3105
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:252 Resp: 1371860
Ion Ratio Lower Upper
252 100
254 65.3 51.7 77.5
126 11.5 9.4 14.0





#83

Chrysene

Concen: 45.235 ng

RT: 21.468 min Scan# 31

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:228 Resp: 3884500

Ion Ratio Lower Upper

228 100

226 30.2 24.4 36.6

229 19.9 15.8 23.8



#84

Bis(2-ethylhexyl)phthalate

Concen: 53.277 ng

RT: 21.339 min Scan# 3103

Delta R.T. 0.000 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:149 Resp: 3155036


Ion Ratio Lower Upper

149 100

167 26.8 21.1 31.7

279 3.7 2.8 4.2









#85
Di-n-octyl phthalate
Concen: 48.207 ng
RT: 22.256 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:149 Resp: 4659041
Ion Ratio Lower Upper
149 100
167 1.5 1.3 1.9
43 8.6 8.6 12.8#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.792 min Scan# 3520
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:264 Resp: 1207550
Ion Ratio Lower Upper
264 100
260 24.3 18.9 28.3
265 22.5 17.5 26.3





#87

Indeno(1,2,3-cd)pyrene

Concen: 44.450 ng

RT: 26.250 min Scan# 3939

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:276 Resp: 3772048

Ion Ratio Lower Upper

276 100

138 26.1 20.2 30.4

277 25.2 20.2 30.2



#88

Benzo(b)fluoranthene

Concen: 50.719 ng

RT: 23.074 min Scan# 3398

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56




Tgt Ion:252 Resp: 3588322


Ion Ratio Lower Upper

252 100

253 21.8 17.6 26.4

125 10.4 7.6 11.4









#89
Benzo(k)fluoranthene
Concen: 46.912 ng
RT: 23.121 min Scan# 3406
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56




Instrument :
BNA_M
ClientSampleId :
P-5CMSD


Tgt Ion:252 Resp: 3352217
Ion Ratio Lower Upper
252 100
253 22.0 17.5 26.3
125 10.3 7.6 11.4



#90
Benzo(a)pyrene
Concen: 50.300 ng
RT: 23.686 min Scan# 3502
Delta R.T. 0.006 min
Lab File: BM036146.D
Acq: 08 Aug 2022 14:56

Tgt Ion:252 Resp: 2985824
Ion Ratio Lower Upper
252 100
253 22.1 17.2 25.8
125 11.7 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 46.423 ng

RT: 26.268 min Scan# 3941

Delta R.T. 0.006 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Instrument :

BNA_M

ClientSampleId :

P-5CMSD





Tgt Ion:278 Resp: 3297561

Ion Ratio Lower Upper

278 100

139 17.1 12.9 19.3

279 24.0 18.7 28.1



#92

Benzo(g,h,i)perylene

Concen: 47.713 ng

RT: 27.009 min Scan# 4067

Delta R.T. 0.012 min

Lab File: BM036146.D

Acq: 08 Aug 2022 14:56

Tgt Ion:276 Resp: 3281029

Ion Ratio Lower Upper

276 100

277 23.9 18.7 28.1

138 22.2 17.6 26.4

