

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080822\
 Data File : BM036163.D
 Acq On : 09 Aug 2022 02:45
 Operator : CG/JU
 Sample : N3962-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RVE-192

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 08/09/2022
 Supervised By : Jagrut Upadhyay 08/09/2022

Quant Time: Aug 09 04:18:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 08 23:36:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.846	152	259166	20.000	ng	0.00
21) Naphthalene-d8	10.651	136	1066829	20.000	ng	0.00
39) Acenaphthene-d10	14.486	164	613754	20.000	ng	0.00
64) Phenanthrene-d10	17.227	188	1196419	20.000	ng	0.00
76) Chrysene-d12	21.409	240	1110427	20.000	ng	-0.01
86) Perylene-d12	23.762	264	1184960	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1940422	121.387	ng	0.00
7) Phenol-d6	7.057	99	2427555	119.347	ng	0.00
23) Nitrobenzene-d5	9.016	82	1498696	78.637	ng	0.00
42) 2,4,6-Tribromophenol	15.980	330	880067	122.229	ng	0.00
45) 2-Fluorobiphenyl	13.116	172	3211923	77.267	ng	0.00
79) Terphenyl-d14	19.857	244	4399986	78.157	ng	0.00
Target Compounds						Qvalue
75) Fluoranthene	19.286	202	232284	3.404	ng	97
78) Pyrene	19.645	202	342272	4.971	ng	99
83) Chrysene	21.445	228	182160	2.802	ng	98
88) Benzo(b)fluoranthene	23.045	252	217326m	3.130	ng	
90) Benzo(a)pyrene	23.656	252	171062	2.937	ng	# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080822\
Data File : BM036163.D
Acq On : 09 Aug 2022 02:45
Operator : CG/JU
Sample : N3962-06
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
RVE-192

Quant Time: Aug 09 04:18:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 08 23:36:56 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.846 min Scan# 809
Delta R.T. 0.001 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Instrument :
BNA_M
ClientSampleId :
RVE-192



Tgt Ion:152 Resp: 259160
Ion Ratio Lower Upper
152 100
150 158.1 124.9 187.3
115 59.8 47.9 71.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022



#5
2-Fluorophenol
Concen: 121.387 ng
RT: 5.434 min Scan# 399
Delta R.T. 0.000 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45


Tgt Ion:112 Resp: 1940422
Ion Ratio Lower Upper
112 100
64 54.3 47.8 71.6
63 28.4 26.6 40.0





Phenol-d6
Concen: 119.347 ng
RT: 7.057 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Instrument :
BNA_M
ClientSampleId :
RVE-192




Tgt Ion: 99 Resp: 242755
Ion Ratio Lower Upper
99 100
42 16.6 18.8 28.2
71 31.6 30.2 45.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022




Naphthalene-d8
Concen: 20.000 ng
RT: 10.651 min Scan# 1286
Delta R.T. 0.000 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Tgt Ion:136 Resp: 1066829
Ion Ratio Lower Upper
136 100
137 10.9 8.9 13.3
54 7.1 7.0 10.4
68 5.5 4.3 6.5





#23
Nitrobenzene-d5
Concen: 78.637 ng
RT: 9.016 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Instrument :
BNA_M
ClientSampleId :
RVE-192




Tgt Ion: 82 Resp: 1498690
Ion Ratio Lower Upper
82 100
128 46.1 33.7 50.5
54 47.1 43.2 64.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.486 min Scan# 1938
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45



Tgt Ion:164 Resp: 613754
Ion Ratio Lower Upper
164 100
162 98.6 83.0 124.6
160 44.4 37.0 55.4





#42
2,4,6-Tribromophenol
Concen: 122.229 ng
RT: 15.980 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45

Instrument :

BNA_M

ClientSampleId :





RVE-192

Tgt Ion:330 Resp: 88006
Ion Ratio Lower Upper
330 100
332 96.8 77.0 115.4
141 36.5 35.3 52.9

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022



#45
2-Fluorobiphenyl
Concen: 77.267 ng
RT: 13.116 min Scan# 1705
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45


Tgt Ion:172 Resp: 3211923
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 23.9 18.7 28.1





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.227 min Scan# 2404
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Instrument :
BNA_M
ClientSampleId :
RVE-192




Tgt Ion:188 Resp: 1196419
Ion Ratio Lower Upper
188 100
94 9.1 7.0 10.4
80 9.8 7.6 11.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022




#75
Fluoranthene
Concen: 3.404 ng
RT: 19.286 min Scan# 2754
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45



Tgt Ion:202 Resp: 232284
Ion Ratio Lower Upper
202 100
101 11.9 0.0 30.6
203 18.8 0.0 37.4









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.409 min Scan# 3115
Delta R.T. -0.011 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45

Instrument :
BNA_M
ClientSampleId :
RVE-192

Tgt Ion:240 Resp: 111042
Ion Ratio Lower Upper
240 100
120 11.2 9.4 14.0
236 26.0 20.6 30.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022



#78
Pyrene
Concen: 4.971 ng
RT: 19.645 min Scan# 2815
Delta R.T. -0.011 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45


Tgt Ion:202 Resp: 342272
Ion Ratio Lower Upper
202 100
200 21.6 16.7 25.1
203 17.8 13.9 20.9





#79
Terphenyl-d14
Concen: 78.157 ng
RT: 19.857 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45




Instrument :
BNA_M
ClientSampleId :
RVE-192



Tgt Ion:244 Resp: 4399980
Ion Ratio Lower Upper
244 100
212 7.0 6.2 9.4
122 10.4 8.3 12.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022



#83
Chrysene
Concen: 2.802 ng
RT: 21.445 min Scan# 3121
Delta R.T. -0.011 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45

Tgt Ion:228 Resp: 182160
Ion Ratio Lower Upper
228 100
226 30.6 24.4 36.6
229 22.3 15.8 23.8









#86
Perylene-d12
Concen: 20.000 ng
RT: 23.762 min Scan# 31
Delta R.T. -0.011 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45

Instrument :
BNA_M
ClientSampleId :
RVE-192

Tgt Ion:264 Resp: 1184960
Ion Ratio Lower Upper
264 100
260 23.9 18.9 28.3
265 22.9 17.5 26.3




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022



#88
Benzo(b)fluoranthene
Concen: 3.130 ng m
RT: 23.045 min Scan# 3393
Delta R.T. -0.017 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45


Tgt Ion:252 Resp: 217326
Ion Ratio Lower Upper
252 100
253 26.0 17.6 26.4
125 18.5 7.6 11.4#





#90
Benzo(a)pyrene
Concen: 2.937 ng
RT: 23.656 min Scan# 34
Delta R.T. -0.017 min
Lab File: BM036163.D
Acq: 09 Aug 2022 02:45

Instrument :
BNA_M
ClientSampleId :
RVE-192



Tgt Ion:252 Resp: 171062

Ion	Ratio	Lower	Upper
252	100		
253	23.8	17.2	25.8
125	17.2	8.7	13.1

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/09/2022
Supervised By :Jagrut Upadhyay 08/09/2022

