

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM081018\
 Data File : BM016300.D
 Acq On : 10 Aug 2018 17:35
 Operator : SJ/JU
 Sample : PB111942BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB111942BL

Quant Time: Aug 11 04:41:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 10 18:44:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	36723	20.00	ng	0.00
21) Naphthalene-d8	10.95	136	129019	20.00	ng	0.00
38) Acenaphthene-d10	14.76	164	58245	20.00	ng	0.00
63) Phenanthrene-d10	17.50	188	110674	20.00	ng	-0.01
75) Chrysene-d12	21.63	240	116266	20.00	ng	-0.01
86) Perylene-d12	23.96	264	134164	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	353366	159.84	ng	0.00
7) Phenol-d6	7.30	99	400580	138.75	ng	0.00
23) Nitrobenzene-d5	9.32	82	288523	104.01	ng	0.00
41) 2,4,6-Tribromophenol	16.26	330	97638	132.17	ng	0.00
44) 2-Fluorobiphenyl	13.38	172	519696	108.56	ng	-0.01
78) Terphenyl-d14	20.08	244	642972	115.76	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM081018\
Data File : BM016300.D
Acq On : 10 Aug 2018 17:35
Operator : SJ/JU
Sample : PB111942BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB111942BL

Quant Time: Aug 11 04:41:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 10 18:44:22 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.13 min Scan# 823
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35

Instrument :
 BNA_M
 ClientSampleID :
 PB111942BL

Tgt Ion:152 Resp: 36723
 Ion Ratio Lower Upper
 152 100
 150 159.6 119.5 179.3
 115 69.3 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: N.D. ng
 RT: 5.66 min Scan# 403
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35

Tgt Ion:112 Resp: 353366
 Ion Ratio Lower Upper
 112 100
 64 65.9 38.6 57.8#
 63 47.3 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.30 min Scan# 683

Delta R.T. -0.00 min

Lab File: BM016300.D

Acq: 10 Aug 2018 17:35

Instrument :

BNA_M

ClientSampleId :

PB111942BL


Tgt Ion: 99 Resp: 400580

Ion Ratio Lower Upper

99 100

42 38.3 11.0 16.4#




71 54.8 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016300.D (-666) (-)

Ion 42.00 (41.70 to 42.70): BM016300.D (-666) (-)

Ion 71.00 (70.70 to 71.70): BM016300.D (-666) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.95 min Scan# 1302

Delta R.T. -0.01 min

Lab File: BM016300.D

Acq: 10 Aug 2018 17:35

Tgt Ion: 136 Resp: 129019


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 9.5 4.6 6.8#

68 4.0 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM016300.D (-1286) (-)

Ion 137.00 (136.70 to 137.70): BM016300.D (-1286) (-)

Ion 54.00 (53.70 to 54.70): BM016300.D (-1286) (-)

Ion 68.00 (67.70 to 68.70): BM016300.D (-1286) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.32 min Scan# 1025
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35




Instrument :
 BNA_M
 ClientSampleId :
 PB111942BL

Tgt Ion: 82 Resp: 288523
 Ion Ratio Lower Upper
 82 100
 128 35.5 32.8 49.2
 54 61.6 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.76 min Scan# 1951
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35

Tgt Ion: 164 Resp: 58245
 Ion Ratio Lower Upper
 164 100
 162 108.7 82.4 123.6
 160 50.3 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.26 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35

Instrument :
 BNA_M
 ClientSampleId :
 PB111942BL

Tgt Ion:330 Resp: 97638
 Ion Ratio Lower Upper
 330 100
 332 96.2 0.0 0.0#
 141 79.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.38 min Scan# 1716
 Delta R.T. -0.01 min
 Lab File: BM016300.D
 Acq: 10 Aug 2018 17:35

Tgt Ion:172 Resp: 519696
 Ion Ratio Lower Upper
 172 100
 171 36.1 28.5 42.7
 170 24.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.50 min Scan# 2416
Delta R.T. -0.01 min
Lab File: BM016300.D
Acq: 10 Aug 2018 17:35




Instrument :
BNA_M
ClientSampleId :
PB111942BL


Tgt Ion:188 Resp: 110674
Ion Ratio Lower Upper
188 100
94 7.2 8.7 13.1#
80 8.3 9.3 13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.63 min Scan# 3118
Delta R.T. -0.01 min
Lab File: BM016300.D
Acq: 10 Aug 2018 17:35

Tgt Ion:240 Resp: 116266
Ion Ratio Lower Upper
240 100
120 8.2 8.2 12.2
236 28.0 20.0 30.0





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.08 min Scan# 2855

Delta R.T. -0.01 min

Lab File: BM016300.D

Acq: 10 Aug 2018 17:35

Instrument :

BNA_M

ClientSampleId :

PB111942BL


Tgt Ion:244 Resp: 642972

Ion Ratio Lower Upper




244 100

212 10.2 4.9 7.3#

122 8.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.96 min Scan# 3515

Delta R.T. -0.01 min

Lab File: BM016300.D

Acq: 10 Aug 2018 17:35


Tgt Ion:264 Resp: 134164

Ion Ratio Lower Upper

264 100

260 25.0 18.6 27.8

265 23.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

