

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081117\
 Data File : BM011201.D
 Acq On : 11 Aug 2017 15:04
 Operator : SJ/JU
 Sample : I4666-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RO-124019-72-12014

Quant Time: Aug 11 16:09:46 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 16:03:35 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.29	152	165121	20.00	ng	0.00
21) Naphthalene-d8	10.05	136	591555	20.00	ng	0.00
38) Acenaphthene-d10	13.96	164	382680	20.00	ng	0.00
63) Phenanthrene-d10	16.72	188	859046	20.00	ng	0.00
75) Chrysene-d12	20.94	240	1080136	20.00	ng	0.00
86) Perylene-d12	23.02	264	1026957	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.93	112	1317463	134.88	ng	0.00
7) Phenol-d6	6.50	99	1725538	124.33	ng	0.00
23) Nitrobenzene-d5	8.44	82	1801206	114.28	ng	0.00
41) 2,4,6-Tribromophenol	15.47	330	793870	129.43	ng	0.00
44) 2-Fluorobiphenyl	12.57	172	3095648	101.45	ng	0.00
78) Terphenyl-d14	19.39	244	4720839	86.58	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.60	79	40235	3.022	ng	Qvalue # 24


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081117\
Data File : BM011201.D
Acq On : 11 Aug 2017 15:04
Operator : SJ/JU
Sample : I4666-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RO-124019-72-12014

Quant Time: Aug 11 16:09:46 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM072617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 16:03:35 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.29 min Scan# 766
Delta R.T. 0.00 min
Lab File: BM011201.D
Acq: 11 Aug 2017 15:04

Instrument :
BNA_M
ClientSampleId :
RO-124019-72-12014




Tot Ion:152 Resp: 165121
Ion Ratio Lower Upper
152 100
150 157.4 119.5 179.3
115 67.8 43.0 64.4#




#5

2-Fluorophenol
Concen: 134.876 ng
RT: 4.93 min Scan# 365
Delta R.T. 0.00 min
Lab File: BM011201.D
Acq: 11 Aug 2017 15:04

Tgt Ion:112 Resp: 1317463
Ion Ratio Lower Upper
112 100
64 84.9 38.6 57.8#
63 50.7 19.3 28.9#





#7

Phenol-d6

Concen: 124.332 ng

RT: 6.50 min Scan# 631

Delta R.T. 0.00 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04

Instrument :

BNA_M

ClientSampleId :

RO-124019-72-12014





Tot Ion: 99 Resp: 1725538

Ion Ratio Lower Upper

99 100

42 24.5 11.0 16.4#

71 61.9 23.4 35.2#



#15

Benzyl Alcohol

Concen: 3.022 ng

RT: 7.60 min Scan# 819

Delta R.T. 0.06 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04




Tgt Ion: 79 Resp: 40235


Ion Ratio Lower Upper

79 100

108 38.5 65.0 97.4#

77 154.5 53.0 79.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.05 min Scan# 1235
Delta R.T. 0.00 min
Lab File: BM011201.D
Acq: 11 Aug 2017 15:04




Instrument :
BNA_M
ClientSampleId :
RO-124019-72-12014


Tot Ion:136	Resp:	591555
Ion	Ratio	Lower Upper
136	100	
137	9.3	8.7 13.1
54	9.5	4.6 6.8#
68	8.0	3.7 5.5#



#23
Nitrobenzene-d5
Concen: 114.279 ng
RT: 8.44 min Scan# 961
Delta R.T. -0.01 min
Lab File: BM011201.D
Acq: 11 Aug 2017 15:04

Tgt Ion: 82	Resp:	1801206
Ion	Ratio	Lower Upper
82	100	
128	23.4	32.8 49.2#
54	48.3	40.6 60.8





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 13.96 min Scan# 1899

Delta R.T. -0.01 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04

Instrument :

BNA_M

ClientSampleId :

RO-124019-72-12014


Tot Ion:164 Resp: 382680

Ion Ratio Lower Upper

164 100

162 98.5 82.4 123.6




160 41.9 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 129.431 ng

RT: 15.47 min Scan# 2156

Delta R.T. 0.00 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04


Tgt Ion:330 Resp: 793870

Ion Ratio Lower Upper

330 100

332 97.1 0.0 0.0#



141 44.2 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 101.452 ng
 RT: 12.57 min Scan# 1663
 Delta R.T. 0.00 min
 Lab File: BM011201.D
 Acq: 11 Aug 2017 15:04

Instrument :
 BNA_M
 ClientSampleId :
 RO-124019-72-12014

Tot Ion:172 Resp: 3095648




Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.5	42.7
170	23.2	18.8	28.2




#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 16.72 min Scan# 2369
 Delta R.T. 0.00 min
 Lab File: BM011201.D
 Acq: 11 Aug 2017 15:04

Tgt Ion:188 Resp: 859046

Ion	Ratio	Lower	Upper
188	100		
94	6.6	8.7	13.1#
80	9.8	9.3	13.9





#75

Chrysene-d12

Concen: 20.000 ng

RT: 20.94 min Scan# 3087

Delta R.T. -0.01 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04

Instrument :

BNA_M

ClientSampleId :

RO-124019-72-12014


Tot Ion:240 Resp: 1080136

Ion Ratio Lower Upper

240 100

120 5.7 8.2 12.2#




236 24.7 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.576 ng

RT: 19.39 min Scan# 2823

Delta R.T. 0.00 min

Lab File: BM011201.D

Acq: 11 Aug 2017 15:04


Tgt Ion:244 Resp: 4720839

Ion Ratio Lower Upper

244 100

212 8.6 4.9 7.3#



122 6.5 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.02 min Scan# 3440
 Delta R.T. -0.01 min
 Lab File: BM011201.D
 Acq: 11 Aug 2017 15:04

Instrument :
 BNA_M
 ClientSampleId :
 RO-124019-72-12014

Tot Ion: 264 Resp: 1026957

Ion	Ratio	Lower	Upper
264	100		
260	20.0	18.6	27.8
265	21.8	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

