

Data Path : V:\HPCHEM1\BNA M\DATA\BM081216\
 Data File : BM007040.D
 Acq On : 12 Aug 2016 12:58
 Operator : UM/SJ
 Sample : H4387-23MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Aug 12 16:34:14 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 12 01:51:15 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	469153	20.00	ng/ul	0.00
18) Naphthalene-d8	10.60	136	2101437	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.44	164	1313206	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.19	188	2877681	20.00	ng/ul	0.00
75) Chrysene-d12	21.37	240	2182711	20.00	ng/ul	0.00
83) Perylene-d12	23.65	264	2262184	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.32	96	24485	2.28	ng/uL	0.00
5) Phenol-d5	6.97	99	602388	15.85	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.15	67	350494	16.09	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	494152	16.32	ng/ul	0.00
13) 4-Methylphenol-d8	8.51	113	457016	14.61	ng/ul	0.00
19) Nitrobenzene-d5	8.97	128	253639	16.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.69	143	275012	16.87	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.22	165	551029	16.13	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	412488	10.15	ng/ul	0.00
43) Dimethylphthalate-d6	13.86	166	1734643	15.99	ng/ul	0.00
46) Acenaphthylene-d8	14.14	160	2179227	16.72	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	218033	11.21	ng/ul	0.00
57) Fluorene-d10	15.44	176	1542117	16.26	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.56	200	134858	8.48	ng/ul	0.00
70) Anthracene-d10	17.29	188	2272408	17.05	ng/ul	0.00
76) Pyrene-d10	19.59	212	2067924	22.45	ng/ul	0.01
87) Benzo(a)pyrene-d12	23.51	264	1713369	16.56	ng/ul	0.01

Target Compounds

					Ovalue
6) Phenol	7.00	94	690765	17.26	ng/ul 98
10) 2-Chlorophenol	7.38	128	499590	16.14	ng/ul 98
15) N-Nitroso-di-n-propylamine	8.62	70	434178	17.32	ng/ul 96
28) Naphthalene	10.65	128	107129	1.03	ng/ul 98
33) 4-Chloro-3-methylphenol	11.87	107	623767	16.78	ng/ul 98
34) 2-Methylnaphthalene	12.26	142	134137	1.67	ng/ul 99
44) Dimethylphthalate	13.90	163	1294603	11.94	ng/ul 99
47) Acenaphthylene	14.17	152	1106836	8.25	ng/ul 99
49) Acenaphthene	14.51	153	1538469	17.66	ng/ul 99
52) 4-Nitrophenol	14.65	109	226101	11.44	ng/ul 94
54) 2,4-Dinitrotoluene	14.81	165	525746	16.90	ng/ul# 99
58) Fluorene	15.49	166	474059	4.55	ng/ul# 99
68) Pentachlorophenol	16.84	266	302102	13.32	ng/ul 100
69) Phenanthrene	17.23	178	6447436	41.66	ng/ul 98
71) Anthracene	17.32	178	1101963	6.94	ng/ul 99
74) Fluoranthene	19.25	202	6013936	32.04	ng/ul 99
77) Pyrene	19.62	202	11433035	94.74	ng/ul 99
80) Benzo(a)anthracene	21.41	228	3817041	29.60	ng/ul 92
82) Chrysene	21.41	228	3817041	32.39	ng/ul 95
85) Benzo(b)fluoranthene	22.97	252	2932978	21.52	ng/ul 96
86) Benzo(k)fluoranthene	22.97	252	2932978	22.92	ng/ul 97
88) Benzo(a)pyrene	23.56	252	2628340	20.35	ng/ul 99
89) Indeno(1,2,3-cd)pyrene	25.96	276	1478157	9.34	ng/ul 99

Data Path : V:\HPCHEM1\BNA M\DATA\BM081216\
Data File : BM007040.D
Acq On : 12 Aug 2016 12:58
Operator : UM/SJ
Sample : H4387-23MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Aug 12 16:34:14 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 12 01:51:15 2016
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) Dibenzo(a,h)anthracene	25.96	278	449272	3.38	ng/ul#	85
91) Benzo(g,h,i)perylene	26.66	276	1611350	12.04	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : V:\HPCHEM1\BNA M\DATA\BM081216\
Data File : BM007040.D
Acq On : 12 Aug 2016 12:58
Operator : UM/SJ
Sample : H4387-23MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Aug 12 16:34:14 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 12 01:51:15 2016
Response via : Initial Calibration

