

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081316\
 Data File : BM007094.D
 Acq On : 14 Aug 2016 06:47
 Operator : UM/SJ
 Sample : H4314-22
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BDJX0

Quant Time: Aug 15 13:39:41 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 15 10:34:14 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	244087	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	936195	20.00	ng/ul	-0.01
35) Acenaphthene-d10	14.44	164	534318	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.18	188	1247297	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1635380	20.00	ng/ul	-0.01
83) Perylene-d12	23.63	264	1765025	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	31422	5.62	ng/uL	0.00
5) Phenol-d5	6.97	99	601847	30.44	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	7.15	67	362945	32.02	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	497252	31.57	ng/ul	-0.01
13) 4-Methylphenol-d8	8.50	113	489044	30.06	ng/ul	-0.01
19) Nitrobenzene-d5	8.96	128	232970	34.26	ng/ul	0.00
22) 2-Nitrophenol-d4	9.68	143	256093	35.25	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	490294	32.22	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.73	131	585422	32.33	ng/ul	0.00
43) Dimethylphthalate-d6	13.85	166	1452756	32.90	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1808451	34.10	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	203527	25.72	ng/ul	0.00
57) Fluorene-d10	15.43	176	1270159	32.91	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	183031	26.55	ng/ul	-0.01
70) Anthracene-d10	17.28	188	1987262	34.39	ng/ul	0.00
76) Pyrene-d10	19.57	212	2398937	34.75	ng/ul	-0.01
87) Benzo(a)pyrene-d12	23.49	264	2839972	35.18	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	431617	9.78	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081316\
Data File : BM007094.D
Acq On : 14 Aug 2016 06:47
Operator : UM/SJ
Sample : H4314-22
Misc :
ALS Vial : 59 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BDJX0

Quant Time: Aug 15 13:39:41 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 15 10:34:14 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 9.78 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.01 min

Lab File: BM007094.D


Acq: 14 Aug 2016 06:47

Instrument :

BNA_M

ClientSampleId :

BDJX0



Tgt Ion:	163	Resp:	431617
Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.2
164	9.9	7.8	11.8

