

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081320\
 Data File : BM027100.D
 Acq On : 14 Aug 2020 23:21
 Operator : JU/CG
 Sample : L3631-05
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFMM1

Quant Time: Aug 17 01:23:52 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM080720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Aug 13 11:47:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	129140	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	471139	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	299512	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.02	188	648365	20.00	ng/ul	0.00
78) Chrysene-d12	21.21	240	716033	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	741019	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.20	96	4319	1.52	ng/uL	0.00
5) Phenol-d5	6.82	99	83780	8.34	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.97	67	63873	9.29	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	69088	8.72	ng/ul	0.00
13) 4-Methylphenol-d8	8.34	113	64172	8.20	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	34333	9.19	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	34226	8.84	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	71309	8.77	ng/ul	0.00
29) 4-Chloroaniline-d4	10.54	131	65829	6.96	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	250003	10.47	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	251100	8.82	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	24456	6.07	ng/ul	0.00
58) Fluorene-d10	15.27	176	197756	9.50	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	19264	5.44	ng/ul	0.00
71) Anthracene-d10	17.11	188	290187	9.08	ng/ul	0.00
79) Pyrene-d10	19.41	212	307324	8.61	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	326672	7.90	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.73	163	90407	3.612	ng/ul	100
70) Phenanthrene	17.06	178	230938	5.941	ng/ul	99
72) Anthracene	17.06	178	231160	5.845	ng/ul	99
77) Fluoranthene	19.08	202	364452	7.732	ng/ul#	96
80) Pyrene	19.44	202	295141	6.073	ng/ul	98
83) Benzo(a)anthracene	21.19	228	203628	4.224	ng/ul	98
85) Chrysene	21.24	228	214989	4.544	ng/ul	98
88) Benzo(b)fluoranthene	22.75	252	314001	6.102	ng/ul	99
89) Benzo(k)fluoranthene	22.79	252	101354	1.987	ng/ul	94
91) Benzo(a)pyrene	23.31	252	181659	3.879	ng/ul	96
92) Indeno(1,2,3-cd)pyrene	25.60	276	141290	2.342	ng/ul#	95
94) Benzo(g,h,i)perylene	26.27	276	88875	1.783	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081320\
Data File : BM027100.D
Acq On : 14 Aug 2020 23:21
Operator : JU/CG
Sample : L3631-05
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFMM1

Quant Time: Aug 17 01:23:52 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM080720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Aug 13 11:47:07 2020
Response via : Initial Calibration









#45
Dimethylphthalate
Concen: 3.612 ng/ul
RT: 13.73 min Scan# 1827
Delta R.T. -0.00 min
Lab File: BM027100.D
Acq: 14 Aug 2020 23:21




Instrument :
BNA_M
ClientSampleId :
BFMM1


Tot Ion	Ratio	Lower	Upper
163	100		
194	3.7	3.2	4.8
164	10.2	8.2	12.2



#70
Phenanthrene
Concen: 5.941 ng/ul
RT: 17.06 min Scan# 2392
Delta R.T. -0.00 min
Lab File: BM027100.D
Acq: 14 Aug 2020 23:21

Tgt Ion	Ratio	Lower	Upper
178	100		
179	15.8	11.9	17.9
176	18.0	14.6	22.0





#72

Anthracene

Concen: 5.845 ng/ul

RT: 17.06 min Scan# 2392

Delta R.T. -0.09 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21

Instrument :

BNA_M

ClientSampleId :

BFMM1


Tot Ion:178 Resp: 231160

Ion Ratio Lower Upper

178 100

179 15.8 12.0 18.0




176 18.0 14.3 21.5



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#77

Fluoranthene

Concen: 7.732 ng/ul

RT: 19.08 min Scan# 2736

Delta R.T. -0.00 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21


Tgt Ion:202 Resp: 364452

Ion Ratio Lower Upper

202 100

101 7.3 6.7 10.1



100 5.4 5.4 8.2#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E





#80

Pvrene

Concen: 6.073 ng/ul

RT: 19.44 min Scan# 2797

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21

Instrument :

BNA_M

ClientSampleId :

BFMM1


Tot Ion:202 Resp: 295141

Ion Ratio Lower Upper

202 100

101 9.0 7.6 11.4




100 7.2 6.3 9.5



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#83

Benzo(a)anthracene

Concen: 4.224 ng/ul

RT: 21.19 min Scan# 3095

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21


Tgt Ion:228 Resp: 203628

Ion Ratio Lower Upper

228 100

229 21.0 15.8 23.6



226 27.1 21.2 31.8




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 229.00 (228.70 to 229.70): E

Ion 226.00 (225.70 to 226.70): E





#85

Chrysene

Concen: 4.544 ng/ul

RT: 21.24 min Scan# 3104

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21

Instrument :

BNA_M

ClientSampleId :

BFMM1


Tot Ion:228 Resp: 214989

Ion Ratio Lower Upper

228 100

226 29.6 23.8 35.6




229 22.4 15.8 23.8



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#88

Benzo(b)fluoranthene

Concen: 6.102 ng/ul

RT: 22.75 min Scan# 3360

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21


Tgt Ion:252 Resp: 314001

Ion Ratio Lower Upper

252 100

253 22.7 17.6 26.4



125 7.8 6.0 9.0




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#89

Benzo(k)fluoranthene

Concen: 1.987 ng/ul

RT: 22.79 min Scan# 3367

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21

Instrument :

BNA_M

ClientSampleId :

BFMM1





Tot Ion:252 Resp: 101354

Ion Ratio Lower Upper

252 100

253 25.2 17.2 25.8

125 7.7 5.5 8.3



#91

Benzo(a)pyrene

Concen: 3.879 ng/ul

RT: 23.31 min Scan# 3455

Delta R.T. -0.01 min

Lab File: BM027100.D

Acq: 14 Aug 2020 23:21




Tgt Ion:252 Resp: 181659


Ion Ratio Lower Upper

252 100

253 23.6 17.0 25.4

125 7.9 5.8 8.8









#92

Indeno(1,2,3-cd)pyrene
Concen: 2.342 ng/ul
RT: 25.60 min Scan# 3844
Delta R.T. -0.01 min
Lab File: BM027100.D
Acq: 14 Aug 2020 23:21

Instrument :
BNA_M
ClientSampleId :
BFMM1

Tot Ion	Ratio	Lower	Upper
276	100		
138	13.8	13.9	20.9#
277	23.7	19.8	29.8



#94

Benzo(g,h,i)perylene
Concen: 1.783 ng/ul
RT: 26.27 min Scan# 3958
Delta R.T. -0.01 min
Lab File: BM027100.D
Acq: 14 Aug 2020 23:21

Tgt Ion	Ratio	Lower	Upper
276	100		
138	14.1	12.3	18.5
277	23.8	19.0	28.6

