

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081516\  
 Data File : BM007117.D  
 Acq On : 15 Aug 2016 14:24  
 Operator : UM/SJ  
 Sample : SSTD1.638  
 Misc :  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SSTD1.638

Quant Time: Aug 15 15:10:23 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM081516.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Aug 15 14:59:57 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|---------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.82  | 152  | 1872     | 0.40 | ng/ul | 0.00     |
| 2) Naphthalene-d8         | 10.60 | 136  | 6706     | 0.40 | ng/ul | 0.00     |
| 6) Acenaphthene-d10       | 14.43 | 164  | 3252     | 0.40 | ng/ul | 0.00     |
| 10) Phenanthrene-d10      | 17.18 | 188  | 6948     | 0.40 | ng/ul | 0.00     |
| 16) Chrysene-d12          | 21.37 | 240  | 6825     | 0.40 | ng/ul | 0.00     |
| 20) Perylene-d12          | 23.64 | 264  | 6585     | 0.40 | ng/ul | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|-----------------------------|-------|------|----------|------|-------|----------|
| 4) 2-Methylnaphthalene-d10  | 12.18 | 152  | 13334    | 1.57 | ng/ul | 0.00     |
| 14) Fluoranthene-d10        | 19.21 | 212  | 25995    | 1.41 | ng/ul | 0.00     |

| Target Compounds           | R.T.  | QIon | Response | Conc | Units  | Ovalue |
|----------------------------|-------|------|----------|------|--------|--------|
| 3) Naphthalene             | 10.65 | 128  | 26778    | 1.59 | ng/ul  | 99     |
| 5) 2-Methylnaphthalene     | 12.26 | 142  | 18223    | 1.59 | ng/ul  | 100    |
| 7) Acenaphthylene          | 14.14 | 152  | 27789    | 1.49 | ng/ul  | 100    |
| 8) Acenaphthene            | 14.50 | 153  | 18113    | 1.60 | ng/ul  | 100    |
| 9) Fluorene                | 15.50 | 166  | 20471    | 1.54 | ng/ul  | 97     |
| 11) Pentachlorophenol      | 16.83 | 266  | 2863     | 3.28 | ng/ul  | 95     |
| 12) Phenanthrene           | 17.31 | 178  | 30864    | 1.60 | ng/ul  | 99     |
| 13) Anthracene             | 17.31 | 178  | 31417    | 1.70 | ng/ul  | 98     |
| 15) Fluoranthene           | 19.24 | 202  | 38301    | 1.42 | ng/ul  | 93     |
| 17) Pyrene                 | 19.60 | 202  | 38904    | 1.88 | ng/ul  | 94     |
| 18) Benzo(a)anthracene     | 21.35 | 228  | 36156    | 1.93 | ng/ul  | 95     |
| 19) Chrysene               | 21.40 | 228  | 34505    | 1.84 | ng/ul  | 96     |
| 21) Benzo(b)fluoranthene   | 22.95 | 252  | 39405    | 1.75 | ng/ul  | 97     |
| 22) Benzo(k)fluoranthene   | 22.99 | 252  | 35615    | 1.66 | ng/ul  | 95     |
| 23) Benzo(a)pyrene         | 23.53 | 252  | 36406    | 1.75 | ng/ul  | 95     |
| 24) Indeno(1,2,3-cd)pyrene | 25.93 | 276  | 43302    | 1.65 | ng/ul# | 94     |
| 25) Dibenzo(a,h)anthracene | 25.94 | 278  | 34353    | 1.74 | ng/ul  | 96     |
| 26) Benzo(g,h,i)perylene   | 26.63 | 276  | 35974    | 1.70 | ng/ul  | 95     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM081516\  
Data File : BM007117.D  
Acq On : 15 Aug 2016 14:24  
Operator : UM/SJ  
Sample : SSTD1.638  
Misc :  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SSTD1.638

Quant Time: Aug 15 15:10:23 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM081516.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Mon Aug 15 14:59:57 2016  
Response via : Initial Calibration

