

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081516\
 Data File : BM007130.D
 Acq On : 15 Aug 2016 23:21
 Operator : UM/SJ
 Sample : H4338-16
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4V23

Quant Time: Aug 16 01:56:28 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM081516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 16 01:54:24 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	2134	0.40	ng/ul	0.00
2) Naphthalene-d8	10.60	136	7531	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.43	164	3951	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.28	188	605480	0.40	ng/ul	0.10
16) Chrysene-d12	21.37	240	7566	0.40	ng/ul	0.00
20) Perylene-d12	23.49	264	526107	0.40	ng/ul	-0.15

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Methylnaphthalene-d10	12.18	152	3380	0.36	ng/ul	0.00
14) Fluoranthene-d10	19.21	212	7107	0.01	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) Naphthalene	10.65	128	296	0.02	ng/ul#	43
5) 2-Methylnaphthalene	12.26	142	90	0.01	ng/ul	91
7) Acenaphthylene	14.14	152	237	0.01	ng/ul#	8
8) Acenaphthene	14.49	153	92	0.01	ng/ul#	71
9) Fluorene	15.55	166	63	0.00	ng/ul#	1
11) Pentachlorophenol	16.92	266	2	0.00	ng/ul#	53
12) Phenanthrene	17.31	178	790	0.00	ng/ul#	60
13) Anthracene	17.31	178	779	0.00	ng/ul#	59
15) Fluoranthene	19.39	202	75	0.00	ng/ul#	1
17) Pyrene	19.57	202	1506	0.06	ng/ul#	1
18) Benzo(a)anthracene	21.35	228	385	0.02	ng/ul#	49
19) Chrysene	21.40	228	396	0.02	ng/ul#	56
21) Benzo(b)fluoranthene	22.95	252	601	0.00	ng/ul#	1
22) Benzo(k)fluoranthene	22.95	252	1051	0.00	ng/ul#	5
23) Benzo(a)pyrene	23.49	252	2752	0.00	ng/ul#	60
24) Indeno(1,2,3-cd)pyrene	25.68	276	47	0.00	ng/ul#	70
25) Dibenzo(a,h)anthracene	25.94	278	394	0.00	ng/ul#	14


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081516\
Data File : BM007130.D
Acq On : 15 Aug 2016 23:21
Operator : UM/SJ
Sample : H4338-16
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4V23

Quant Time: Aug 16 01:56:28 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM081516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 16 01:54:24 2016
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.02 ng/ul

RT: 10.65 min Scan# 527

Delta R.T. 0.00 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:128 Resp: 296

Ion Ratio Lower Upper

128 100

129 35.4 9.0 13.6#




127 32.3 9.6 14.4#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 0.01 ng/ul

RT: 12.26 min Scan# 677

Delta R.T. 0.00 min

Lab File: BM007130.D


Acq: 15 Aug 2016 23:21

Tgt Ion:142 Resp: 90

Ion Ratio Lower Upper



142 100


141 96.7 70.3 105.5



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#7

Acenaphthylene

Concen: 0.01 ng/ul

RT: 14.14 min Scan# 853

Delta R.T. -0.02 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23

Tgt Ion:152 Resp: 237

Ion Ratio Lower Upper

152 100

151 55.0 17.6 26.4#




153 63.6 9.7 14.5#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#8

Acenaphthene

Concen: 0.01 ng/ul

RT: 14.49 min Scan# 873

Delta R.T. -0.02 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:153 Resp: 92

Ion Ratio Lower Upper

153 100

152 83.0 33.9 50.9#



154 86.0 80.6 121.0




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#9

Fluorene

Concen: 0.00 ng/ul

RT: 15.55 min Scan# 935

Delta R.T. 0.05 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:166 Resp: 63

Ion Ratio Lower Upper

166 100

165 132.7 69.6 104.4#




167 522.4 11.9 17.9#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#11

Pentachlorophenol

Concen: 0.00 ng/ul

RT: 16.92 min Scan# 1015

Delta R.T. 0.09 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:266 Resp: 2

Ion Ratio Lower Upper

266 100

264 50.0 51.8 77.8#



268 0.0 46.8 70.2#




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#12

Phenanthrene

Concen: 0.00 ng/ul

RT: 17.31 min Scan# 1038

Delta R.T. 0.10 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:178 Resp: 790

Ion Ratio Lower Upper

178 100

176 32.1 13.0 19.4#




179 36.6 14.2 21.2#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#13

Anthracene

Concen: 0.00 ng/ul

RT: 17.31 min Scan# 1038

Delta R.T. 0.00 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:178 Resp: 779

Ion Ratio Lower Upper

178 100

176 32.1 14.0 21.0#



179 36.6 12.9 19.3#




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#15

Fluoranthene

Concen: 0.00 ng/ul

RT: 19.39 min Scan# 1168

Delta R.T. 0.15 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:202 Resp: 75

Ion Ratio Lower Upper

202 100

101 64.9 0.0 29.6#




203 82.9 0.0 36.3#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#17

Pyrene

Concen: 0.06 ng/ul

RT: 19.57 min Scan# 1183

Delta R.T. -0.03 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:202 Resp: 1506

Ion Ratio Lower Upper

202 100

200 11.6 17.8 26.8#



203 135.9 12.8 19.2#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#18

Benzo(a)anthracene

Concen: 0.02 ng/ul

RT: 21.35 min Scan# 1341

Delta R.T. -0.00 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:228 Resp: 385

Ion Ratio Lower Upper




228 100

226 51.7 18.8 28.2#

229 42.3 17.1 25.7#



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E



#19

Chrysene

Concen: 0.02 ng/ul

RT: 21.40 min Scan# 1346

Delta R.T. -0.00 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:228 Resp: 396

Ion Ratio Lower Upper



228 100


226 47.0 21.2 31.8#

229 44.2 17.0 25.6#



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E





#21

Benzo(b)fluoranthene

Concen: 0.00 ng/ul

RT: 22.95 min Scan# 1495

Delta R.T. -0.00 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion:252 Resp: 601

Ion Ratio Lower Upper

252 100

253 56.0 0.0 45.4#




125 75.2 0.0 28.8#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#22

Benzo(k)fluoranthene

Concen: 0.00 ng/ul

RT: 22.95 min Scan# 1495

Delta R.T. -0.05 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion:252 Resp: 1051

Ion Ratio Lower Upper

252 100

253 56.0 19.8 29.8#



125 75.2 10.4 15.6#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#23

Benzo(a)pyrene

Concen: 0.00 ng/ul

RT: 23.49 min Scan# 1547

Delta R.T. -0.05 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23


Tgt Ion: 252 Resp: 2752

Ion Ratio Lower Upper

252 100

253 41.1 19.4 29.2#




125 37.1 12.7 19.1#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#24

Indeno(1,2,3-cd)pyrene

Concen: 0.00 ng/ul

RT: 25.68 min Scan# 1757

Delta R.T. -0.25 min

Lab File: BM007130.D

Acq: 15 Aug 2016 23:21


Tgt Ion: 276 Resp: 47

Ion Ratio Lower Upper

276 100

138 0.0 16.3 24.5#



277 34.0 19.8 29.8#




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E





#25

Dibenzo(a,h)anthracene

Concen: 0.00 ng/ul

RT: 25.94 min Scan# 1782

Delta R.T. -0.01 min

Lab File: BM007130.D


Acq: 15 Aug 2016 23:21

Instrument :

BNA_M

ClientSampleId :

A4V23




Tgt Ion: 278 Resp: 394

Ion Ratio Lower Upper

278 100

139 62.8 16.4 24.6#

279 66.3 20.2 30.2#



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

25.94

Time-->