

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081716\
 Data File : BM007157.D
 Acq On : 17 Aug 2016 00:27
 Operator : UM/SJ
 Sample : H4445-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E5N27

Quant Time: Aug 17 03:21:57 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 17 03:20:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	242269	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	957489	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	554530	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.18	188	1309737	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1710350	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	1776208	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.33	96	27084	4.88	ng/uL	0.00
5) Phenol-d5	6.97	99	540009	27.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	319477	28.40	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	433094	27.71	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	431512	26.72	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	206942	29.76	ng/ul	0.00
22) 2-Nitrophenol-d4	9.68	143	239919	32.29	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	454636	29.21	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	572448	30.91	ng/ul	0.00
43) Dimethylphthalate-d6	13.85	166	1479374	32.29	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1767114	32.11	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	232505	28.31	ng/ul	0.00
57) Fluorene-d10	15.43	176	1272132	31.76	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	192791	26.64	ng/ul	0.00
70) Anthracene-d10	17.27	188	2068367	34.09	ng/ul	0.00
76) Pyrene-d10	19.57	212	2491857	34.52	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	2797157	34.43	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	435340	9.51	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081716\
Data File : BM007157.D
Acq On : 17 Aug 2016 00:27
Operator : UM/SJ
Sample : H4445-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E5N27

Quant Time: Aug 17 03:21:57 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 17 03:20:37 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 9.51 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.01 min

Lab File: BM007157.D

Acq: 17 Aug 2016 00:27

Instrument :

BNA_M

ClientSampleId :

E5N27

Tgt Ion:163 Resp: 435340

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.2

164 9.7 7.8 11.8

