

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081716\
 Data File : BM007168.D
 Acq On : 17 Aug 2016 07:01
 Operator : UM/SJ
 Sample : H4423-08
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD2R2

Quant Time: Aug 17 07:31:50 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 17 04:01:43 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	238439	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	932103	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	542328	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.18	188	1304920	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	1798637	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	1921220	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	28952	5.30	ng/uL	0.00
5) Phenol-d5	6.97	99	554758	28.72	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	332691	30.05	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	451430	29.34	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	427557	26.90	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	213680	31.56	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	239718	33.14	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	451390	29.79	ng/ul	0.00
29) 4-Chloroaniline-d4	10.73	131	571333	31.69	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	1438385	32.10	ng/ul	0.00
46) Acenaphthylene-d8	14.13	160	1747876	32.47	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	191268	23.81	ng/ul	0.00
57) Fluorene-d10	15.43	176	1261928	32.22	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	148860	20.64	ng/ul	0.00
70) Anthracene-d10	17.27	188	2057302	34.03	ng/ul	0.00
76) Pyrene-d10	19.57	212	2553041	33.63	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.49	264	3112178	35.42	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.89	163	596499	13.32	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM081716\
Data File : BM007168.D
Acq On : 17 Aug 2016 07:01
Operator : UM/SJ
Sample : H4423-08
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD2R2

Quant Time: Aug 17 07:31:50 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM081116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 17 04:01:43 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 13.32 ng/ul

RT: 13.89 min Scan# 1922

Delta R.T. -0.00 min

Lab File: BM007168.D

Acq: 17 Aug 2016 07:01

Instrument :

BNA_M

ClientSampleId :

BD2R2

Tgt Ion:163 Resp: 596499

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2

164 10.5 7.8 11.8

